

ABK30 YEARS

**Happy
birth
day**

ABK30
YEARS

ABK
EMOZIONI IN SUPERFICIE

beginning

1992
2002

ELEGANT
DECORATIVE
TIMELESS

LA STORIA DEL MARCHIO ABK HA INIZIO A FINALE EMILIA NEL 1992, ANNO IN CUI DEBUTTA COME AZIENDA SPECIALIZZATA NEL RIVESTIMENTO CERAMICO IN BICOTTURA. FIN DALL’INIZIO L’AZIENDA PUNTA SU GAMME DI QUALITÀ E DAL FORTE IMPATTO ESTETICO, SEGUENDO E SPESSO PRECORRENDO LE TENDENZE DEL MERCATO. IN BREVE TEMPO QUESTO APPROCCIO FORTEMENTE ORIENTATO AL PRODOTTO SI ESTENDE ANCHE AL MONDO DEL PAVIMENTO GRAZIE ALLE PRIME ACQUISIZIONI DI STABILIMENTI SPECIALIZZATI NELLA PRODUZIONE DI GRES PORCELLANATO.

The history of the ABK brand dates back to 1992 when the company was set up in Finale Emilia as a specialist double-fired wall tile producer. Right from the start, ABK focused on high-quality, visually appealing products that met and often anticipated market trends. The company soon extended its strongly product-oriented approach to the world of floor tiles with the acquisition of several porcelain tile factories.

yesterday

2002
2012

CREATIVE
INNOVATIVE
POPULAR

L’AZIENDA NATA INTORNO AL BRAND ABK SI STRUTTURA PROGRESSIVAMENTE ASSUMENDO LE DIMENSIONI DI UN GRUPPO. GRAZIE AD UNA SERIE DI FUSIONI E NUOVE ACQUISIZIONI ESPANDE ANCHE I PROPRI ORIZZONTI COMMERCIALI CON CANALI DISTRIBUTIVI CHE ARRIVERANNO A COPRIRE PIÙ DI 80 PAESI. AMPIA E ACCATTIVANTE, LA GAMMA DI PAVIMENTI E RIVESTIMENTI SI SVILUPPA IN FORMATI SEMPRE PIÙ GRANDI.

ABK gradually took on the dimensions of a group and completed a series of mergers and acquisitions aimed at expanding its sales network with distribution channels in more than 80 countries. It further extended its already wide range of visually-appealing floor and wall tiles with the introduction of increasingly large sizes.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE

to
day

TECHNOLOGICAL FASHIONISTA UNCONVENTIONAL

2012
2022

SONO GLI ANNI IN CUI LA RICERCA STILISTICA
INCONTRA GLI INVESTIMENTI E LE ESCLUSIVE
INNOVAZIONI TECNOLOGICHE INTRODOTTE DA
ABK, IN UN PRIMO MOMENTO NEI PAVIMENTI E
NEI RIVESTIMENTI, SUCCESSIVAMENTE NEL MONDO
DELLE GRANDI LASTRE, DOVE L’AZIENDA CONTINUA
ANCORA OGGI A DISTINGUERSI PER LA PROPRIA
VISIONE CREATIVA E ORIGINALE.

In recent years, ABK’s stylistic
research has been accompanied
by investments in exclusive
technological innovations, initially
for floor and wall tiles and
subsequently in the large slab
segment, a field in which it continues
to excel for its originality and
creative vision.

what
about
the
future?

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE

From the beginning to the future

1992

ABK nasce ufficialmente a Finale Emilia, come azienda produttrice di rivestimenti ceramici.

ABK is officially established in Finale Emilia as a ceramic tile manufacturer.

1996

ABK rileva lo storico marchio Ceramica Campeginese, specializzato nel investimento di fascia alta.

ABK acquires the historic brand Ceramica Campeginese, a specialist in high-end ceramic tiles.

1999

Con l'acquisizione di Imoker, ABK incrementa la produzione di pavimenti in gres porcellanato.

La collezione Petraia è una delle proposte più complete ispirate al fascino tradizionale del cotto.

ABK increases its output of porcelain floor tiles with the acquisition of Imoker.

Launch of PETRAIA, one of the most comprehensive collections inspired by the timeless appeal of terracotta.

2000

La società ABK Group entra in possesso del marchio Ariana e dello stabilimento di Castellarano (RE).

ABK Group acquires the Ariana brand and its factory in Castellarano (RE).

2004

Il nuovo millennio scopre il minimalismo: nasce il progetto EVOLUTION.

The new millennium discovers minimalism with the EVOLUTION collection.

2005

Il nuovo logo "ABK emozioni in superficie" identificherà d'ora in poi tutte le produzioni del brand.

The new "ABK emozioni in superficie" logo is introduced to identify all the brand's products.

2007

L'azienda acquisisce il nuovo sito produttivo di Solignano Nuovo (MO), insieme ai brand Flaviker e Pi.Sa.

The company acquires the new production site in Solignano Nuovo (MO) along with the brand names Flaviker and Pi.Sa.

2012

L'effetto legno SOLERAS conquista il grande pubblico per il suo estremo realismo, grazie alle nuove rivoluzionarie tecniche di decorazione digitale.

The new SOLERAS wood effect collection proves a big success with consumers for its extreme realism, thanks to the use of revolutionary digital decoration techniques.

2013

Le doghe ceramiche si allungano fino a 170 cm e la tecnologia Auto-Leveling permette di posarle ancora più facilmente.

ABK produces ceramic planks in lengths of up to 170 cm and introduces Auto-Leveling technology to make them easier to install.

2014

Seguendo la strada della sostenibilità ABK si struttura per produrre impasti con il 40% di materie prime di recupero, grazie ai quali il simbolo LEED Accordant compare su buona parte dei prodotti presenti a catalogo.

La nuova pasta bianca da rivestimento W&P raggiunge la dimensione record di 60x120 cm.

As part of its commitment to sustainability, ABK begins producing ceramic bodies with 40% recycled raw materials, allowing the LEED Accordant symbol to be applied to the majority of the products in its catalogue.

The new W&P white body wall tiles reach a record size of 60x120 cm.

2015

L'azienda di adesivi e sigillanti HARDKOLL è al 100% di ABK Group.

INTERNO 9 si fa interprete della nuova tendenza "industrial".

ABK Group completes 100% acquisition of adhesives and grout manufacturer HARDKOLL.

Launch of INTERNO 9 collection embracing the industrial trend.

2016

ABK si avvia verso la produzione di grandi lastre, nei formati 160x320 e 120x240, con la nuova linea Continua Sacmi PCR 2000 e installa il forno ceramico più grande d'Italia.

ABK begins producing 160x320 cm and 120x240 cm size slabs using the new Sacmi PCR 2000 continuous line and installs the largest ceramic kiln in Italy.

2017

Con la creazione di Wide&Style, ABK presenta per la prima volta sul mercato un'intera collezione di ceramiche da parati su grande lastra.

With the launch of Wide&Style, ABK introduces an entire collection of large-size ceramic wall tiles onto the market for the first time.

2018

Presentazione in anteprima assoluta al Salone del Mobile di Milano della prima linea di lavabi, piatti doccia e complementi per l'arredobagno in gres porcellanato firmata ABK.

The first range of washbasins, shower trays and bathroom accessories made of porcelain tiles from ABK is unveiled at the Salone del Mobile in Milan.

2019

ABK installa una seconda linea continua, l'innovativa Sacmi PCR 3000 ed entra nel segmento delle grandi lastre a spessore 12/20mm per l'arredamento. Viene presentata l'esclusiva tecnologia Fullvein3D con cui è possibile realizzare sorprendenti effetti marmo a vena passante.

ABK installs a second Continua line, the innovative Sacmi PCR 3000, and enters the segment of large slabs with 12/20 mm thicknesses for furnishing applications. It presents the exclusive Fullvein3D technology which can be used to create stunning through-vein marble effects.

2020

ABK Group acquisisce al 100% Gardenia Orchidea, storica azienda del comprensorio ceramico italiano, licenziataria del brand Versace Ceramics.

Partecipazione al 50% di ABK Group nella società spagnola ARBE STOLANIC e lancio a livello mondiale del piano cottura a induzione invisibile COOKING SURFACE PRIME, integrato nelle grandi lastre ABKSTONE.

ABK Group acquires 100% of Gardenia Orchidea, a historic company based in the Italian ceramic district and licensee of the Versace Ceramics brand.

ABK Group acquires a 50% stake in the Spanish company ARBE STOLANIC and unveils the invisible COOKING SURFACE PRIME induction cooktop integrated into large ABKSTONE slabs.

2021

ABK Group diventa multinazionale, con l'acquisizione dello storico marchio francese Desvres e del relativo sito produttivo di Boussois.

ABK Group becomes a multinational with the acquisition of the historic French brand Desvres and its production site in Boussois.

2022

ABK lancia la nuova linea di prodotti "Poetry House" sviluppata in collaborazione con Paola Navone, uno dei nomi più conosciuti e apprezzati del design italiano a livello internazionale.

ABK si prepara ad installare la terza linea per la produzione di grandi lastre con una rivoluzionaria tecnologia tutta da scoprire...

ABK launches the new Poetry House product line developed in collaboration with Paola Navone, one of the most internationally renowned and respected names in Italian design.

ABK prepares to install its third line for the production of large slabs featuring a revolutionary and yet-to-be-unveiled new technology...

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO
CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL TECH

COLLANTI E SIGILLANTI
INFORMAZIONI TECNICHE

INDICE ALFABETICO ALPHABETICAL INDEX

ALPES WIDE 048 LAB325 142
ALPES RAW 048 LAB325 OUT.20 301
ATLANTIS 030 LAB325 OUT.30 308
ATLANTIS OUT.20 303 LEVEL 236
BLEND 116 MONOLITH 058
BLEND OUT.20 300 NATIVE 040
CROSSROAD NATIVE OUT.20 304
CHALK 152 NEST 206
CROSSROAD PETRAIA 248
WOOD 212 POETRY STONE 016
DOCKS 168 POETRY STONE OUT.20
DOLPHIN 220 300
DOLPHIN OUT.20 305 POETRY WOOD 188
DOWNTOWN 160 POETRY WOOD OUT.20
ECO CHIC 198 304
ECO CHIC OUT.20 304 RE-WORK 238
FOSSIL 242 SENSI 110
GENT OUT.20 302 SENSI GEMS 086
GHOST 130 SENSI SIGNORIA 070
GHOST OUT.20 303 SENSI UP 096
INTERNO 9 WIDE 176 SOLERAS 228
INTERNO 9 176 SOLERAS OUT.20 305
TRENTO OUT.30 308
UNIKA 062

GRES PORCELLANATO
PORCELAIN TILES

INDEX PER FORMATO BY SIZE			40x170	DOLPHIN SOLERAS	220 228	20x80	RE-WORK SOLERAS	238 228
			20x170	DOLPHIN ECO CHIC NEST SOLERAS	220 198 206 228	13,5x80	SOLERAS	228
GRES PORCELLANATO PORCELAIN TILES						60x60	ALPES RAW ATLANTIS BLEND DOCKS DOWNTOWN GHOST INTERNO 9 LAB325 LEVEL MONOLITH NATIVE POETRY STONE SENSI UNIKA	048 030 116 168 160 130 176 142 236 058 040 016 110 062
160x320	ALPES WIDE	048						
	ATLANTIS	030						
	CROSSROAD CHALK	152						
	CHROME	294						
	INTERNO 9 WIDE	176						
	LAB325	142						
	NATIVE	040						
	SENSI UP	096						
	SENSI GEMS	086						
120x280	ALPES WIDE	048						
	ATLANTIS	030						
	BLEND	116						
	CHROME	294						
	CROSSROAD CHALK	152						
	GHOST	130						
	INTERNO 9 WIDE	176						
	LAB325	142						
	MONOLITH	058						
	POETRY STONE	016						
120x120	ALPES WIDE	048						
	ATLANTIS	030						
	BLEND	116						
	CROSSROAD CHALK	152						
	GHOST	130						
	INTERNO 9 WIDE	176						
	LAB325	142						
	MONOLITH	058						
	POETRY STONE	016						
	SENSI SIGNORIA	070						
90x90	ATLANTIS	030						
	BLEND	116						
	BLEND OUT.20	300						
	GHOST	130						
	GHOST OUT.20	303						
	LAB325	308						
	NATIVE OUT.20	304						
60x90	ATLANTIS OUT.20	303						
80x160	ALPES WIDE	048						
	INTERNO 9 WIDE	176						
	LAB325	142						
26x200	CROSSROAD WOOD	212						
26,5x180	POETRY WOOD	188						

STONE
POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

**DECOR &
WALL**

PETRAIA

POETRY DECOR

WIDE&STYLE MINI

PLAY

CROSSROAD BRICK

DO UP

CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO
CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

HARDKOLL

TECH

LAB325
TRENTO









COLLANTI E SIGILLANTI

INFORMAZIONI TECNICHE

GRES
PORCELLANATO
PORCELAIN TILES

PRINCIPALI
FORMATI
DISPONIBILI
MAIN SIZES
AVAILABLE

CONCRETE - METAL



BLEND CONCRETE P. 16CH	BLEND DOYS P. 16CH	GHOST	LAB325	CROSSROAD CHALK	DOWNTOWN	DOCKS	LEVEL	INTERNO 9 WIDE	INTERNO 9
PAG 116	PAG 116	PAG 116	PAG 130	PAG 142	PAG 152	PAG 160	PAG 168	PAG 226	PAG 176
120x280 120x120 90x90 60x120 60x60 30x60	90x90 60x120 60x60 30x60	120x280 120x120 90x90 60x120 60x120 30x120 60x60 30x60	160x320 120x280 120x120 80x80 60x120 30x120 60x60 20x40	160x320 120x280 120x120 60x120 80x80	80x80 60x60 30x60	60x120 80x80 60x60 30x60	60x60 30x60	160x320 120x280 80x160 120x120 80x80	60x120 30x120 60x60 30x60
IRON	MULTIBLACK			COAL		BLACK		DARK	DARK
GREY		TAUPE	PEPPER	SMOKE	GRAPHITE	GREY	BLACK		
		GREY				GREY			
ASH	GREY	SAGE	ASH	GREY	ASH	SILVER	SILVER	SILVER	SILVER
MOON	MULTIWHITE	IVORY	PEARL	WHITE	IVORY	WHITE	IVORY	PEARL	PEARL
	CLAY				ECRU	BONE			DUNE
	TAUPE	ROPE		SAND	EARTH	WARM			
			TAUPE						MUD
								RUST	RUST
		JADE							

MARBLE

SENSI SIGNORIA	SENSI GEMS	SENSI UP	SENSI
PAG 70	PAG 86	PAG 96	PAG 110
120x280 120x120 60x120	160x320 120x280 120x120 60x120 40x120	160x320 120x280 120x120 80x80	60x120 30x120 60x60 30x60
PORT GOLD	TITANIUM BLACK	MARQUINA SELECT	PIETRA GREY
GRIGIO SIENA		GRAND ANTIQUE	
ROMA IMPERIALE			
LILAC GREY	INVISIBLE PEARL	ARABESQUE SILVER	
STATUARIO LIGHT	ICEBERG	STATUARIO ULTRA	STATUARIO WHITE
CALACATTA MICHELANGELO	CALACATTA GOLD	BRECCIA MELANGE	CALACATTA SELECT
CALACATTA VENA ORO	CRYSTAL	ONICE BEIGE	SAHARA CREAM
	TAJ MAHAL		
LABRADORITE			

WOOD

POETRY WOOD	ECO CHIC	NEST	CROSSROAD WOOD	DOLPHIN	SOLERAS
PAG 188	PAG 198	PAG 206	PAG 212	PAG 220	PAG 228
26,5x180 20x120 30x180 30x120	20x170 20x120	20x170 20x120	26x200 20x120	40x170 20x170 20x120 30x120	40x170 20x170 20x120 20x80 13,5x80 30x120
			COAL		
				COAL	ANTRACITE
		TAUPE	GREY	GREY	
				MOON	GRIGIO
			WHITE		BIANCO
GOLD	ALMOND	BEIGE	SAND	MILK	NATURALE
ECRU	NATURALE	OAK	AMBER	CLAY	BEIGE
OAK	AVANA		TAN	OAK	HAVANA
MUD	BROWN				
		BLUE			

STONE

POETRY STONE P. 16CH FULLBODY3D	ATLANTIS	NATIVE	ALPES WIDE	ALPES RAW	MONOLITH	UNIKA	RE-WORK	FOSSIL
PAG 16	PAG 30	PAG 40	PAG 48	PAG 54	PAG 58	PAG 62	PAG 238	PAG 242
120x280 120x120 60x120 60x60	160x320 120x280 120x120 90x90 60x120 60x60 30x60	160x320 120x120 60x120 90x90 80x80 60x60 30x60	160x320 120x280 80x160 120x120 80x80	60x120 60x60 30x60	120x280 120x120 60x120 60x60 30x60	60x120 30x120 60x60 20x40 40x80	40x80 20x80 20x40	50x50 30x60
		EBONY			GRAPHITE			
PIASE SMOKE	SMOKE	FOREST						
PIRENEI GREY	GREY	FOG	LEAD	LEAD	FOG	SMOKE	FOG	
PIASE ASH	ASH	GREY	GREY	GREY	GREIGE	GREY		LIGHT GREY
TRANI ICE	MOON	IVORY	IVORY		CREAM			
TRANI BEIGE	SAND		SAND	SAND	ECRU	BEIGE	BEIGE	CREAM
PIRENEI ECRU	TAUPE							BEIGE
PIASE MUD		RED			BRONZE			BROWN
								BLUE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE

GRES PORCELLANATO
PORCELAIN TILES

12

13

porcelain tiles

GRES
PORCELLANATO

FLOOR & WALL TILES
PAVIMENTI E RIVESTIMENTI

STONE
POETRY STONE 16
ATLANTIS 30
NATIVE 40
ALPES WIDE 48
ALPES RAW 48
MONOLITH 58
UNIKA 62
RE-WORK 238
FOSSIL 242

MARBLE
SENSI SIGNORIA 70
SENSI GEMS 86
SENSI UP 96
SENSI 110

CONCRETE
BLEND 116
GHOST 130
LAB325 142
CROSSROAD CHALK 152
DOWNTOWN 160
DOCKS 168
LEVEL 236

METAL
INTERNO 9 WIDE 176
INTERNO 9 176

WOOD
POETRY WOOD 188
ECO CHIC 198
NEST 206
CROSSROAD WOOD 212
DOLPHIN 220
SOLERAS 228

RUSTIC
PETRAIA 248

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE



STONE

POETRY STONE

GRES PORCELLANATO TUTTA MASSA - UGL
FULL BODY PORCELAIN - UGL

6 mm 120x280 nat.	8,5 mm 120x120 nat. 60x120 nat. / R11 60x60 nat.	20 mm 60x120 R11	P. tech FULLBODY 3D 3D tech
-----------------------------	--	----------------------------	--

by  **paola navone**

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES ^{WIDE} - ALPES ^{RAW} MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI ^{GEMS} SENSI ^{UP} SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 ^{WIDE} - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE



POETRY
STONE

wall
INTERNO 9 RUST 120x280 nat. rett.

floor
POETRY STONE PIRENEI ECRU 120x120 nat. rett.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE

POETRY STONE

PIASE MUD

6 mm				
120x280	nat rett.	00010167	F 121,50	
8,5 mm				
120x120	nat rett.	0010178	F 94,90	
60x120	nat rett.	0010182	F 71,50	
60x60	nat rett.	0010236	F 62,50	

ABKSTONE				
163,5x323 nat.	0010834	± 12 mm		
163,5x323 nat.	0010836	± 20 mm		



PIASE SMOKE

8,5 mm				
120x120	nat rett.	0010179	F 94,90	
60x120	nat rett.	0010183	F 71,50	
60x60	nat rett.	0010237	F 62,50	



POETRY STONE

PIASE ASH

8,5 mm				
120x120	nat rett.	0010176	F 94,90	
60x120	nat rett.	0010180	F 71,50	
60x60	nat rett.	0010234	F 62,50	



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE

POETRY STONE

PIRENEI ECRU

8,5 mm		FULLBODY3D	
120x120	nat rett.	0010777	F 94,90
60x120	nat rett.	0010780	F 71,50
60x60	nat rett.	0010782	F 62,50

ABKSTONE

FULLBODY 3D			
163,5x323 nat.	0008471	± 12 mm	
FULLBODY 3D			
163,5x323 nat.	0008469	± 20 mm	



PIRENEI GREY

6 mm			
120x280	nat rett.	00008672	F 121,50
8,5 mm		FULLBODY3D	
120x120	nat rett.	0010776	F 94,90
60x120	nat rett.	0010778	F 71,50
60x60	nat rett.	0010781	F 62,50

ABKSTONE

FULLBODY 3D			
163,5x323 nat.	0008470	± 12 mm	
FULLBODY 3D			
163,5x323 nat.	0008464	± 20 mm	



POETRY STONE

TRANI BEIGE

6 mm			
120x280	nat rett.	00010533	F 121,50
8,5 mm		FULLBODY3D	
120x120	nat rett.	0010536	F 94,90
60x120	nat rett.	0010538	F 71,50
60x60	nat rett.	0010540	F 62,50

ABKSTONE

163,5x323 nat.	0009274	± 12 mm
163,5x323 nat.	0009602	± 20 mm



TRANI ICE

8,5 mm		FULLBODY3D	
120x120	nat rett.	0010537	F 94,90
60x120	nat rett.	0010539	F 71,50
60x60	nat rett.	0010541	F 62,50

ABKSTONE

163,5x323 nat.	0010833	± 12 mm
163,5x323 nat.	0010835	± 20 mm



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE

POETRY STONE

60x120
CARVING SMOKE
0010802

2
nat. rett.

3D tech
F 96,50

60x120
CARVING ECRU
0010803

2
nat. rett.

3D tech
F 96,50

60x120
CARVING BEIGE
0010804

2
nat. rett.

3D tech
F 96,50

8,5 mm

60x120
TRACES MUD
0010190

2
nat. rett.

3D tech
F 126,50

60x120
TRACES GREY
0010191

2
nat. rett.

3D tech
F 126,50

60x120
TRACES ICE
0010798

2
nat. rett.

3D tech
F 126,50

3D tech

La nuova tecnologia 3D Tech consente di applicare differenti materie ceramiche, anche a spessore, in perfetta corrispondenza con la grafica sottostante, realizzata in digitale ad altissima definizione. Un processo produttivo rivoluzionario, che combina la matericit  con l'estetica del prodotto, fino ad ottenere superfici dallo straordinario valore sensoriale.

The new technology 3D Tech si able to apply different ceramic materials, even within thickness, integrating them perfectly with the underlying graphics, made using highdefinition digital technology. A revolutionary production process that combines the textures with the aesthetics of the product, resulting in surfaces of outstanding sensory value.

DECORI DA RIVESTIMENTO - WALL DECORS

* DEC. METAL MUD
0010199

2
nat. rett.

PZ 289,90

* DEC. METAL GREY
0010698

2
nat. rett.

PZ 289,90

* DEC. METAL BEIGE
0010699

2
nat. rett.


PZ 289,90

8,5 mm

* Metalli preziosi. Si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive per non alterare la brillantezza del metallo prezioso.
Precious metal. Do not use products containing abrasive substances to clean the decorative element so as not to affect the shine of the precious metal.

POETRY STONE

DECORI DA PAVIMENTO - FLOOR DECORS



Poetry stone carpet paint ash 120x120 (6 sogg.)

CARPET PAINT

ON DEMAND:

Decorazione white su fondo POETRY STONE a scelta.
White decoration on POETRY STONE colour of your choice

120x120	nat rett.	soggetto 1	0010208	PZ 959,90
120x120	nat rett.	soggetto 2	0010209	PZ 959,90
120x120	nat rett.	soggetto 3	0010210	PZ 959,90
120x120	nat rett.	soggetto 4	0010211	PZ 959,90
120x120	nat rett.	soggetto 5	0010212	PZ 959,90
120x120	nat rett.	soggetto 6	0010213	PZ 959,90

CARPET METAL

ON DEMAND:

Decorazione metal su fondo POETRY STONE a scelta.
Metal decoration on POETRY STONE colour of your choice

* 120x120	nat rett.	soggetto 1	0010215	PZ 1109,90
* 120x120	nat rett.	soggetto 2	0010216	PZ 1109,90
* 120x120	nat rett.	soggetto 3	0010217	PZ 1109,90
* 120x120	nat rett.	soggetto 4	0010218	PZ 1109,90
* 120x120	nat rett.	soggetto 5	0010219	PZ 1109,90
* 120x120	nat rett.	soggetto 6	0010220	PZ 1109,90

Articoli realizzati con metalli / Items produced whit metals

* Metalli preziosi. Si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive per non alterare la brillantezza del metallo prezioso.
Precious metal. Do not use products containing abrasive substances to clean the decorative element so as not to affect the shine of the precious metal.

Articoli con ripresa grafica tra le diverse lastre contenuta entro una tolleranza massima di 3 mm. Items with a graphic clearance among the different slabs ranging within 3 mm.

STONE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

POETRY STONE

OUTDOOR R 11 8,5 mm FULLBODY3D

60x120 2
POETRY STONE PIASE MUD R11 rett.
0010187 F 73,50

60x120 2
POETRY STONE PIASE SMOKE R11 rett.
0010241 F 73,50

60x120 2
POETRY STONE PIASE ASH R11 rett.
0010186 F 73,50

60x120 2
POETRY STONE PIRENEI ECRU R11 rett.
0010531 F 73,50

60x120 2
POETRY STONE PIRENEI GREY R11 rett.
0010530 F 73,50

60x120 2
POETRY STONE TRANI BEIGE R11 rett.
0010544 F 73,50

60x120 2
POETRY STONE TRANI ICE R11 rett.
0010545 F 73,50

OUT.20 R 11 20 mm

60x120 1
POETRY STONE PIASE MUD 20 R11 rett.
0010206 F 99,50

60x120 1
POETRY STONE PIASE ASH 20 R11 rett.
0010205 F 99,50

60x120 1
POETRY STONE PIRENEI GREY 20 R11 rett.
0006356 F 99,50

60x120 1
POETRY STONE TRANI BEIGE 20 R11 rett.
0010632 F 99,50

Per la serie completa vedi pag. 300
For the complete collection see page 300

POETRY STONE

STONE

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm								
	BATTISCOPA nat rett. 5,5x120 PZ 12,50 6	0010547	0010548	0010546	0010784	0010783	0010549	0010550
	GRADONE TOP nat rett. 32x120x4,5x2 PZ 192,90 1	0010552	0010553	0010551	0010786	0010785	0010554	0010555
	ANGOLARE TOP SX nat rett. 32x120x4,5x2 PZ 221,50 1	0010557	0010559	0010556	0010788	0010787	0010560	0010561
	ANGOLARE TOP DX nat rett. 32x120x4,5x2 PZ 221,50 1	0010563	0010564	0010562	0010790	0010789	0010565	0010566

GRES PORCELLANATO TUTTA MASSA FULL BODY PORCELAIN



Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla UGL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla UGL

PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE POETRY STONE NAT.	VAL. / VALUE POETRY STONE P.TECH	VAL. / VALUE POETRY STONE OUTDOOR/ OUT.20
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATRITTO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATRITTO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40	> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET	> 0,60 DRY > 0,60 WET	> 0,60 DRY > 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R10	R11
	DIN 51097	-	A+B	A+B	A+B+C
	ANSI A 137-1:2012 [D.C.O.F.]	$\geq 0,42$	> 0,42	> 0,42	> 0,42
	AS/NZS 4586:2013	SRV : 35 - 44	-	P3 WET	P4 WET
	BS 7976 - 2:2002	> 36	-	+36 WET	+36 WET

P.tech

ABK presenta P.TECH, la superficie ceramica che coniuga perfettamente morbidezza e resistenza allo scivolamento. La ricerca e gli investimenti continui per migliorare l'estetica e le qualità tecniche del prodotto, hanno portato ABK a sviluppare la nuovissima tecnologia P.TECH, che migliora le performance anti-scivolo dei pavimenti, mantenendo inalterati i valori di resistenza meccanica del gres porcellanato, con una finitura estremamente piacevole al tatto e facile da pulire. P.TECH non è un trattamento di superficie, ma è la sintesi di un innovativo processo produttivo che coinvolge la selezione delle materie prime, la fase di pressatura e quella di cottura. Queste superfici, che rispondono positivamente ai parametri di attrito imposti dalle normative più severe AS/NZS 4586:2013 (Australian pendulum test) e BS 7976 - 2:2002 (British pendulum test), si igienizzano con acqua e comuni detergenti, pertanto costituiscono la scelta perfetta anche per i progetti di aree pubbliche o commerciali, comprese le aree outdoor, wellness & hospitality. I prodotti P.TECH per la loro versatilità permettono inoltre di utilizzare la stessa superficie in spazi differenti, ma comunicanti, come ad esempio interni ed esterni, garantendo la massima flessibilità progettuale.
ART. POETRY STONE CON SUPERFICIE P.TECH: La superficie P.TECH è prevista su tutti i formati fatta eccezione per 120x280.

ABK is presenting P.TECH, the ceramic surface that combines a soft touch with slip resistance. Ongoing research and investments aimed at improving the aesthetic and technical qualities of products has enabled ABK to develop the innovative P.TECH technology, which improves the slip resistance of floors while delivering the renowned mechanical strength of porcelain stoneware and a finish that is both extremely pleasant to the touch and easy to clean. P.TECH is not a surface treatment but the result of an innovative production process that combines raw material selection with the pressing and firing phases. These surfaces come up to the strictest standards in terms of coefficient of friction such as the AS/NZS 4586:2013 (Australian pendulum test) and BS 7976 - 2:2002 (British pendulum test) and can be cleaned using water and ordinary cleaning agents, making them the ideal choice for projects in public or commercial areas such as outdoor, wellness and hospitality spaces. P.TECH products are also sufficiently versatile to enable the same surface to be used in different but communicating spaces such as interiors and exteriors, thereby guaranteeing the maximum design flexibility.
ART. POETRY STONE WITH P.TECH SURFACE: Every size is provided with the P.TECH surface, except for the 120x280 size.

FULLBODY3D

ABK, grazie ai più evoluti sistemi di miscelazione e pressatura degli impasti ceramici, è in grado di ricreare la complessa struttura dei materiali lapidei. L'esclusiva tecnologia FULLBODY3D si basa sulla miscelazione di materie prime a granulometria variabile e permette di ottenere ciò che la natura ha creato nei millenni, riproducendo l'estetica delle pietre sia in superficie che nel corpo della piastrella. La continuità tra massa, superficie e bordo delle piastrelle risponde alle esigenze dell'arredo, in quanto l'effetto visivo è fedele anche dopo le operazioni di taglio, foratura e rifinitura necessarie a ottenere il prodotto finito.

ABK, thanks to cutting-edge ceramic body mixing and pressing systems, perfectly recreates the complex structure of the stone material. The exclusive FULLBODY3D technology is based on the mixing of raw materials with variable particle size. This replicates the visual effect of what nature has created over the millennia, mimicking the aesthetics of the stone both on the surface and the body of the tile. The continuity between the body, surface and sharp edge also complies with furniture requirements, as the visual effect remains unaltered even after the cutting, drilling and finishing operations needed to obtain the finished product.

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO
CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH










INFORMAZIONI TECNICHE

POETRY STONE

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

	INTERNO 9	SENSI SIGNORIA	POETRY WOOD	ECO CHIC
				
PIASE MUD	PEARL	CALACATTA MICHELANGELO	OAK	ALMOND
				
PIASE SMOKE	RUST	STATUARIO LIGHT	GOLD	NATURALE
				
PIASE ASH	DARK	LABRADORITE	OAK	AVANA
				
PIRENEI ECRU	RUST	ROMA IMPERIALE	GOLD	AVANA
				
PIRENEI GREY	MUD	PORT GOLD	MUD	NATURALE
				
TRANI BEIGE	RUST	PORT GOLD	OAK	AVANA
				
TRANI ICE	SILVER	GRIGIO SIENA	GOLD	NATURALE

POETRY STONE

STONE



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



STONE

ATLANTIS

GRES PORCELLANATO TUTTA MASSA - UGL
FULL BODY PORCELAIN - UGL

6 mm	8,5 mm	20 mm
160x320 nat.	120x120 nat. / lapp.	60x90 R11
120x280 nat.	60x120 nat. / lapp.	
	90x90 nat.	
	60x60 nat. / R11	
	30x60 nat.	

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE



indoor floor
ATLANTIS SMOKE HAMMERED 120x120 nat. rett.

wall
SENSI UP STATUARIO VERSILIA 160x320 soft rett.

kitchen top and table
ABKSTONE STATUARIO VERSILIA 163,5x323 soft 20MM

fireplace
ABKSTONE ESSENCE AVANA 163,5x323

outdoor floor
OUT.20 ATLANTIS SMOKE HAMMERED 60x90 rett.

ATLANTIS

GREY

6 mm			
120x280	nat rett.	0008641	F 117,50
8,5 mm			
120x120	nat rett.	0005850	F 87,90
120x120	lapp. rett.	0005855	F 109,50
60x120	nat rett.	0005860	F 67,50
60x120	lapp. rett.	0005865	F 81,90
90x90	nat rett.	0005881	F 69,50
60x60	nat rett.	0006495	F 56,90
30x60	nat rett.	0006914	F 52,50

GREY HAMMERED

8,5 mm				
120x120	nat rett.	0005872	F 87,90	
60x120	nat rett.	0005874	F 67,50	

*Fino ad esaurimento scorte l'art verrà consegnato nel formato 120x270 6 mm.
The item will be delivered in sizes 120x270 (thickness 6 mm) while stocks last.

STONE



120x120



120x120

index

STONE	POETRY STONE
	ATLANTIS
	NATIVE
	ALPES WIDE - ALPES RAW
	MONOLITH
MARBLE	UNIKA
	RE-WORK
	FOSSIL
	SENSI SIGNORIA
	SENSI GEMS
CONCRETE	SENSI UP
	SENSI
	BLEND
	GHOST
	LAB325
METAL	CROSSROAD CHALK
	DOWNTOWN
	DOCKS
	LEVEL
	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD
	ECO CHIC
	NEST
	CROSSROAD WOOD
	DOLPHIN
RUSTIC	SOLERAS
	PETRAIA
DECOR & WALL	POETRY DECOR
	WIDE&STYLE MINI
	PLAY
	CROSSROAD BRICK
	DO UP
OUT.20 20MM	CHROME
	BLEND - POETRY STONE - LAB325
	GENT - ATLANTIS - GHOST
	NATIVE - POETRY WOOD - ECO
	CHIC
OUT.30 30MM	DOLPHIN - SOLERAS
	LAB325
	TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI
	INFORMAZIONI TECNICHE

ATLANTIS

SMOKE

6 mm			
160x320	nat rett.	0005840	F 158,50
* 120x280	nat rett.	0008098	F 117,50
8,5 mm			
120x120	nat rett.	0005853	F 87,90
120x120	lapp. rett.	0005858	F 109,50
60x120	nat rett.	0005863	F 67,50
60x120	lapp. rett.	0005868	F 81,90
90x90	nat rett.	0005884	F 69,50
60x60	nat rett.	0006497	F 56,90
30x60	nat rett.	0006916	F 52,50

ABKSTONE			
163,5x323 nat.	0005839	± 6 mm	
163,5x323 nat.	0006282	± 12 mm	

SMOKE HAMMERED

8,5 mm			
120x120	nat rett.	0005873	F 87,90
60x120	nat rett.	0005875	F 67,50

ATLANTIS

SAND

6 mm			
* 120x280	nat rett.	0008099	F 117,50
8,5 mm			
120x120	nat rett.	0006482	F 87,90
120x120	lapp. rett.	0006505	F 109,50
60x120	nat rett.	0006483	F 67,50
60x120	lapp. rett.	0006484	F 81,90
90x90	nat rett.	0006489	F 69,50
60x60	nat rett.	0006499	F 56,90
30x60	nat rett.	0006918	F 52,50

SAND HAMMERED

8,5 mm			
120x120	nat rett.	0006486	F 87,90
60x120	nat rett.	0006487	F 67,50

* Fino ad esaurimento scorte l'art verrà consegnato nel formato 120x270 6 mm.
The item will be delivered in sizes 120x270 (thickness 6 mm) while stocks last.

STONE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE

ATLANTIS

MOON

8,5 mm				
120x120	nat rett.	0005852	F 87,90	
120x120	lapp. rett.	0005857	F 109,50	
60x120	nat rett.	0005862	F 67,50	
60x120	lapp. rett.	0005867	F 81,90	
90x90	nat rett.	0005883	F 69,50	
60x60	nat rett.	0006496	F 56,90	
30x60	nat rett.	0006915	F 52,50	

TAUPE

8,5 mm				
120x120	nat rett.	0005854	F 87,90	
120x120	lapp. rett.	0005859	F 109,50	
60x120	nat rett.	0005864	F 67,50	
60x120	lapp. rett.	0005869	F 81,90	
90x90	nat rett.	0005885	F 69,50	
60x60	nat rett.	0006498	F 56,90	
30x60	nat rett.	0006917	F 52,50	

* Fino ad esaurimento scorte l'art verrà consegnato nel formato 120x270 6 mm.
The item will be delivered in sizes 120x270 (thickness 6 mm) while stocks last.

ATLANTIS

DECORI DA RIVESTIMENTO
WALL DECORS 8,5 mm

5x60	4			
0006775	LIST. AVIO rett.	PZ 20,50		
Lucido / Glossy				
5x60	4			
0006776	LIST. PHARD rett.	PZ 20,50		
Lucido / Glossy				
5x60	4			
0006777	LIST. SENAPE rett.	PZ 20,50		
Lucido / Glossy				

OUTDOOR R11 8,5 mm

60x60	3			
ATLANTIS GREY R11 rett.		F 58,90		
0006534				

60x60	3			
ATLANTIS SMOKE R11 rett.		F 58,90		
0006535				

60x60	3			
ATLANTIS SAND R11 rett.		F 58,90		
0006536				

OUT.20 R11 20 mm

60x90	1			
ATLANTIS GREY HAMMERED R11 rett.		F 95,50		
0007174				

60x90	1			
ATLANTIS SMOKE HAMMERED R11 rett.		F 95,50		
0007175				

60x90	1			
ATLANTIS SAND HAMMERED R11 rett.		F 95,50		
0007176				

60x90	1			
ATLANTIS MOON HAMMERED R11 rett.		F 95,50		
0007780				

Per la serie completa vedi pag. 303
For the complete collection see page 303

STONE







wall
ATLANTIS SMOKE 120x280 rett.
ATLANTIS SMOKE MIX SIZES 30x60 rett.
LIST. PHARD 5x60
WIDE&STYLE RAINBOW PHARD 120x280
floor
ATLANTIS SMOKE 60x120 rett.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE

ATLANTIS

						
DECORI / DECORATIVE	8,5 mm	GREY	SMOKE	SAND	MOON	TAUPE
	MIX SIZES rett. 30x60	0006500	0006502	0006504	0006501	0006503
	F 91,90					
	Pcs box: 5x60					
	10x60					
	15x60					

PEZZI SPECIALI / SPECIAL TRIMS	8,5 mm	GREY	SMOKE	SAND	MOON	TAUPE
	BATTISCOPA rett. 5,5x120 PZ 12,50	0006506	0006508	0006510	0006507	0006509
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90	0006511	0006513	0006515	0006512	0006514
	ANGOLARE TOP SX rett. 32x120x4,5x2 PZ 221,50	0006516	0006518	0006520	0006517	0006519
	ANGOLARE TOP DX rett. 32x120x4,5x2 PZ 221,50	0006521	0006523	0006525	0006522	0006524

GRES PORCELLANATO TUTTA MASSA FULL BODY PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla UGL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla UGL






PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE ATLANTIS NAT.	VAL. / VALUE ATLANTIS OUTDOOR/ OUT.20
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	> 0,60 WET	> 0,60 WET
	DIN 51097	-	R10	R11
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	A+B	A+B+C
			> 0,42	> 0,42

ATLANTIS

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

	INTERNO 9	SENSI GEMS	POETRY WOOD	ECO CHIC	CROSSROAD WOOD
					
GREY / GREY HAMMERED	RUST	ICEBERG	GOLD	AVANA	TAN
					
SMOKE / SMOKE HAMMERED	SILVER	ICEBERG	ECRU	NATURALE	AMBER
					
SAND / SAND HAMMERED	RUST	CRYSTAL	OAK	BROWN	TAN
					
MOON	SILVER	TITANIUM BLACK	MUD	BROWN	GREY
					
TAUPE	DARK	CRYSTAL	GOLD	ALMOND	SAND
	CHROME				
					
	WHITE	BLACK			



STONE

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO
CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO


HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

index



STONE

NATIVE

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

6 mm	8,5 mm	20 mm
160x320 nat.	120x120 nat. / lapp. 60x120 nat. / lapp. 80x80 nat. 60x60 nat. / R11 30x60 nat. / R11	90x90 R11

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE

NATIVE

EBONY

8,5 mm			
120x120	nat rett.	0003773	F 84,50
120x120	lapp rett.	0004044	F 104,50
60x120	nat rett.	0003908	F 64,50
60x120	lapp rett.	0003928	F 78,50
80x80	nat rett.	0003923	F 60,50



FOREST

8,5 mm			
120x120	nat rett.	0003770	F 84,50
120x120	lapp rett.	0004041	F 104,50
60x120	nat rett.	0003905	F 64,50
60x120	lapp rett.	0003925	F 78,50
80x80	nat rett.	0003920	F 60,50



NATIVE

ASH

6 mm			
160x320	nat. rett.	0004962	F 151,90
8,5 mm			
60x120	nat. rett.	0003906	F 64,50
60x120	lapp. rett.	0003926	F 78,50
80x80	nat. rett.	0003921	F 60,50
60x60	nat. rett.	0004109	F 54,50
30x60	nat. rett.	0004112	F 50,50

ABKSTONE			
163,5x323 nat.	0004961	± 6 mm	
FULLBODY 3D			
163,5x323 nat.	0004971	± 12 mm	
163,5x323 nat.	0007737	± 20 mm	

RED

6 mm			
* 160x320	nat. rett.	0003902	F 151,90
8,5 mm			
120x120	nat. rett.	0003769	F 84,50
120x120	lapp. rett.	0004040	F 104,50
60x120	nat. rett.	0003904	F 64,50
60x120	lapp. rett.	0003924	F 78,50
80x80	nat. rett.	0003919	F 60,50
60x60	nat. rett.	0004108	F 54,50
30x60	nat. rett.	0004111	F 50,50

ABKSTONE			
163,5x323 nat.	0003840	± 6 mm	
FULLBODY 3D			
163,5x323 nat.	0003778	± 12 mm	

* Fino ad esaurimento scorte l' art. verrà consegnato a spessore 7 mm. The item will be delivered in a 7 mm thickness while stocks last.

STONE



index


STONE	POETRY STONE
	ATLANTIS
	NATIVE
	ALPES WIDE - ALPES RAW
	MONOLITH
	UNIKA
MARBLE	RE-WORK
	FOSSIL
	SENSI SIGNORIA
	SENSI GEMS
	SENSI UP
	SENSI
CONCRETE	BLEND
	GHOST
	LAB325
	CROSSROAD CHALK
	DOWNTOWN
	DOCKS
METAL	LEVEL
	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD
	ECO CHIC
	NEST
	CROSSROAD WOOD
	DOLPHIN
	SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR
	WIDE&STYLE MINI
	PLAY
	CROSSROAD BRICK
	DO UP
	CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325
	GENT - ATLANTIS - GHOST
	NATIVE - POETRY WOOD - ECO
	CHIC
	DOLPHIN - SOLERAS
OUT.30 30MM	LAB325
	TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI
	INFORMAZIONI TECNICHE

NATIVE

FOG





6 mm			
160x320	nat. rett.	0003903	F 151,90
8,5 mm			
60x120	nat. rett.	0003907	F 64,50
60x120	lapp. rett.	0003927	F 78,50
80x80	nat. rett.	0003922	F 60,50
60x60	nat. rett.	0004110	F 54,50
30x60	nat. rett.	0004113	F 50,50

ABKSTONE			
163,5x323 nat.	0003855	≡ 6 mm	
FULLBODY 3D			
163,5x323 nat.	0005318	≡ 12 mm	









NATIVE

OUTDOOR R11 8,5 mm

 	 	 	 
60x60 ASH R11 rett. 0004414	60x60 RED R11 rett. 0004413	60x60 FOG R11 rett. 0004415	60x60 EBONY R11 rett. 0004970
≡ 3 P3 F 56,50	≡ 3 P3 F 56,50	≡ 3 P3 F 56,50	≡ 3 P3 F 56,50
			
30x60 ASH R11 rett. 0004115	30x60 RED R11 rett. 0004114	30x60 FOG R11 rett. 0004116	30x60 EBONY R11 rett. 0004969
≡ 6 P3 F 52,50	≡ 6 P3 F 52,50	≡ 6 P3 F 52,50	≡ 6 P3 F 52,50

OUT.20 R11 20 mm

 	 	 
90x90 ASH 20 R11 rett. 0004219	90x90 RED 20 R11 rett. 0004218	90x90 FOG 20 R11 rett. 0004220
≡ 1 F 108,50	≡ 1 F 108,50	≡ 1 F 108,50

Per la serie completa vedi pag. 304
For the complete collection see page 304

STONE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL TECH	COLLANTI E SIGILLANTI INFORMAZIONI TECNICHE





MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322

		MATITA ALLUM. WHITE 0000087 PZ 31,50
MATITA ALLUMINIO 0,5x120 ≡ 4 Parte superiore arrotondata / Rounded top.		MATITA ALLUM. TERRACOTTA 0008530 PZ 31,50
		MATITA ALLUM. BLU 0008532 PZ 31,50
MATITA ALLUMINIO 0000086 PZ 23,50		MATITA ALLUM. VERDE 0008531 PZ 31,50
Parte superiore arrotondata e colorata con resine acriliche. Rounded top colored with acrylic resins.		MATITA ALLUM. ARDESIA 0008533 PZ 31,50
		MATITA ALLUM. BLACK 0000088 PZ 31,50
MATITA ALLUM. ORO 0008535 PZ 31,50		
MATITA ALLUM. RAME SCURO 0008534 PZ 31,50		

	MATITA ALLUMINIO 0,5x120 ≡ 4 Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.
	MATITA ALLUM. BRONZO 0000557 PZ 38,90
	MATITA ALLUM. RAME 0000556 PZ 38,90

NATIVE

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm						
	BATTISCOPA rett. 5,5x60 PZ 8,90 	0004966	-	0004167	0004166	0004168
	BATTISCOPA rett. 5,5x80 PZ 10,50 	0003937	0003934	0003935	0003933	0003936
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90 	0003947	0003944	0003945	0003943	0003946
 	ANGOLARE TOP SX rett. 32x120x4,5x2 PZ 221,50 	0003952	0003949	0003950	0003948	0003951
	ANGOLARE TOP DX rett. 32x120x4,5x2 PZ 221,50 					
	BATTISCOPA lapp. 5,5x120 PZ 14,50 	0003942	0003939	0003940	0003938	0003941
	GRADONE TOP lapp. 32x120x4,5x2 PZ 203,90 	0004122	0004119	0004120	0004118	0004121
 	ANGOLARE TOP SX lapp. 32x120x4,5x2 PZ 232,90 	0004127	0004124	0004125	0004123	0004126
	ANGOLARE TOP DX lapp. 32x120x4,5x2 PZ 232,90 	0004132	0004129	0004130	0004128	0004131

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



















PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE NATIVE NAT.	VAL. / VALUE NATIVE OUTDOOR/ OUT.20
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	> 0,60 WET	> 0,60 WET
	DIN 51097	-	R10	R11
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	A+B	A+B+C
			> 0,42	> 0,42

NATIVE

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

	LAB325	INTERNO 9	SENSI UP	ECO CHIC	NEST
 EBONY	 ASH	 RUST	 STATUARIO ULTRA	 ALMOND	 OAK
 FOREST	 PEPPER	 SILVER	 GRAND ANTIQUE	 NATURALE	 TAUPE
 ASH	 PEARL	 RUST	 MARQUINIA SELECT	 BROWN	 TAUPE
 RED	 ASH	 SILVER	 CALACATTA GOLD	 ALMOND	 OAK
 FOG	 PEPPER	 RUST	 INVISIBLE PEARL	 NATURALE	 BLUE
	 CHROME				
	 WHITE	 BLACK			



STONE

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO
CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

index



6 mm
160x320 nat.
120x280 nat.

8,5 mm
120x120 nat.
80x160 nat.
80x80 nat.

STONE

ALPES

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN



8,5 mm
60x120 nat. / lapp.
60x60 nat. / lapp.
30x60 nat. / lapp.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW
	MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

SAND

ALPES

LEAD

6 mm			
160x320	nat rett.	0000420	F 151,90
* 120x280	nat rett.	0010580	F 112,90
8,5 mm			
120x120	nat rett.	0000217	F 84,50
80x160	nat rett.	0000205	F 97,90
80x80	nat rett.	0000209	F 60,50



GREY

6 mm			
* 120x280	nat rett.	0010579	F 112,90
8,5 mm			
120x120	nat rett.	0000216	F 84,50
80x160	nat rett.	0000204	F 97,90
80x80	nat rett.	0000208	F 60,50



* Fino ad esaurimento scorte l' art. verrà consegnato nel formato 120x240 6 mm. The item will be delivered in size 120x240 mm (thickness 6 mm) while stocks last.

ALPES

IVORY

6 mm			
* 120x280	nat rett.	0010578	F 112,90
8,5 mm			
120x120	nat rett.	0000215	F 84,50
80x160	nat rett.	0000203	F 97,90
80x80	nat rett.	0000207	F 60,50



SAND

6 mm			
160x320	nat rett.	0000200	F 151,90
* 120x280	nat rett.	0010581	F 112,90
8,5 mm			
120x120	nat rett.	0000218	F 84,50
80x160	nat rett.	0000206	F 97,90
80x80	nat rett.	0000210	F 60,50



* Fino ad esaurimento scorte l' art. verrà consegnato nel formato 120x240 6 mm. The item will be delivered in size 120x240 mm (thickness 6 mm) while stocks last.

STONE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120  4
Parte superiore arrotondata / Rounded top.

 **MATITA ALLUMINIO 0000086** PZ 23,50

Parte superiore arrotondata e colorata con resine acriliche.
Rounded top colored with acrylic resins.

 **MATITA ALLUM. ORO 0008535** PZ 31,50

 **MATITA ALLUM. RAME SCURO 0008534** PZ 31,50



MATITA ALLUM. WHITE 0000087 PZ 31,50

 **MATITA ALLUM. TERRACOTTA 0008530** PZ 31,50

 **MATITA ALLUM. BLU 0008532** PZ 31,50

 **MATITA ALLUM. VERDE 0008531** PZ 31,50

 **MATITA ALLUM. ARDESIA 0008533** PZ 31,50







 **MATITA ALLUM. BLACK 0000088** PZ 31,50



MATITA ALLUMINIO 0,5x120  4
Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.

 **MATITA ALLUM. BRONZO 0000557** PZ 38,90

 **MATITA ALLUM. RAME 0000556** PZ 38,90

DECORI / DECORATIVE						
	MOS. ENIGMA rett. 30x34 F 233,90  5	7 mm	0000290	0000289	0000288	0000291
PEZZI SPECIALI / SPECIAL TRIMS						
	BATTISCOPA 5,5x80 PZ 10,50  8		0000347	0000346	0000345	0000348
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90  1		0000351	0000350	0000349	0000352
	ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50  1		0000355	0000354	0000353	0000356
	ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50  1		0000359	0000358	0000357	0000360

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL









PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE ALPES NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10
	DIN 51097	-	A+B
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

	INTERNO 9	CROSSROAD CHALK	SENSI UP	ECO CHIC	CROSSROAD WOOD	NEST
 LEAD	 PEARL	 WHITE	 STATUARIO ULTRA	 ALMOND	 COAL	 BLUE
 GREY	 SILVER	 GREY	 INVISIBLE PEARL	 AVANA	 TAN	 OAK
 IVORY	 DARK	 COAL	 GRAND ANTIQUE	 NATURALE	 GREY	 TAUPE
 SAND	 RUST	 SAND	 CALACATTA GOLD	 BROWN	 AMBER	 OAK
	 CHROME					
	 WHITE	 BLACK				

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

ALPES RAW

LEAD

8,5 mm			
60x120	nat rett.	0000008	F 64,50
60x120	lapp. rett.	0000013	F 78,50
60x60	nat rett.	0000018	F 54,50
60x60	lapp. rett.	0000023	F 70,50
30x60	nat rett.	0000028	F 50,50
30x60	lapp. rett.	0000033	F 63,50



GREY

8,5 mm			
60x120	nat rett.	0000007	F 64,50
60x120	lapp. rett.	0000012	F 78,50
60x60	nat rett.	0000017	F 54,50
60x60	lapp. rett.	0000022	F 70,50
30x60	nat rett.	0000027	F 50,50
30x60	lapp. rett.	0000032	F 63,50



ALPES RAW

IVORY

8,5 mm			
60x120	nat rett.	0000006	F 64,50
60x120	lapp. rett.	0000011	F 78,50
60x60	nat rett.	0000016	F 54,50
60x60	lapp. rett.	0000021	F 70,50
30x60	nat rett.	0000026	F 50,50
30x60	lapp. rett.	0000031	F 63,50



SAND

8,5 mm			
60x120	nat rett.	0000009	F 64,50
60x120	lapp. rett.	0000014	F 78,50
60x60	nat rett.	0000019	F 54,50
60x60	lapp. rett.	0000024	F 70,50
30x60	nat rett.	0000029	F 50,50
30x60	lapp. rett.	0000034	F 63,50



STONE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE


DECORI DA RIVESTIMENTO - WALL DECORS 8,5 mm



30x60 2
ALPES RAW DEC. SIGN SAND MIX 2
0000271 lapp. rett. PZ 66,90
(Ottone - brass) (prezzo cad. - price for piece)



30x30 4
** ALPES RAW MOS. QUAD. GLAM SAND
0000266 nat. rett. PZ 38,90



30x60 2
ALPES RAW DEC. SIGN LEAD MIX 2
0000270 lapp. rett. PZ 66,90
(Ottone - brass) (prezzo cad. - price for piece)



30x30 4
** ALPES RAW MOS. QUAD. GLAM LEAD
0000265 nat. rett. PZ 38,90



30x60 2
ALPES RAW DEC. SIGN GREY MIX 2
0000269 lapp. rett. PZ 66,90
(Ottone - brass) (prezzo cad. - price for piece)



30x30 4
** ALPES RAW MOS. QUAD. GLAM GREY
0000264 nat. rett. PZ 38,90



30x60 2
ALPES RAW DEC. SIGN IVORY MIX 2
0000268 lapp. rett. PZ 66,90
(Ottone - brass) (prezzo cad. - price for piece)



30x30 4
** ALPES RAW MOS. QUAD. GLAM IVORY
0000263 nat. rett. PZ 38,90



10x60 3
** LISTONE WOM
UKR01161 rett. PZ 38,90



5x60 4
** ALPES RAW LIST. ETHNIC
0000267 rett. PZ 33,50

* Art. realizzati con materiali naturali; vedi indicazioni per posa e pulizia a pag. 322 dell' area tecnica.
Items produced with natural materials; check the technical area at page 322.

** Metalli preziosi. Si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive per non alterare la brillantezza del metallo prezioso.
Precious metal. Do not use products containing abrasive substances to clean the decorative element so as not to affect the shine of the precious metal.

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.



MATITA ALLUMINIO
0000086 PZ 23,50

Parte superiore arrotondata e colorata con
resine acriliche.
Rounded top colored with acrylic resins.



MATITA ALLUM. ORO
0008535 PZ 31,50



MATITA ALLUM. RAME SCURO
0008534 PZ 31,50



MATITA ALLUM. WHITE
0000087 PZ 31,50



MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50



MATITA ALLUM. BLU
0008532 PZ 31,50



MATITA ALLUM. VERDE
0008531 PZ 31,50



MATITA ALLUM. ARDESIA
0008533 PZ 31,50



MATITA ALLUM. BLACK
0000088 PZ 31,50



MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno
galvanico / Flat top colored in galvanic bath.






MATITA ALLUM. BRONZO
0000557 PZ 38,90



MATITA ALLUM. RAME
0000556 PZ 38,90

DECORI / DECORATIVE 8,5 mm	LEAD	GREY	IVORY	SAND
 MOS. QUADRETTI rett. 30x30 F 113,90 4	0000261	0000260	0000259	0000262

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm	LEAD	GREY	IVORY	SAND
 BATTISCOPA rett. 5,5x60 PZ 8,90 10	0000274	0000273	0000272	0000275
 GRADONE TOP rett. 32x120x4,5x2 PZ 192,90 1	0000278	0000277	0000276	0000279
 ANGOLARE TOP SX rett. 32x120x4,5x2 PZ 221,50 1	0000282	0000281	0000280	0000283
	0000286	0000285	0000284	0000287
 ANGOLARE TOP DX rett. 32x120x4,5x2 PZ 221,50 1				

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN


Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE ALPES RAW NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 [S.C.O.F.]		> 0,60 DRY
	DIN 51130	SLIP RESISTANT (> 0,60)	> 0,60 WET
	DIN 51097	-	R10
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	A+B
			> 0,42

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



STONE

MONOLITH

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

6 mm

120x280 nat.

8,5 mm

120x120 nat.

60x120 nat.

60x60 nat.

30x60 nat.

MONOLITH

GREIGE

6 mm

** 120x280 nat rett. 0008799 F 112,90

8,5 mm

* 120x120 nat rett. 0001800 F 84,50

60x120 nat rett. 0001803 F 64,50

60x60 nat rett. 0001809 F 54,50

30x60 nat rett. 0002351 F 50,50

FOG

6 mm

** 120x280 nat rett. 0008800 F 112,90

8,5 mm

120x120 nat rett. 0001801 F 84,50

60x120 nat rett. 0001804 F 64,50

60x60 nat rett. 0001810 F 54,50

30x60 nat rett. 0002352 F 50,50

* Fino ad esaurimento scorte l' art. verrà consegnato a spessore 7 mm. The item will be delivered in a 7 mm thickness while stocks last.

**Fino ad esaurimento scorte l' art. verrà consegnato nel formato 120x240 7 mm. The item will be delivered in size 120x240 (thickness 7 mm) while stocks last.

STONE



index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR &
WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

MONOLITH

GRAPHITE

6 mm			
120x280	nat rett.	0008801	F 112,90
8,5 mm			
120x120	nat rett.	0001802	F 84,50
60x120	nat rett.	0001805	F 64,50
60x60	nat rett.	0001811	F 54,50
30x60	nat rett.	0002353	F 50,50



** Fino ad esaurimento scorte l' art. verrà consegnato nel formato 120x240 7 mm. The item will be delivered in size 120x240 (thickness 7 mm) while stocks last.

DECORI DA RIVESTIMENTO - WALL DECORS 8,5 mm

																	
5x60	 4				PZ 20,50	5x60	 4				PZ 20,50	5x60	 4				PZ 20,50
0006775	LIST. AVIO rett.	Lucido / Glossy				0006776	LIST. PHARD rett.	Lucido / Glossy				0006777	LIST. SENAPE rett.	Lucido / Glossy			

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a ricomporre piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322

	MATITA ALLUM. WHITE 0000087	PZ 31,50
	MATITA ALLUM. TERRACOTTA 0008530	PZ 31,50
	MATITA ALLUM. BLU 0008532	PZ 31,50
	MATITA ALLUM. VERDE 0008531	PZ 31,50
	MATITA ALLUM. ARDESIA 0008533	PZ 31,50
	MATITA ALLUM. BLACK 0000088	PZ 31,50
	MATITA ALLUMINIO 0000086	PZ 23,50
	MATITA ALLUM. ORO 0008535	PZ 31,50
	MATITA ALLUM. RAME SCURO 0008534	PZ 31,50

MONOLITH

STONE

DECORI / DECORATIVE 8,5 mm		GREIGE	FOG	GRAPHITE
	* MOS. QUADRETTI rett. 30x30 F 113,90 4	0001950	0001951	0001952
PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		GREIGE	FOG	GRAPHITE
	BATTISCOPA rett. 5,5x60 PZ 8,90 10	0002818	0002819	0002820
	BATTISCOPA rett. 5,5x120 PZ 12,50 6	0001953	0001954	0001955
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90 1	0001956	0001957	0001958
	ANGOLARE TOP SX rett. 32x120x4,5x2 PZ 221,50 1	0001959	0001960	0001961
	ANGOLARE TOP DX rett. 32x120x4,5x2 PZ 221,50 1	0001962	0001963	0001964

* Fino ad esaurimento scorte l' art. verrà consegnato a spessore 7 mm. The item will be delivered in a 7 mm thickness while stocks last.

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE MONOLITH NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	> 0,60 WET
	DIN 51097	-	R10
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	A+B
			> 0,42

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



STONE

UNIKA

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

- 8,5 mm
- 60x120 nat. / antique
- 30x120 nat.
- 60x60 nat. / antique / R11
- 30x60 nat.
- 20x40 R11

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES ^{WIDE} - ALPES ^{RAW} MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI ^{GEMS} SENSI ^{UP} SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 ^{WIDE} - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

CREAM

8,5 mm			
60x120	nat rett.	UKR3405A	F 64,50
60x120	antique rett.	UKL3405A	F 78,50
30x120	nat rett.	UKR57050	F 65,50
60x60	nat	UKN01050	F 46,90
60x60	nat rett.	UKR01050	F 54,50
60x60	antique rett.	UKL01050	F 70,50
30x60	nat rett.	UKR03050	F 50,50



ECRU

8,5 mm			
60x120	nat rett.	UKR3410A	F 64,50
60x120	antique rett.	UKL3410A	F 78,50
30x120	nat rett.	UKR57100	F 65,50
60x60	nat	UKN01100	F 46,90
60x60	nat rett.	UKR01100	F 54,50
60x60	antique rett.	UKL01100	F 70,50
30x60	nat rett.	UKR03100	F 50,50



BRONZE

8,5 mm			
60x120	nat rett.	UKR3430A	F 64,50
60x120	antique rett.	UKL3430A	F 78,50
30x120	nat rett.	UKR57300	F 65,50
60x60	nat	UKN01300	F 46,90
60x60	nat rett.	UKR01300	F 54,50
60x60	antique rett.	UKL01300	F 70,50
30x60	nat rett.	UKR03300	F 50,50



SMOKE

8,5 mm			
60x120	nat rett.	UKR3420A	F 64,50
60x120	antique rett.	UKL3420A	F 78,50
30x120	nat rett.	UKR57200	F 65,50
60x60	nat	UKN01200	F 46,90
60x60	nat rett.	UKR01200	F 54,50
60x60	antique rett.	UKL01200	F 70,50
30x60	nat rett.	UKR03200	F 50,50



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

GREY

8,5 mm			
60x120	nat rett.	UKR3415A	F 64,50
60x120	antique rett.	UKL3415A	F 78,50
30x120	nat rett.	UKR57150	F 65,50
60x60	nat	UKN01150	F 46,90
60x60	nat rett.	UKR01150	F 54,50
60x60	antique rett.	UKL01150	F 70,50
30x60	nat rett.	UKR03150	F 50,50



GAME GREY

8,5 mm			
60x60	nat rett.	UKR01450	F 80,50
[UNIKA GREY + DOLPHIN GREY]			

Articolo composto da pattern grafici diversi che non prevedono agganci tra loro e miscelati in modo casuale in fase di inscatolamento. Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni. This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.



FREEDOM

8,5 mm			
60x60	nat rett.	UKR01350	F 80,50

Articolo composto da pattern grafici diversi che non prevedono agganci tra loro e miscelati in modo casuale in fase di inscatolamento. Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni. This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.



DECORI DA RIVESTIMENTO - WALL DECORS 8,5 mm



10x60	3	
** LUSTONE WOM		
UKR01161	rett.	PZ 38,90
(Metalli Preziosi - Precious metals)		



10x10	6	
** TOZZETTO WOM MIX 6		
UKR01162	rett.	PZ 16,90
(Metalli Preziosi - Precious metals)		



1,5x30	4	
FASCIA VETRO PLATINO		
** R1R03207		PZ 25,90



1,5x30	4	
FASCIA VETRO BRONZO		
** R1R03157		PZ 25,90



1,5x30	4	
FASCIA VETRO ORO		
** R1R03106		PZ 25,90
(Vetro e metalli preziosi - Glass and precious metals)		



5x30	4	
* FASCIA ESSENZE MIX		
I9R03053		PZ 24,50
(Legno - Wood)		



4x30	4	
* FASCIA ARDESIA BRONZO		
RER09054		PZ 23,50



4x30	4	
* FASCIA ARDESIA GRIGIO		
RER09204		PZ 23,50
(Pietra naturale - Natural stone)		

* Art. realizzati con materiali naturali; vedi indicazioni per posa e pulizia a pag. 322 dell' area tecnica. Items produced with natural materials: check the technical area at page 322.

** Metalli preziosi. Si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive per non alterare la brillantezza del metallo prezioso. Precious metal. Do not use products containing abrasive substances to clean the decorative element so as not to affect the shine of the precious metal.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
--------------	--

MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
---------------	---

CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
-----------------	---

METAL	INTERNO 9 WIDE - INTERNO 9
--------------	---

WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
-------------	---

RUSTIC	PETRAIA
---------------	---------

DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
-------------------------	---



OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
--------------------	--



OUT.30 30MM	LAB325 TRENTO
--------------------	------------------

HARDKOLL	COLLANTI E SIGILLANTI
-----------------	-----------------------

TECH	INFORMAZIONI TECNICHE
-------------	-----------------------

UNIKA

DECORI / DECORATIVE 8,5 mm		CREAM	ECRU	BRONZE	GREY	SMOKE
 BORDI IRREGOLARI - IRREGULAR EDGES	MOS. OPUS MINI rett. 30x30 F 281,90  4	UKR09052	UKR09102	UKR09302	UKR09152	UKR09202
	MOS. QUADRETTI rett. 30x30 F 113,90  4	UKR09051	UKR09101	UKR09301	UKR09151	UKR09201
	MIX FLOOR 60x120 F 100,50  2	UKR3406A	UKR3411A	UKR3431A	UKR3416A	UKR3421A
	Pcs box: 60x120  1					
	60x80  1					
	60x40  1					
	MIX WALL 60x80 F 102,50  2	UKR20050	UKR20100	UKR20300	UKR20150	UKR20200
	Pcs box: 20x60  4					
	20x20  4					
	10x60  4					
	10x20  2					
	10x10  4					

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		CREAM	ECRU	BRONZE	GREY	SMOKE
	BATTISCOPA rett. 5,5x60 PZ 8,90  10	UKR01052	UKR01102	UKR01302	UKR01152	UKR01202
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90  1	UKR34052	UKR34102	UKR34302	UKR34152	UKR34202
	ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50  1	UKR34054	UKR34104	UKR34304	UKR34154	UKR34204
	ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50  1	UKR34055	UKR34105	UKR34305	UKR34155	UKR34205
	ELEMENTO L MONOL. 15x30x3,5 bocciardato nat. PZ 16,90 R11  8	-	UKN18101	-	UKN18151	-

UNIKA


OUTDOOR R11 8,5 mm



60x60  3
UNIKA ECRU
UKR01600 bocciardato R11 rett. F 56,50



20x40  15
UNIKA ECRU
UKN18100 bocciardato R11 nat. F 36,50




60x60  3
UNIKA GREY
UKR01650 bocciardato R11 rett. F 56,50



20x40  15
UNIKA GREY
UKN18150 bocciardato R11 nat. F 36,50

SCHEMI DI POSA / INSTALLATION PATTERNS



GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE UNIKA NAT.	VAL. / VALUE UNIKA OUTDOOR
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R11
	DIN 51097	-	A+B	A+B+C
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42	> 0,42

STONE

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM


LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE



MARBLE

SENSI SIGNORIA

GRES PORCELLANATO TUTTA MASSA - UGL
FULL BODY PORCELAIN - UGL

6 mm	8,5 mm
120x280 soft / lux	120x120 nat. / lux
40x120 lux	60x120 nat. / lux

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES ^{WIDE} - ALPES ^{RAW} MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	<u>SENSI SIGNORIA</u> SENSI ^{GEMS} SENSI ^{UP} SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 ^{WIDE} - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



wall
ROMA IMPERIALE LUX 60x120
INTERNO 9 RUST 60x120

floor
PLAY DROPS MULTIWHITE 20x20



floor
SENSI SIGNORIA CALACATTA MICHELANGELO
120x120 nat.

ABKSTONE - kitchen volume
CALACATTA MICHELANGELO SOFT 12 MM

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

PORT GOLD

6 mm				
120x280	soft rett.	0009159	F 126,50	
120x280	lux rett.	0008841	F 150,50	
40x120	lux rett.	0009102	F 99,90	
8,5 mm				
120x120	nat rett.	0009168	F 87,90	
120x120	lux rett.	0009114	F 116,90	
60x120	nat rett.	0009171	F 67,50	
60x120	lux rett.	0009120	F 89,50	

ABKSTONE

163,5x323 SLAB A lux	0009200	± 12 mm
163,5x323 SLAB B lux	0009814	
163,5x323 SLAB A soft	0009204	± 12 mm
163,5x323 SLAB B soft	0009822	

120x280 ENDLESS MATCH

6 mm				
360x280	soft rett.	0009162	PZ 1602,50	
360x280	lux rett.	0009098	PZ 1914,50	

(prezzo a cp / cp price)

Ripresa grafica tra le diverse lastre contenuta entro una tolleranza di 3 cm.
Composizione a 3 lastre non vendibili singolarmente.

Graphic clearance among the different slabs ranging within 3 cm.
3 Composition slabs not sold separately.



CALACATTA VENA ORO

6 mm				
120x280	soft rett.	0009158	F 126,50	
120x280	lux rett.	0008839	F 150,50	
40x120	lux rett.	0009100	F 99,90	
8,5 mm				
120x120	nat rett.	0009167	F 87,90	
120x120	lux rett.	0009112	F 116,90	
60x120	nat rett.	0009170	F 67,50	
60x120	lux rett.	0009118	F 89,50	

120x280 ENDLESS MATCH

6 mm				
360x280	soft rett.	0009161	PZ 1602,50	
360x280	lux rett.	0009096	PZ 1914,50	

(prezzo a cp / cp price)

Ripresa grafica tra le diverse lastre contenuta entro una tolleranza di 3 cm.
Composizione a 3 lastre non vendibili singolarmente.

Graphic clearance among the different slabs ranging within 3 cm.
3 Composition slabs not sold separately.




index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

GRIGIO SIENA

6 mm			
120x280	lux rett.	0008840	F 150,50
40x120	lux rett.	0009101	F 99,90
8,5 mm			
120x120	lux rett.	0009113	F 116,90
60x120	lux rett.	0009119	F 89,50

ABKSTONE			
163,5x323 soft	0009202	± 12 mm	
163,5x323 lux	0009198	± 12 mm	




120x280 ENDLESS MATCH

6 mm			
480x280	lux rett.	0009097	PZ 2749,50

(prezzo a cp / cp price)

Ripresa grafica tra le diverse lastre contenuta entro una tolleranza di 3 cm.
Composizione a 4 lastre non vendibili singolarmente.

Graphic clearance among the different slabs ranging within 3 cm.
4 Composition slabs not sold separately.



LILAC GREY

6 mm			
120x280	soft rett.	0009157	F 126,50
120x280	lux rett.	0008838	F 150,50
40x120	lux rett.	0009099	F 99,90
8,5 mm			
120x120	nat rett.	0009166	F 87,90
120x120	lux rett.	0009111	F 116,90
60x120	nat rett.	0009169	F 67,50
60x120	lux rett.	0009117	F 89,50

ABKSTONE			
163,5x323 soft	0009201	± 12 mm	
163,5x323 lux	0009197	± 12 mm	




120x280 ENDLESS MATCH

6 mm			
360x280	soft rett.	0009160	PZ 1602,50
360x280	lux rett.	0009095	PZ 1914,50

(prezzo a cp / cp price)

Ripresa grafica tra le diverse lastre contenuta entro una tolleranza di 3 cm.
Composizione a 3 lastre non vendibili singolarmente.

Graphic clearance among the different slabs ranging within 3 cm.
3 Composition slabs not sold separately.



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

ROMA IMPERIALE

6 mm				
120x280	soft rett.	0010378	F 126,50	
120x280	lux rett.	0008842	F 150,50	
40x120	lux rett.	0009103	F 99,90	
8,5 mm				
120x120	nat rett.	0010389	F 87,90	
120x120	lux rett.	0009115	F 116,90	
60x120	nat rett.	0010393	F 67,50	
60x120	lux rett.	0009121	F 89,50	

ABKSTONE				
163,5x323 SLAB A lux	0009811	± 12 mm		
163,5x323 SLAB B lux	0009816			
163,5x323 SLAB A soft	0009819	± 12 mm		
163,5x323 SLAB B soft	0009823			

LABRADORITE

6 mm				
120x280	soft rett.	0010379	F 126,50	
120x280	lux rett.	0008843	F 150,50	
40x120	lux rett.	0009104	F 99,90	
8,5 mm				
120x120	nat rett.	0010390	F 87,90	
120x120	lux rett.	0009116	F 116,90	
60x120	nat rett.	0010394	F 67,50	
60x120	lux rett.	0009122	F 89,50	

ABKSTONE				
163,5x323 soft	0009203	± 12 mm		
163,5x323 lux	0009199	± 12 mm		



CALACATTA MICHELANGELO

6 mm				
120x280	soft rett.	0010601	F 126,50	
120x280	lux rett.	0010597	F 150,50	
40x120	lux rett.	0027071	F 99,90	
8,5 mm				
120x120	nat rett.	0010391	F 87,90	
120x120	lux rett.	0010362	F 116,90	
60x120	nat rett.	0010396	F 67,50	
60x120	lux rett.	0010364	F 89,50	

ABKSTONE				
163,5x323 SLAB A lux	0009812	± 12 mm		
163,5x323 SLAB B lux	0009817			
163,5x323 SLAB A soft	0009820	± 12 mm		
163,5x323 SLAB B soft	0009824			

STATUARIO LIGHT

6 mm				
120x280	soft rett.	0010602	F 126,50	
120x280	lux rett.	0010598	F 150,50	
40x120	lux rett.	0027075	F 99,90	
8,5 mm				
120x120	nat rett.	0010392	F 87,90	
120x120	lux rett.	0010363	F 116,90	
60x120	nat rett.	0010397	F 67,50	
60x120	lux rett.	0010365	F 89,50	

ABKSTONE				
163,5x323 SLAB A lux	0009813	± 12 mm		
163,5x323 SLAB B lux	0009818			
163,5x323 SLAB A soft	0009821	± 12 mm		
163,5x323 SLAB B soft	0009825			



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

OPUS CALACATTA

8,5 mm				
120x120	lux rett.	0009190	F 120,90	
60x120	lux rett.	0009192	F 94,50	

Articolo composto da pattern grafici diversi che non prevedono agganci tra loro e miscelati in modo casuale in fase di inscatolamento. Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni.
This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

OPUS LILAC

8,5 mm				
120x120	lux rett.	0009189	F 120,90	
60x120	lux rett.	0009191	F 94,50	

Articolo composto da pattern grafici diversi che non prevedono agganci tra loro e miscelati in modo casuale in fase di inscatolamento. Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni.
This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

MATITE ALLUMINIO
ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.

	MATITA ALLUMINIO 0000086	PZ 23,50
--	-----------------------------	----------

Parte superiore arrotondata e colorata con resine acriliche.
Rounded top colored with acrylic resins.

	MATITA ALLUM. ORO 0008535	PZ 31,50
	MATITA ALLUM. RAME SCURO 0008534	PZ 31,50
	MATITA ALLUM. WHITE 0000087	PZ 31,50
	MATITA ALLUM. TERRACOTTA 0008530	PZ 31,50
	MATITA ALLUM. BLU 0008532	PZ 31,50
	MATITA ALLUM. VERDE 0008531	PZ 31,50
	MATITA ALLUM. ARDESIA 0008533	PZ 31,50
	MATITA ALLUM. BLACK 0000088	PZ 31,50



MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.




	MATITA ALLUM. BRONZO 0000557	PZ 38,90
	MATITA ALLUM. RAME 0000556	PZ 38,90



5x120 4 LIST. COLORFUL OCHRE 0000185	glossy	PZ 66,90
--	--------	----------








index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DECORI / DECORATIVE	8,5 mm				
 80,60 cm 59,60 cm MOS. VENTAGLIO lux rett. 28x60 F 311,90 ☞ 4 (2 pz sx + 2 pz dx) SXDX		0009151	0009148	0009152	0009153
 MIX SIZES nat. rett. 30x60 F 91,90 ☞ 6 Pcs box: 15x60 10x60 5x60 ☞ 6		0009186	0009185	0010414	0010415

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		PORT GOLD	CALACATTA VENA ORO	ROMA IMPERIALE	LABRADORITE
	BATTISCOPA nat. rett. 5,5x120 PZ 12,50  6	0009174	0009173	0010398	0010399
	BATTISCOPA lux rett. 5,5x120 PZ 14,50  6	0009126	0009124	0009127	0009128
	GRADONE TOP nat. rett. 32x120x4,5x2 PZ 192,90  1	0009177	0009176	0010402	0010403
	GRADONE TOP lux rett. 32x120x4,5x2 PZ 203,90  1	0009132	0009130	0009133	0009134
	ANGOLARE TOP SX nat. rett. 32x120x4,5x2 PZ 221,50  1	0009180	0009179	0010406	0010407
	ANGOLARE TOP SX lux rett. 32x120x4,5x2 PZ 232,90  1	0009138	0009136	0009139	0009140
	ANGOLARE TOP DX nat. rett. 32x120x4,5x2 PZ 221,50  1	0009183	0009182	0010410	0010411
	ANGOLARE TOP DX lux rett. 32x120x4,5x2 PZ 232,90  1	0009144	0009142	0009145	0009146

DECORI / DECORATIVE	8,5 mm				
 80,60 cm 59,60 cm MOS. VENTAGLIO lux rett. 28x60 F 311,90 ☞ 4 (2 pz sx + 2 pz dx) SXDX		0009150	0009147	0010374	0010375
 MIX SIZES nat. rett. 30x60 F 91,90 ☞ 6 Pcs box: 15x60 10x60 5x60 ☞ 6		-	0009184	0010416	0010417

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		GRIGIO SIENA	LILAC GREY	CALACATTA MICHELANGELO	STATUARIO LIGHT
	BATTISCOPA nat. rett. 5,5x120 PZ 12,50  6	-	0009172	0010400	0010401
	BATTISCOPA lux rett. 5,5x120 PZ 14,50  6	0009125	0009123	0010366	0010367
	GRADONE TOP nat. rett. 32x120x4,5x2 PZ 192,90  1	-	0009175	0010404	0010405
	GRADONE TOP lux rett. 32x120x4,5x2 PZ 203,90  1	0009131	0009129	0010368	0010369
	ANGOLARE TOP SX nat. rett. 32x120x4,5x2 PZ 221,50  1	-	0009178	0010408	0010409
	ANGOLARE TOP SX lux rett. 32x120x4,5x2 PZ 232,90  1	0009137	0009135	0010370	0010371
	ANGOLARE TOP DX nat. rett. 32x120x4,5x2 PZ 221,50  1	-	0009181	0010412	0010413
	ANGOLARE TOP DX lux rett. 32x120x4,5x2 PZ 232,90  1	0009143	0009141	0010372	0010373

GRES PORCELLANATO TUTTA MASSA FULL BODY PORCELAIN

SUPERFICIE NATURALE Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G Gruppo Bla UGL
NATURAL SURFACE Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla UGL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE SENSI SIGNORIA NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10
	DIN 51097	-	A+B
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI





TECH

INFORMAZIONI TECNICHE

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

	BLEND CONCRETE	LAB325	INTERNO 9	ECO CHIC
 PORT GOLD	 MOON	 PEARL	 RUST	 AVANA
 CALACATTA VENA ORO	 IRON	 TAUPE	 RUST	 BROWN
 ROMA IMPERIALE	 MOON	 PEARL	 RUST	 NATURALE
 LABRADORITE	 ASH	 TAUPE	 SILVER	 ALMOND
 GRIGIO SIENA	 MOON	 PEPPER	 DARK	 BROWN
 LILAC GREY	 GREY	 PEPPER	 DARK	 NATURALE
 CALACATTA MICHELANGELO	 ASH	 TAUPE	 MUD	 AVANA
 STATUARIO LIGHT	 GREY	 ASH	 SILVER	 NATURALE
	CHROME  WHITE	 BLACK		



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



MARBLE

SENSI GEMS

GRES PORCELLANATO TUTTA MASSA - UGL
FULL BODY PORCELAIN - UGL

6 mm	8,5 mm
160x320 soft / lux	120x120 nat. / lux
120x280 soft / lux	60x120 nat. / lux
40x120 soft / lux	

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



floor
SENSI GEMS CRYSTAL 120x120 LUX
88

SENSI GEMS

CRYSTAL

6 mm			
160x320	soft rett.	0005701	F 170,50
160x320	lux rett.	0005689	F 194,50
* 120x280	soft rett.	0008138	F 126,50
* 120x280	lux rett.	0008148	F 150,50
40x120	soft rett.	0008747	F 82,90
40x120	lux rett.	0008751	F 99,90
8,5 mm			
120x120	nat rett.	0005703	F 87,90
120x120	lux rett.	0005693	F 116,90
60x120	nat rett.	0005704	F 67,50
60x120	lux rett.	0005694	F 89,50

ABKSTONE

163,5x323 soft	0005700	± 6 mm
163,5x323 lux	0005688	± 6 mm
163,5x323 soft	0006272	± 12 mm
163,5x323 lux	0006279	± 12 mm

CRYSTAL BOOK MATCH

6 mm		
* 120x280 SLAB A LUX rett.	0008150	F 150,50
* 120x280 SLAB B LUX rett.	0008151	F 150,50

Ripresa grafica tra le diverse lastre contenuta entro una tolleranza di 3 cm.

Graphic clearance among the different slabs ranging within 3 cm.

*Fino ad esaurimento scorte l'art verrà consegnato nel formato 120x278 6 mm oppure 120x270 6 mm. The item will be delivered in sizes 120x278 (thickness 6 mm) or 120x270 (thickness 6 mm) while stocks last.

MARBLE



SLAB A SLAB B

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

TAJ MAHAL

6 mm				
160x320	soft rett.	0005650	F 170,50	
160x320	lux rett.	0005332	F 194,50	
* 120x280	soft rett.	0008690	F 126,50	
* 120x280	lux rett.	0008696	F 150,50	
40x120	soft rett.	0008746	F 82,90	
40x120	lux rett.	0008750	F 99,90	
8,5 mm				
120x120	nat rett.	0005654	F 87,90	
120x120	lux rett.	0005340	F 116,90	
60x120	nat rett.	0005656	F 67,50	
60x120	lux rett.	0005342	F 89,50	

ABKSTONE

163,5x323 soft	0005648	✂ 6 mm
163,5x323 lux	0005369	✂ 6 mm
163,5x323 soft	0006271	✂ 12 mm
163,5x323 lux	0005311	✂ 12 mm

ICEBERG

6 mm				
160x320	soft rett.	0006405	F 170,50	
160x320	lux rett.	0006407	F 194,50	
* 120x280	soft rett.	0008691	F 126,50	
* 120x280	lux rett.	0008697	F 150,50	
40x120	soft rett.	0008748	F 82,90	
40x120	lux rett.	0008752	F 99,90	
8,5 mm				
120x120	nat rett.	0006423	F 87,90	
120x120	lux rett.	0006413	F 116,90	
60x120	nat rett.	0006424	F 67,50	
60x120	lux rett.	0006414	F 89,50	

ABKSTONE

163,5x323 soft	0006404	✂ 6 mm
163,5x323 lux	0006406	✂ 6 mm
163,5x323 soft	0006403	✂ 12 mm
163,5x323 lux	0006402	✂ 12 mm

TITANIUM BLACK

6 mm				
160x320	soft rett.	0005649	F 170,50	
160x320	lux rett.	0005331	F 194,50	
* 120x280	soft rett.	0008136	F 126,50	
* 120x280	lux rett.	0008695	F 150,50	
40x120	soft rett.	0008745	F 82,90	
40x120	lux rett.	0008749	F 99,90	
8,5 mm				
120x120	nat rett.	0005653	F 87,90	
120x120	lux rett.	0005339	F 116,90	
60x120	nat rett.	0005655	F 67,50	
60x120	lux rett.	0005341	F 89,50	

ABKSTONE

163,5x323 soft	0005647	✂ 6 mm
163,5x323 lux	0005368	✂ 6 mm
163,5x323 soft	0006270	✂ 12 mm
163,5x323 lux	0005310	✂ 12 mm

MULTIQUARTZ

8,5 mm				
120x120	lux rett.	0006730	F 120,90	
60x120	lux rett.	0006731	F 94,50	

Articolo composto da pattern grafici diversi che non prevedono agganci tra loro e miscelati in modo casuale in fase di inscatolamento.
Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni.
This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

* Fino ad esaurimento scorte l'art verrà consegnato nel formato 120x278 6 mm oppure 120x270 6 mm.
The item will be delivered in sizes 120x278 (thickness 6 mm) or 120x270 (thickness 6 mm) while stocks last.

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE


SENSI GEMS

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120  4
Parte superiore arrotondata / Rounded top.



MATITA ALLUMINIO **0000086** PZ 23,50

MATITA ALLUM. TERRACOTTA **0008530** PZ 31,50

MATITA ALLUM. BLU **0008532** PZ 31,50

MATITA ALLUM. VERDE **0008531** PZ 31,50

MATITA ALLUM. ARDESIA **0008533** PZ 31,50

MATITA ALLUM. BLACK **0000088** PZ 31,50

MATITA ALLUM. ORO **0008535** PZ 31,50

MATITA ALLUM. RAME SCURO **0008534** PZ 31,50



MATITA ALLUMINIO 0,5x120  4
Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.



MATITA ALLUM. BRONZO **0000557** PZ 38,90

MATITA ALLUM. RAME **0000556** PZ 38,90

DECORI DA RIVESTIMENTO - WALL DECORS 8,5 mm



5x60  4
0006775 LIST. AVIO rett. PZ 20,50
Lucido / Glossy

5x60  4
0006776 LIST. PHARD rett. PZ 20,50
Lucido / Glossy

5x60  4
0006777 LIST. SENAPE rett. PZ 20,50
Lucido / Glossy





wall
SENSI GEMS CRYSTAL MIX SIZES 30x60 rett./lux
ATLANTIS LIST. SENAPE 5x60
INTERNO 9 RUST 60x120 rett.
floor
SENSI GEMS CRYSTAL 60x120 rett.



wall
SENSI GEMS ICEBERG 40x120 soft rett.
floor
SENSI GEMS ICEBERG 120x120 rett.

SENSI GEMS

DECORI / DECORATIVE 8,5 mm		MARBLE			
		CRYSTAL	TAJ MAHAL	ICEBERG	TITANIUM BLACK
	MIX SIZES (50% nat. / 50% lux) 30x60 F 103,50  6 Pcs box: 15x60  6 10x60  6 5x60  6	0006734	0006733	0006735	0006732
PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		CRYSTAL	TAJ MAHAL	ICEBERG	TITANIUM BLACK
	BATTISCOPA lux rett. 5,5x120 PZ 14,50  6	0005695	0005658	0006415	0005657
	BATTISCOPA nat. rett. 5,5x120 PZ 12,50  6	0005709	0005668	0006736	0005667
	GRADONE TOP. lux rett. 32x120x4,5x2 PZ 203,90  1	0005696	0005660	0006416	0005659
	GRADONE TOP. nat. rett. 32x120x4,5x2 PZ 192,90  1	0005705	0005670	0006737	0005669
	ANGOLARE TOP SX lux rett. 32x120x4,5x2 PZ 232,90  1	0005697	0005662	0006417	0005661
	ANGOLARE TOP SX nat. rett. 32x120x4,5x2 PZ 221,50  1	0005706	0005672	0006738	0005671
	ANGOLARE TOP DX lux rett. 32x120x4,5x2 PZ 232,90  1	0005698	0005664	0006418	0005663
	ANGOLARE TOP DX nat. rett. 32x120x4,5x2 PZ 221,50  1	0005707	0005674	0006739	0005673

GRES PORCELLANATO TUTTA MASSA FULL BODY PORCELAIN

SUPERFICIE NATURALE Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G Gruppo Bla UGL
NATURAL SURFACE Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla UGL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE SENSI GEMS NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	> 0,60 WET
	DIN 51097	-	R10
	ANSI A 137-1:2012 (D.C.O.F.)	≥ 0,42	A+B > 0,42

P. tech ON DEMAND

La tecnologia P.TECH migliora le performance anti-scivolo dei pavimenti, mantenendo inalterati i valori di resistenza meccanica del gres porcellanato, con una finitura estremamente piacevole al tatto e facile da pulire.
SENSI GEMS - CRYSTAL, TAJ MAHAL, ICEBERG in finitura P.TECH, nei formati 60x120 e 120x120, può essere fornita su richiesta con un ordine soggetto a lotto minimo di produzione.
The innovative P.TECH technology which improves the slip resistance of floors while delivering the renowned mechanical strength of porcelain tiles and a finish that is both extremely pleasant to the touch and easy to clean.
SENSI GEMS - CRYSTAL, TAJ MAHAL, ICEBERG in P.TECH finish, in the 60x120 and 120x120 sizes, can be supplied on request with an order subject to a minimum production batch.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

SENSI GEMS

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

CRYSTAL

TAJ MAHAL

ICEBERG

TITANIUM BLACK

BLEND CONCRETE

GREY

MOON

IRON

MOON

CHROME

WHITE

BLACK

BLEND DOTS

MULTIWHITE

TAUPE

MULTIWHITE

TAUPE

CROSSROAD CHALK

SAND

SAND

SMOKE

WHITE

ECO CHIC

BROWN

AVANA

BROWN

ALMOND

CROSSROAD WOOD

AMBER

TAN

GREY

WHITE

SENSI GEMS

MARBLE



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



MARBLE

SENSI UP

GRES PORCELLANATO TUTTA MASSA - UGL
FULL BODY PORCELAIN - UGL

6 mm	8,5 mm
160x320 soft / lux	120x120 nat. / lux
120x280 soft / lux	60x120 nat. / lux
	80x80 nat. / lux

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



floor
SENSI UP MARQUINIA SELECT NAT 120x120

little tables
ABKSTONE ROMA IMPERIALE SOFT 12mm



wall
SENSI UP MARQUINIA SELECT LUX 120x280

floor
SENSI UP INTARSIA LUX 120x120

table
ABKSTONE STATUARIO VERSILIA LUX 160x320 12 mm

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

INVISIBLE PEARL

6 mm				
* 160x320	soft rett.	0003847	F 170,50	
* 160x320	lux rett.	0004177	F 194,50	
** 120x280	soft rett.	0008113	F 126,50	
** 120x280	lux rett.	0008702	F 150,50	
8,5 mm				
120x120	nat rett.	0005728	F 87,90	
120x120	lux rett.	0004199	F 116,90	
60x120	nat rett.	0005736	F 67,50	
60x120	lux rett.	0004204	F 89,50	

ABKSTONE				
163,5x323 soft	0003835	± 6 mm		
163,5x323 lux	0003889	± 6 mm		
163,5x323 soft	0003777	± 12 mm		
163,5x323 lux	0003789	± 12 mm		
163,5x323 soft	0007762	± 20 mm		

BRECCIA MELANGE

6 mm				
* 160x320	lux rett.	0003509	F 194,50	
** 120x280	lux rett.	0008704	F 150,50	
8,5 mm				
120x120	lux rett.	0003519	F 116,90	
60x120	lux rett.	0003521	F 89,50	



MARQUINIA SELECT

6 mm				
* 160x320	soft rett.	0003848	F 170,50	
* 160x320	lux rett.	0004178	F 194,50	
** 120x280	soft rett.	0008114	F 126,50	
** 120x280	lux rett.	0008703	F 150,50	
8,5 mm				
120x120	nat rett.	0006755	F 87,90	
120x120	lux rett.	0004200	F 116,90	
60x120	nat rett.	0006756	F 67,50	
60x120	lux rett.	0004205	F 89,50	

ABKSTONE				
163,5x323 soft	0003856	± 6 mm		
163,5x323 lux	0003891	± 6 mm		
163,5x323 slab A soft	0003776	± 12 mm		
163,5x323 slab B soft	0003866	± 12 mm		
163,5x323 slab A lux	0003788	± 12 mm		
163,5x323 slab B lux	0003863	± 12 mm		
163,5x323 soft	0006248	± 20 mm		
163,5x323 lux	0006245	± 20 mm		


GRAND ANTIQUE

6 mm				
* 160x320	lux rett.	0002538	F 194,50	
*** 120x280	lux rett.	0005029	F 150,50	
8,5 mm				
120x120	lux rett.	0002562	F 116,90	
60x120	lux rett.	0002564	F 89,50	

* Fino ad esaurimento scorte l' art. verrà consegnato a spessore 7 mm. The item will be delivered in a 7 mm thickness while stocks last.

** Fino ad esaurimento scorte l'art verrà consegnato nel formato 120x278 6 mm oppure 120x270 6 mm. The item will be delivered in sizes 120x278 (thickness 6 mm) or 120x270 (thickness 6 mm) while stocks last.

*** Fino ad esaurimento scorte l' art. verrà consegnato nel formato 120x240 spessore 7 mm. The item will be delivered in size 120x240 (thickness 7 mm) while stocks last.



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

STATUARIO ULTRA

6 mm			
* 160x320	lux rett.	0000371	F 194,50
*** 120x280	lux rett.	0008804	F 150,50
8,5 mm			
120x120	lux rett.	0000389	F 116,90
60x120	lux rett.	0008815	F 89,50
80x80	lux rett.	0000718	F 87,90
80x80	nat rett.	0000739	F 63,50



CALACATTA GOLD

6 mm			
* 160x320	lux rett.	0000367	F 194,50
* 160x320	soft rett.	0002751	F 170,50
*** 120x280	lux rett.	0008803	F 150,50
8,5 mm			
120x120	lux rett.	0000385	F 116,90
60x120	lux rett.	0008814	F 89,50
80x80	lux rett.	0000717	F 87,90
80x80	nat rett.	0000736	F 63,50



ABKSTONE

163,5x323 soft	0002742	✂ 6 mm
163,5x323 lux	0003353	✂ 6 mm
163,5x323 slab A soft	0003775	✂ 12 mm
163,5x323 slab B soft	0003865	✂ 12 mm
163,5x323 slab A lux	0003787	✂ 12 mm
163,5x323 slab B lux	0003862	✂ 12 mm
163,5x323 soft	0006247	✂ 20 mm
163,5x323 lux	0006244	✂ 20 mm

ONICE BEIGE

6 mm			
* 160x320	lux rett.	0000372	F 194,50
*** 120x280	lux rett.	0008805	F 150,50
8,5 mm			
120x120	lux rett.	0000390	F 116,90
60x120	lux rett.	0000742	F 89,50



BOOK MATCH

6 mm			
120x280	lux rett. SLAB A	0008806	F 150,50
120x280	lux rett. SLAB B	0008807	F 150,50

Ripresa grafica tra le diverse lastre contenuta entro una tolleranza di 3 cm.
Graphic clearance among the different slabs ranging within 3 cm.



SLAB A

SLAB B

* Fino ad esaurimento scorte l' art. verrà consegnato a spessore 7 mm. The item will be delivered in a 7 mm thickness while stocks last.

*** Fino ad esaurimento scorte l' art. verrà consegnato nel formato 120x240 spessore 7 mm. The item will be delivered in size 120x240 (thickness 7 mm) while stocks last.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

STATUARIO VERSILIA

6 mm				
*	160x320	soft rett.	0003846	F 170,50
*	160x320	lux rett.	0004176	F 194,50
**	120x280	soft rett.	0008705	F 126,50
**	120x280	lux rett.	0008701	F 150,50
8,5 mm				
	120x120	nat rett.	0005726	F 87,90
	120x120	lux rett.	0004198	F 116,90
	60x120	nat rett.	0005735	F 67,50
	60x120	lux rett.	0004203	F 89,50

ABKSTONE

163,5x323 soft	0003836	± 6 mm
163,5x323 slab A lux	0003887	± 6 mm
163,5x323 slab B lux	0009923	± 6 mm
163,5x323 slab A soft	0003774	± 12 mm
163,5x323 slab B soft	0003864	± 12 mm
163,5x323 slab A lux	0003786	± 12 mm
163,5x323 slab B lux	0003861	± 12 mm
163,5x323 soft	0006246	± 20 mm
163,5x323 lux	0006243	± 20 mm
FULL VEIN 3D		
163,5x323 soft	0007722	± 20 mm
163,5x323 lux	0007721	± 20 mm

* Fino ad esaurimento scorte l’art. verrà consegnato a spessore 7 mm. The item will be delivered in a 7 mm thickness while stocks last.

** Fino ad esaurimento scorte l’art verrà consegnato nel formato 120x278 6 mm oppure 120x270 7 mm. The item will be delivered in sizes 120x278 (thickness 6 mm) or 120x270 (thickness 7 mm) while stocks last.

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.

	MATITA ALLUMINIO 0000086	PZ 23,50
--	---	----------

Parte superiore arrotondata e colorata con resine acriliche.
Rounded top colored with acrylic resins.

	MATITA ALLUM. ORO 0008535	PZ 31,50
	MATITA ALLUM. RAME SCURO 0008534	PZ 31,50



MATITA ALLUM. WHITE
0000087 PZ 31,50



MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50



MATITA ALLUM. BLU
0008532 PZ 31,50



MATITA ALLUM. VERDE
0008531 PZ 31,50



MATITA ALLUM. ARDESIA
0008533 PZ 31,50



MATITA ALLUM. BLACK
0000088 PZ 31,50



MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.



MATITA ALLUM. BRONZO
0000557 PZ 38,90



MATITA ALLUM. RAME
0000556 PZ 38,90

INTARSIA



8,5 mm				
	120x120	lux rett.	0004208	F 120,90
	60x120	lux rett.	0004209	F 94,50




Articolo composto da pattern grafici diversi che non prevedono agganci tra loro e miscelati in modo casuale in fase di inscatolamento. Non si garantisce pertanto la presenza costante di tutti i soggetti all’interno delle confezioni. This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.





index



STONE	POETRY STONE
	ATLANTIS
	NATIVE
	ALPES WIDE - ALPES RAW
	MONOLITH
MARBLE	UNIKA
	RE-WORK
	FOSSIL
	SENSI SIGNORIA
	SENSI GEMS
CONCRETE	SENSI UP
	SENSI
	BLEND
	GHOST
	LAB325
METAL	CROSSROAD CHALK
	DOWNTOWN
	DOCKS
	LEVEL
	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD
	ECO CHIC
	NEST
	CROSSROAD WOOD
	DOLPHIN
RUSTIC	SOLERAS
	PETRAIA
DECOR & WALL	POETRY DECOR
	WIDE&STYLE MINI
	PLAY
	CROSSROAD BRICK
	DO UP
OUT.20 20MM	CHROME
	BLEND - POETRY STONE - LAB325
	GENT - ATLANTIS - GHOST
	NATIVE - POETRY WOOD - ECO CHIC
	DOLPHIN - SOLERAS
OUT.30 30MM	LAB325
	TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
	TECH
	INFORMAZIONI TECNICHE

DECORI / DECORATIVE 8,5 mm						
	TRAPEZIO lux rett. 60x30x30 F 288,50 ☞ 3 = 0,35 MQ	-	-	-	* 0002952	-
	ROMBO 30 lux rett. 30x30 F 288,50 ☞ 5 = 0,39 MQ	-	-	-	* 0002953	-

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		INVISIBLE PEARL	BRECCIA MELANGE	STATUARIO VERSILIA	GRAND ANTIQUE	MARQUINIA SELECT
	BATTISCOPA lux rett. 5,5x120 PZ 14,50 ☞ 6	0004910	0004912	0004909	* 0002566	0004911
	BATTISCOPA nat. rett. 5,5x120 PZ 12,50 ☞ 6	0005741	-	0005740	-	0006757
	GRAD. TOP lux rett. 32x120x4,5x2 PZ 203,90 ☞ 1	0004915	0004917	0004914	* 0002568	0004916
	GRAD. TOP nat. rett. 32x120x4,5x2 PZ 192,90 ☞ 1	0005746	-	00005745	-	0006758
	ANG. TOP SX lux rett. 32x120x4,5x2 PZ 232,90 ☞ 1	0004920	0004922	0004919	* 0002570	0004921
	ANG. TOP SX nat. rett. 32x120x4,5x2 PZ 221,50 ☞ 1	0005751	-	0005750	-	0006759
	ANG. TOP DX lux rett. 32x120x4,5x2 PZ 232,90 ☞ 1	0004925	0004927	0004924	* 0002572	0004926
	ANG. TOP DX nat. rett. 32x120x4,5x2 PZ 221,50 ☞ 1	0005757	-	0005756	-	0006760

* Fino ad esaurimento scorte l’ art. verrà consegnato a spessore 7 mm. The item will be delivered in a 7 mm thickness while stocks last.

DECORI / DECORATIVE 7 mm				
	TRAPEZIO lux rett. 60x30x30 F 288,50 ☞ 4 = 0,46 MQ	0000895	0000891	0000896
	ROMBO 30 lux rett. 30x30 F 288,50 ☞ 7 = 0,54 MQ	0000901	0000897	0000902
	MOS. ENIGMA lux rett. 30x34 F 356,50 ☞ 5	0000907	0000903	0000908

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		STATUARIO ULTRA	CALACATTA GOLD	ONICE BEIGE
	BATTISCOPA lux rett. 5,5x120 PZ 14,50 ☞ 6	0000871	0000867	0000872
	GRAD. TOP lux rett. 32x120x4,5x2 PZ 203,90 ☞ 1	0000877	0000873	0000878
	ANG. TOP SX lux rett. 32x120x4,5x2 PZ 232,90 ☞ 1	0000883	0000879	0000884
	ANG. TOP DX lux rett. 32x120x4,5x2 PZ 232,90 ☞ 1	0000889	0000885	0000890

GRES PORCELLANATO TUTTA MASSA FULL BODY PORCELAIN

SUPERFICIE NATURALE Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G Gruppo Bla UGL
NATURAL SURFACE Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla UGL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE SENSI UP NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY	> 0,40
	B.C.R.A. G.B.	0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY
			> 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10
	DIN 51097	-	A+B
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42

P.tech ON DEMAND

La tecnologia P.TECH migliora le performance anti-scivolo dei pavimenti, mantenendo inalterati i valori di resistenza meccanica del gres porcellanato, con una finitura estremamente piacevole al tatto e facile da pulire. SENSI UP - INVISIBLE PEARL, STATUARIO VERSILIA, STATUARIO ULTRA, CALACATTA GOLD, ONICE BEIGE in finitura P.TECH, nei formati 60x120 e 120x120, può essere fornito su richiesta con un ordine soggetto a lotto minimo di produzione.

The innovative P.TECH technology which improves the slip resistance of floors while delivering the renowned mechanical strength of porcelain stoneware and a finish that is both extremely pleasant to the touch and easy to clean. SENSI UP - INVISIBLE PEARL, STATUARIO VERSILIA, STATUARIO ULTRA, CALACATTA GOLD, ONICE BEIGE in P.TECH finish, in the 60x120 and 120x120 sizes, can be supplied on request with an order subject to a minimum production batch.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

BLEND
CONCRETE

LAB325

CROSSROAD
CHALK

INTERNO 9

ECO CHIC

CROSSROAD
WOOD

INVISIBLE PEARL

BRECCIA MELANGE

STATUARIO VERSILIA

GRAND ANTIQUE

MARQUINIA SELECT

STATUARIO ULTRA

CALACATTA GOLD

ONICE BEIGE

GREY

IRON

ASH

MOON

MOON

GREY

IRON

IRON

CHROME

WHITE

BLACK

TAUPE

PEPPER

ASH

PEARL

PEARL

PEPPER

TAUPE

TAUPE

SMOKE

SAND

GREY

GREY

WHITE

SMOKE

SAND

SAND

SILVER

RUST

DARK

PEARL

PEARL

SILVER

RUST

DARK

AVANA

BROWN

NATURALE

ALMOND

ALMOND

NATURALE

AVANA

BROWN

GREY

TAN

GREY

COAL

AMBER

GREY

SAND

WHITE



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



MARBLE

SENSI

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

8,5 mm

- 60x120 lux / sablé
- 30x120 lux / sablé
- 60x60 lux / sablé
- 30x60 lux / sablé

SENSI

CALACATTA SELECT LUX

8,5 mm				
60x120	lux rett.	1SL34050	F 85,90	
30x120	lux rett.	1SL57050	F 85,90	
60x60	lux rett.	1SL01050	F 78,50	
30x60	lux rett.	1SL03050	F 78,50	

CALACATTA SELECT SABLÈ

8,5 mm				
60x120	SABLÈ rett.	1SR34550	F 64,50	
30x120	SABLÈ rett.	1SR57550	F 65,50	
60x60	SABLÈ rett.	1SR01550	F 54,50	
30x60	SABLÈ rett.	1SR03550	F 50,50	

SAHARA CREAM LUX

8,5 mm				
60x120	lux rett.	1SL34100	F 85,90	
30x120	lux rett.	1SL57100	F 85,90	
60x60	lux rett.	1SL01100	F 78,50	
30x60	lux rett.	1SL03100	F 78,50	

SAHARA CREAM SABLÈ

8,5 mm				
60x120	SABLÈ rett.	1SR34600	F 64,50	
30x120	SABLÈ rett.	1SR57600	F 65,50	
60x60	SABLÈ rett.	1SR01600	F 54,50	
30x60	SABLÈ rett.	1SR03600	F 50,50	

MARBLE



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

STATUARIO WHITE LUX

8,5 mm			
60x120	lux rett.	1SL34250	F 85,90
30x120	lux rett.	1SL57250	F 85,90
60x60	lux rett.	1SL01250	F 78,50
30x60	lux rett.	1SL03250	F 78,50

STATUARIO WHITE SABLÈ



8,5 mm			
60x120	SABLÈ rett.	1SR34750	F 64,50
30x120	SABLÈ rett.	1SR57750	F 65,50
60x60	SABLÈ rett.	1SR01750	F 54,50
30x60	SABLÈ rett.	1SR03750	F 50,50

PIETRA GREY LUX

8,5 mm			
60x120	lux rett.	1SL34200	F 85,90
30x120	lux rett.	1SL57200	F 85,90
60x60	lux rett.	1SL01200	F 78,50
30x60	lux rett.	1SL03200	F 78,50

PIETRA GREY SABLÈ

8,5 mm			
60x120	SABLÈ rett.	1SR34700	F 64,50
30x120	SABLÈ rett.	1SR57700	F 65,50
60x60	SABLÈ rett.	1SR01700	F 54,50
30x60	SABLÈ rett.	1SR03700	F 50,50



ARABESQUE SILVER LUX

8,5 mm			
60x120	lux rett.	1SL34150	F 85,90
30x120	lux rett.	1SL57150	F 85,90
60x60	lux rett.	1SL01150	F 78,50
30x60	lux rett.	1SL03150	F 78,50

ARABESQUE SILVER SABLÈ

8,5 mm			
60x120	SABLÈ rett.	1SR34650	F 64,50
30x120	SABLÈ rett.	1SR57650	F 65,50
60x60	SABLÈ rett.	1SR01650	F 54,50
30x60	SABLÈ rett.	1SR03650	F 50,50



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DECORI DA RIVESTIMENTO - WALL DECORS 8,5 mm



7x60 4
LIST. CHAINS ORO CALACATTA SEL.
1SL03051 lux PZ 41,50
(Metallo prezioso: Oro - Precious metal: Gold)



7x60 4
LIST. CHAINS ORO PIETRA GREY
1SL03201 lux PZ 41,50
(Metallo prezioso: Oro - Precious metal: Gold)



30x30 4
MOS. DEKOR COLD
1SL09251 lux PZ 40,50



2x30 4
** FASCIA MICRO ARGENTO
SCT067 PZ 15,50



2x30 4
** FASCIA MICRO ORO
SCT066 PZ 15,50



5x30 4
* FASCIA ESSENZE MIX
19R03053 PZ 24,50
(Legno - Wood)



4x30 4
* FASCIA ARDESIA BRONZO
RER09054 rett. PZ 23,50
(Pietra naturale - Natural stone)



4x30 4
* FASCIA ARDESIA GRIGIO
RER09204 rett. PZ 23,50
(Pietra naturale - Natural stone)



1,5x30 4
FASCIA VETRO BRONZO
R1R03157 PZ 25,90
(Vetro e metalli preziosi - Glass and precious metals)



1,5x30 4
FASCIA VETRO PLATINO
R1R03207 PZ 25,90
(Vetro e metalli preziosi - Glass and precious metals)



1,5x30 4
FASCIA VETRO ORO
R1R03106 PZ 25,90
(Vetro e metalli preziosi - Glass and precious metals)

* Art. realizzati con materiali naturali
Items produced with natural materials

** Articoli realizzati con metalli preziosi; si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive.
Items produced with precious metals; do not use products containing abrasive substances to clean the surface.

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.

MATITA ALLUMINIO
0000086 PZ 23,50

Parte superiore arrotondata e colorata con
resine acriliche.
Rounded top colored with acrylic resins.

MATITA ALLUM. ORO
0008535 PZ 31,50

MATITA ALLUM. RAME SCURO
0008534 PZ 31,50



MATITA ALLUM. WHITE
0000087 PZ 31,50



MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50



MATITA ALLUM. BLU
0008532 PZ 31,50



MATITA ALLUM. VERDE
0008531 PZ 31,50



MATITA ALLUM. ARDESIA
0008533 PZ 31,50



MATITA ALLUM. BLACK
0000088 PZ 31,50



MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno
galvanico / Flat top colored in galvanic bath.



MATITA ALLUM. BRONZO
0000557 PZ 38,90



MATITA ALLUM. RAME
0000556 PZ 38,90



PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		CALACATTA SELECT	SAHARA CREAM	STATUARIO WHITE	PIETRA GREY	ARABESQUE SILVER
	LONDON lux 4x30 PZ 20,50 4	1SL11051	1SL11101	1SL11251	1SL11201	1SL11151
	ANG. LONDON lux 4x3 PZ 23,50 2	1SL11052	1SL11102	1SL11252	1SL11202	1SL11152
	RACCORDO lux 1,2x30 PZ 14,50 4	1SL11053	1SL11103	1SL11253	1SL11203	1SL11153
	BATTISCOPA rett. 5,5x60 PZ 10,50 10 PZ 10,50	LUX 1SL01051 SABLÈ 1SR01551	LUX 1SL01101 SABLÈ 1SR01601	LUX 1SL01251 SABLÈ 1SR01751	LUX 1SL01201 SABLÈ 1SR01701	LUX 1SL01151 SABLÈ 1SR01651
	GRADONE TOP rett. 32x120x4,5x2 PZ 203,90 1 PZ 192,90	LUX 1SL34051 SABLÈ 1SR34551	LUX 1SL34101 SABLÈ 1SR34601	LUX 1SL34251 SABLÈ 1SR34751	LUX 1SL34201 SABLÈ 1SR34701	LUX 1SL34151 SABLÈ 1SR34651
	ANGOLARE TOP SX 32x120x4,5x2 PZ 232,90 1 PZ 221,50	LUX 1SL34052 SABLÈ 1SR34552	LUX 1SL34102 SABLÈ 1SR34602	LUX 1SL34252 SABLÈ 1SR34752	LUX 1SL34202 SABLÈ 1SR34702	LUX 1SL34152 SABLÈ 1SR34652
	ANGOLARE TOP DX 32x120x4,5x2 PZ 232,90 1 PZ 221,50	LUX 1SL34053 SABLÈ 1SR34553	LUX 1SL34103 SABLÈ 1SR34603	LUX 1SL34253 SABLÈ 1SR34753	LUX 1SL34203 SABLÈ 1SR34703	LUX 1SL34153 SABLÈ 1SR34653

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE SENSI SABLÈ
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	> 0,60 WET
	DIN 51097	-	R10
	ANSI A 137-1:2012 (D.C.O.F.)	≥ 0,42	A+B
			> 0,42



index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE



CONCRETE

BLEND

GRES PORCELLANATO TUTTA MASSA - UGL
FULL BODY PORCELAIN - UGL

6 mm	8,5 mm	20 mm	P. tech
120x280 nat.	120x120 nat. 60x120 nat. 90x90 nat. / lapp. 60x60 nat. / R11 30x60 nat.	60x120 R11 90x90 R11	

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES ^{WIDE} - ALPES ^{RAW} MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI ^{GEMS} SENSI ^{UP} SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 ^{WIDE} - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

BLEND



floor
BLEND DOTS MULTIWHITE 90x90 lapp.



wall BLEND
CONCRETE GREY 120x280 nat. rett., BLEND COMBO GREY 60x120 nat. rett.,
CHROME WHITE SOFT 120x280

floor BLEND
CONCRETE GREY 60x60 nat. rett.

BATH DESIGN - WASHBASIN AND VANITY TOP
CHROME WHITE SOFT 120x280

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

BLEND

CONCRETE MOON

6 mm			
* 120x280	nat rett.	0008052	F 117,50
8,5 mm			
120x120	nat rett.	0005792	F 87,90
60x120	nat rett.	0005796	F 67,50
90x90	nat rett.	0005804	F 69,50
60x60	nat rett.	0005814	F 56,90
30x60	nat rett.	0008257	F 52,50



CONCRETE ASH

6 mm			
* 120x280	nat rett.	0008053	F 117,50
8,5 mm			
120x120	nat rett.	0005793	F 87,90
60x120	nat rett.	0005797	F 67,50
90x90	nat rett.	0005805	F 69,50
60x60	nat rett.	0005815	F 56,90
30x60	nat rett.	0008258	F 52,50



BLEND

CONCRETE IRON

6 mm			
* 120x280	nat rett.	0008645	F 117,50
8,5 mm			
120x120	nat rett.	0005795	F 87,90
60x120	nat rett.	0005799	F 67,50
90x90	nat rett.	0005807	F 69,50
60x60	nat rett.	0005817	F 56,90
30x60	nat rett.	0008260	F 52,50



CONCRETE GREY

6 mm			
* 120x280	nat rett.	0008644	F 117,50
8,5 mm			
120x120	nat rett.	0005794	F 87,90
60x120	nat rett.	0005798	F 67,50
90x90	nat rett.	0005806	F 69,50
60x60	nat rett.	0005816	F 56,90
30x60	nat rett.	0008259	F 52,50

*Fino ad esaurimento scorte l'art verrà consegnato nel formato 120x278 o 120x270 spessore 6 mm.
The item will be delivered in sizes 120x278 (thickness 6 mm) or 120x270 (thickness 6 mm) while stocks last.



CONCRETE


index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

BLEND


DOTS GREY

8,5 mm			
60x120	nat rett.	0006702	F 67,50
90x90	nat rett.	0005827	F 69,50
90x90	lapp. rett.	0005831	F 81,90
60x60	nat rett.	0006710	F 56,90
30x60	nat rett.	0008024	F 52,50



DOTS TAUPE

8,5 mm			
60x120	nat rett.	0006701	F 67,50
90x90	nat rett.	0005826	F 69,50
90x90	lapp. rett.	0005830	F 81,90
60x60	nat rett.	0006709	F 56,90
30x60	nat rett.	0008023	F 52,50



BLEND

DOTS MULTIWHITE

8,5 mm			
60x120	nat rett.	0006703	F 67,50
90x90	nat rett.	0005828	F 69,50
90x90	lapp. rett.	0005832	F 81,90
60x60	nat rett.	0006711	F 56,90
30x60	nat rett.	0008025	F 52,50



DOTS MULTIBLACK

8,5 mm			
60x120	nat rett.	0006704	F 67,50
90x90	nat rett.	0005829	F 69,50
90x90	lapp. rett.	0005833	F 81,90
60x60	nat rett.	0006712	F 56,90
30x60	nat rett.	0008026	F 52,50



CONCRETE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES ^{WIDE} - ALPES ^{RAW} MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI ^{GEMS} SENSI ^{UP} SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 ^{WIDE} - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO ^{UP} CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

BLEND

CONCRETE GREY COMBO

8,5 mm			
120x120	nat rett.	0006691	F 91,50
60x120	nat rett.	0006692	F 71,50

Articolo composto da pattern grafici diversi e miscelati in modo casuale in fase di inscatolamento. Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni. This article comes in several different versions that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

DECORI DA RIVESTIMENTO
WALL DECORS

8,5 mm			
5x60	4		
0006775	LIST. AVIO rett.	PZ 20,50	Lucido / Glossy
5x60	4		
0006776	LIST. PHARD rett.	PZ 20,50	Lucido / Glossy
5x60	4		
0006777	LIST. SENAPE rett.	PZ 20,50	Lucido / Glossy



wall
BLEND CONCRETE MOON 60x120
BLEND DOTS MULTIWHITE 60x120
LIST SENAPE 5x60

BLEND

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.

MATITA ALLUMINIO
0000086 PZ 23,50

Parte superiore arrotondata e colorata con resine acriliche.
Rounded top colored with acrylic resins.

MATITA ALLUM. ORO
0008535 PZ 31,50

MATITA ALLUM. RAME SCURO
0008534 PZ 31,50



MATITA ALLUM. WHITE
0000087 PZ 31,50

MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50

MATITA ALLUM. BLU
0008532 PZ 31,50

MATITA ALLUM. VERDE
0008531 PZ 31,50

MATITA ALLUM. ARDESIA
0008533 PZ 31,50

MATITA ALLUM. BLACK
0000088 PZ 31,50



MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.

MATITA ALLUM. BRONZO
0000557 PZ 38,90

MATITA ALLUM. RAME
0000556 PZ 38,90



wall
BLEND DOTS GREY 60x120,
BLEND CONCRETE ASH 60x120,
Matita Alluminio Bronzo 0,5x120

floor
ECO CHIC AVANA 20x120



wall
BLEND CONCRETE IRON 60x120,
BLEND DOTS MULTIBLACK 60x120,
Matita Alluminio Verde 0,5x120

CONCRETE

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR &
WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

BLEND

OUTDOOR R 11 8,5 mm

60x60 3
CONCRETE MOON R11 rett.
0006695 F 58,90

60x60 3
CONCRETE ASH R11 rett.
0005820 F 58,90

60x60 3
CONCRETE IRON R11 rett.
0006696 F 58,90

60x60 3
CONCRETE GREY R11 rett.
0005821 F 58,90

OUT.20 R 11 20 mm

60x120 1
CONCRETE ASH 20 R11 rett.
0007024 F 99,50

60x120 1
CONCRETE GREY 20 R11 rett.
0007025 F 99,50

90x90 1
CONCRETE ASH 20 R11 rett.
0006018 F 108,50

90x90 1
CONCRETE GREY 20 R11 rett.
0006019 F 108,50

90x90 1
CONCRETE MOON 20 R11 rett.
0008947 F 108,50

Per la serie completa vedi pag. 300
For the complete collection see page 300

BLEND

CONCRETE

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm									
	BATTISCOPA lapp rett. 5,5x90 PZ 12,50 8	-	-	-	-	0006994	0006995	0006993	0006992
	BATTISCOPA nat rett. 5,5x60 PZ 8,90 10	0006966	0006965	0006967	0006964	0006970	0006971	0006969	0006968
	BATTISCOPA nat rett. 5,5x120 PZ 12,50 6	0006946	0006945	0006947	0006944	0006974	0006975	0006973	0006972
	GRADONE TOP nat rett. 32x120x4,5x2 PZ 192,90 1	0006950	0006949	0006951	0006948	0006978	0006979	0006977	0006976
	ANGOLARE SX nat rett. 32x120x4,5x2 PZ 221,50 1	0006954	0006953	0006955	0006952	0006982	0006983	0006981	0006980
	ANGOLARE DX nat rett. 32x120x4,5x2 PZ 221,50 1	0006958	0006957	0006959	0006956	0006986	0006987	0006985	0006984

GRES PORCELLANATO TUTTA MASSA FULL BODY PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla UGL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla UGL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE BLEND NAT.	VAL. / VALUE BLEND P.TECH	VAL. / VALUE BLEND OUTDOOR/ OUT.20
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40	> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET	> 0,60 DRY > 0,60 WET	> 0,60 DRY > 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R10	R11
	DIN 51097	-	A+B	A+B	A+B+C
	ANSI A 137-1:2012 (D.C.O.F.)	$\geq 0,42$	> 0,42	> 0,42	> 0,42
	AS/NZS 4586:2013	SRV : 35 - 44	-	P3 WET	P4 WET
	BS 7976 - 2:2002	> 36	-	+36 WET	+36 WET

P. tech

ABK presenta P.TECH, la superficie ceramica che coniuga perfettamente morbidezza e resistenza allo scivolamento. Ongoing research and investments aimed at improving the aesthetic and technical qualities of products has enabled ABK to develop the innovative P.TECH technology, which improves the slip resistance of floors while delivering the renowned mechanical strength of porcelain stoneware and a finish that is both extremely pleasant to the touch and easy to clean. La ricerca e gli investimenti continui per migliorare l'estetica e le qualità tecniche del prodotto, hanno portato ABK a sviluppare la nuovissima tecnologia P.TECH, che migliora le performance anti-scivolo dei pavimenti, mantenendo inalterati i valori di resistenza meccanica del gres porcellanato, con una finitura estremamente piacevole al tatto e facile da pulire. P.TECH non è un trattamento di superficie, ma è la sintesi di un innovativo processo produttivo che coinvolge la selezione delle materie prime, la fase di pressatura e quella di cottura. Queste superfici, che rispondono positivamente ai parametri di attrito imposti dalle normative più severe AS/NZS 4586:2013 (Australian pendulum test) e BS 7976 - 2:2002 (British pendulum test), si igienizzano con acqua e comuni detergenti, pertanto costituiscono la scelta perfetta anche per i progetti di aree pubbliche o commerciali, comprese le aree outdoor, wellness & hospitality. I prodotti P.TECH per la loro versatilità permettono inoltre di utilizzare la stessa superficie in spazi differenti, ma comunicanti, come ad esempio interni ed esterni, garantendo la massima flessibilità progettuale. **ART. BLEND CON SUPERFICIE P.TECH: La superficie P.TECH è prevista su tutti i formati fatta eccezione per 120x280, 90x90 blend dots.**

ABK is presenting P.TECH, the ceramic surface that combines a soft touch with slip resistance. P.TECH is not a surface treatment but the result of an innovative production process that combines raw material selection with the pressing and firing phases. These surfaces come up to the strictest standards in terms of coefficient of friction such as the AS/NZS 4586:2013 (Australian pendulum test) and BS 7976 - 2:2002 (British pendulum test) and can be cleaned using water and ordinary cleaning agents, making them the ideal choice for projects in public or commercial areas such as outdoor, wellness and hospitality spaces. P.TECH products are also sufficiently versatile to enable the same surface to be used in different but communicating spaces such as interiors and exteriors, thereby guaranteeing the maximum design flexibility. **ART. BLEND WITH P.TECH SURFACE: Every size is provided with the P.TECH surface, except for the 120x280 size and 90x90 blend dots.**

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

INTERNO 9

SILVER

DARK

RUST

PEARL

PEARL

PEARL

RUST

RUST

CHROME

WHITE

SENSI SIGNORIA

ROMA IMPERIALE

PORT GOLD

CALACATTA VENA ORO

GRIGIO SIENA

CALACATTA MICHELANGELO

PORT GOLD

CALACATTA VENA ORO

BLACK

SENSI GEMS

TITANIUM BLACK

TITANIUM BLACK

ICEBERG

CRYSTAL

ICEBERG

TAJ MAHAL

TAJ MAHAL

TAJ MAHAL

ECO CHIC

AVANA

NATURALE

NATURALE

AVANA

BROWN

NATURALE

NATURALE

CROSSROAD WOOD

TAN

GREY

TAN


AMBER

GREY

TAN

AMBER

COAL



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



CONCRETE

GHOST

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

6 mm	8,5 mm	20 mm
120x280 nat.	120x120 nat. 60x120 nat. 30x120 nat. 90x90 nat. 60x60 nat. 30x60 nat. 11,5x23 nat.	90x90 R11

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



wall
GHOST GREY 120x280 nat. rett., GHOST OASIS 60x120 nat. rett.
floor
ECO CHIC BROWN 20x120 nat. rett.

GHOST

IVORY

6 mm			
120x280	nat rett.	0008646	F 112,90
8,5 mm			
120x120	nat rett.	0003815	F 84,50
60x120	nat rett.	0004363	F 64,50
30x120	nat rett.	0004368	F 65,50
90x90	nat rett.	0005054	F 65,90
60x60	nat rett.	0004382	F 54,50
30x60	nat rett.	0004385	F 50,50

GREY

6 mm			
120x280	nat rett.	0008647	F 112,90
8,5 mm			
120x120	nat rett.	0003817	F 84,50
60x120	nat rett.	0004365	F 64,50
30x120	nat rett.	0004370	F 65,50
90x90	nat rett.	0005056	F 65,90
60x60	nat rett.	0004384	F 54,50
30x60	nat rett.	0004387	F 50,50

CONCRETE



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

GHOST

ROPE

6 mm			
120x280	nat rett.	0008192	F 112,90
8,5 mm			
120x120	nat rett.	0003816	F 84,50
60x120	nat rett.	0004364	F 64,50
30x120	nat rett.	0004369	F 65,50
90x90	nat rett.	0005055	F 65,90
60x60	nat rett.	0004383	F 54,50
30x60	nat rett.	0004386	F 50,50



CLAY

8,5 mm			
60x120	nat rett.	0005067	F 64,50
60x60	nat rett.	0005087	F 54,50
30x60	nat rett.	0005091	F 50,50



GHOST


SAGE

8,5 mm			
60x120	nat rett.	0004367	F 64,50
60x60	nat rett.	0005086	F 54,50
30x60	nat rett.	0005090	F 50,50



JADE

8,5 mm			
60x120	nat rett.	0005068	F 64,50
60x60	nat rett.	0005088	F 54,50
30x60	nat rett.	0005092	F 50,50



CONCRETE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

GHOST

TAUPE

8,5 mm			
60x120	nat rett.	0004366	F 64,50
60x60	nat rett.	0005085	F 54,50
30x60	nat rett.	0005089	F 50,50



MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.

	MATITA ALLUMINIO 0000086	PZ 23,50
--	-----------------------------	----------

Parte superiore arrotondata e colorata con resine acriliche.
Rounded top colored with acrylic resins.

	MATITA ALLUM. ORO 0008535	PZ 31,50
	MATITA ALLUM. RAME SCURO 0008534	PZ 31,50



MATITA ALLUM. WHITE
0000087 PZ 31,50



MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50



MATITA ALLUM. BLU
0008532 PZ 31,50



MATITA ALLUM. VERDE
0008531 PZ 31,50



MATITA ALLUM. ARDESIA
0008533 PZ 31,50



MATITA ALLUM. BLACK
0000088 PZ 31,50



MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.



MATITA ALLUM. BRONZO
0000557 PZ 38,90




MATITA ALLUM. RAME
0000556 PZ 38,90

GHOST

GRES PORCELLANATO
PORCELAIN TILES

REVEAL ROPE 8,5 mm

11,5x23 nat.	0005144	F 84,50
--------------	---------	---------



REVEAL GREY 8,5 mm

11,5x23 nat.	0005145	F 84,50
--------------	---------	---------



CONCRETE

index

STONE	POETRY STONE
	ATLANTIS
	NATIVE
	ALPES WIDE - ALPES RAW
	MONOLITH
MARBLE	UNIKA
	RE-WORK
	FOSSIL
CONCRETE	SENSI SIGNORIA
	SENSI GEMS
	SENSI UP
	SENSI
METAL	BLEND
	GHOST
	LAB325
	CROSSROAD CHALK
	DOWNTOWN
WOOD	DOCKS
	LEVEL
RUSTIC	INTERNO 9 WIDE - INTERNO 9
DECOR & WALL	POETRY WOOD
	ECO CHIC
	NEST
	CROSSROAD WOOD
	DOLPHIN
OUT.20 20MM	SOLERAS
OUT.30 30MM	PETRAIA
HARDKOLL TECH	POETRY DECOR
	WIDE&STYLE MINI
	PLAY
	CROSSROAD BRICK
	DO UP
	CHROME
	BLEND - POETRY STONE - LAB325
	GENT - ATLANTIS - GHOST
	NATIVE - POETRY WOOD - ECO CHIC
	DOLPHIN - SOLERAS
	LAB325
	TRENTO
	COLLANTI E SIGILLANTI
	INFORMAZIONI TECNICHE



GHOST

BOISERIE IVORY



6 mm

 * 120x280 nat. rett. **0008197** F 128,50

BOISERIE GREY/IVORY



8,5 mm

 60x120 nat. rett. **0004773** F 68,50

* Fino ad esaurimento scorte l' art. verrà consegnato nel formato 120x270 spessore 6 mm.
 The item will be delivered in size 120x270 (thickness 6 mm) while stocks last.

BOISERIE GREY



* 120x280 nat. rett. **0008199** F 128,50

BOISERIE ROPE/IVORY



60x120 nat. rett. **0004772** F 68,50

BOISERIE ROPE



* 120x280 nat. rett. **0008198** F 128,50

OASIS



** 60x120 nat. rett. **0004903** F 68,50

** Articolo composto da pattern grafici diversi che non prevedono agganci tra loro e miscelati in modo casuale in fase di inscatolamento.
 Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni.
 This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.



GHOST

OUT.20 R11 20 mm



Per la serie completa vedi pag. 303
 For the complete collection see page 303

DECORI / DECORATIVE 8,5 mm	IVORY	GREY	ROPE	CLAY	SAGE	JADE	TAUPE
 MOS. QUADRETTI rett. 30x30 F 113,90	0004904	0004906	0004905	0005079	0004908	0005080	0004907

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm	IVORY	GREY	ROPE	CLAY	SAGE	JADE	TAUPE
 BATTISCOPA rett. 5,5x120 PZ 12,50	0004774	0004784	0004783	0005069	0004786	0005070	0004785
 GRADONE TOP rett. 32x120x4,5x2 PZ 192,90	0004787	0004789	0004788	0005071	0004791	0005072	0004790
 ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50	0004792	0004794	0004793	0005073	0004796	0005074	0004795
 ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50	0004797	0004799	0004798	0005075	0004801	0005076	0004800

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
 Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE GHOST NAT.	VAL. / VALUE GHOST OUT.20
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R11
	DIN 51097	-	A+B	A+B+C
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42	> 0,42

CONCRETE

index

STONE

POETRY STONE
 ATLANTIS
 NATIVE
 ALPES WIDE - ALPES RAW
 MONOLITH
 UNIKA
 RE-WORK
 FOSSIL

MARBLE

SENSI SIGNORIA
 SENSI GEMS
 SENSI UP
 SENSI

CONCRETE

BLEND
 GHOST
 LAB325
 CROSSROAD CHALK
 DOWNTOWN
 DOCKS
 LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
 ECO CHIC
 NEST
 CROSSROAD WOOD
 DOLPHIN
 SOLERAS

RUSTIC

PETRAIA

DECOR &
WALL

POETRY DECOR
 WIDE&STYLE MINI
 PLAY
 CROSSROAD BRICK
 DO UP
 CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
 GENT - ATLANTIS - GHOST
 NATIVE - POETRY WOOD - ECO CHIC
 DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
 TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH






INFORMAZIONI TECNICHE

GHOST

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

	LAB325	INTERNO 9	NATIVE	ECO CHIC	CROSSROAD WOOD
					
IVORY	PEARL	SILVER	FOG	AVANA	SAND
					
GREY	ASH	SILVER	ASH	NATURALE	GREY
					
ROPE	TAUPE	RUST	RED	AVANA	TAN
					
CLAY	PEARL	RUST	RED	BROWN	TAN
					
SAGE	PEPPER	RUST	FOREST	AVANA	TAN
					
JADE	ASH	RUST	ASH	ALMOND	SAND
					
TAUPE	PEARL	PEARL	ASH	ALMOND	TAN
					
	CHROME	BLACK			
					
	WHITE				

GHOST

CONCRETE



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



CONCRETE

LAB325

GRES PORCELLANATO TUTTA MASSA - UGL
FULL BODY PORCELAIN - UGL

6 mm	8,5 mm	20 mm	30 mm
160x320 nat.	120x120 nat.	60x120 R11	90x90 R11
120x280 nat.	60x120 nat.		
	30x120 nat.		
	80x80 nat.		
	60x60 nat. / R11		
	20x40 R11		

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES ^{WIDE} - ALPES ^{RAW} MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI ^{GEMS} SENSI ^{UP} SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 ^{WIDE} - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO ^{UP} CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



wall
LAB325 METAL ASH 120x280

top
INTERNO 9 RUST

floor
LAB325 BASE ASH 60x120

LAB325

BASE PEARL

6 mm				
160x320	nat rett.	0005378	F 158,50	
** 120x280 nat rett. 0008652 F 117,50				
8,5 mm				
120x120	nat rett.	0003059	F 87,90	
60x120	nat rett.	0002607	F 67,50	
80x80	nat rett.	0003063	F 63,50	
60x60	nat rett.	0002693	F 56,90	

ABKSTONE

163,5x323 nat.	0005377	± 6 mm
163,5x323 nat.	0005322	± 12 mm
163,5x323 nat.	0006251	± 20 mm

BASE ASH

6 mm				
160x320	nat rett.	0003161	F 158,50	
** 120x280 nat rett. 0008653 F 117,50				
8,5 mm				
120x120	nat rett.	0003060	F 87,90	
60x120	nat rett.	0002608	F 67,50	
80x80	nat rett.	0003064	F 63,50	
60x60	nat rett.	0002694	F 56,90	

ABKSTONE

163,5x323 nat.	0003159	± 6 mm
163,5x323 nat.	0003781	± 12 mm
163,5x323 nat.	0006249	± 20 mm

CONCRETE



120x120



120x120

index

STONE	POETRY STONE
	ATLANTIS
	NATIVE
	ALPES WIDE - ALPES RAW
	MONOLITH
	UNIKA
	RE-WORK
MARBLE	FOSSIL
	SENSI SIGNORIA
	SENSI GEMS
	SENSI UP
CONCRETE	SENSI
	BLEND
	GHOST
	LAB325
	CROSSROAD CHALK
	DOWNTOWN
	DOCKS
METAL	LEVEL
	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD
	ECO CHIC
	NEST
	CROSSROAD WOOD
	DOLPHIN
	SOLERAS
	PETRAIA
RUSTIC	
	POETRY DECOR
DECOR & WALL	WIDE&STYLE MINI
	PLAY
	CROSSROAD BRICK
	DO UP
	CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325
	GENT - ATLANTIS - GHOST
	NATIVE - POETRY WOOD - ECO CHIC
	DOLPHIN - SOLERAS
OUT.30 30MM	LAB325
	TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
	INFORMAZIONI TECNICHE
TECH	

BASE TAUPE

6 mm			
** 120x280	nat rett.	0008654	F 117,50
8,5 mm			
120x120	nat rett.	0002587	F 87,90
60x120	nat rett.	0002609	F 67,50
80x80	nat rett.	0002613	F 63,50
60x60	nat rett.	0002695	F 56,90

BASE PEPPER

6 mm			
160x320	nat rett.	0003162	F 158,50
** 120x280	nat rett.	0008655	F 117,50
8,5 mm			
120x120	nat rett.	0002588	F 87,90
60x120	nat rett.	0002610	F 67,50
80x80	nat rett.	0002614	F 63,50
60x60	nat rett.	0002696	F 56,90

ABKSTONE

163,5x323 nat.	0003160	± 6 mm
163,5x323 nat.	0005321	± 12 mm
163,5x323 nat.	0006250	± 20 mm

** Fino ad esaurimento scorte l' art. verrà consegnato nel formato 120x278 6 mm oppure 120x270 7 mm.
The item will be delivered in sizes 120x278 (thickness 6 mm) or 120x270 (thickness 7 mm) while stocks last.

FORM PEARL

6 mm			
* 120x280	nat rett.	0008212	F 133,50
8,5 mm			
60x120	nat rett.	0002627	F 71,50
30x120	nat rett.	0002631	F 71,50



FORM PEPPER

6 mm			
* 120x280	nat rett.	0008215	F 133,50
8,5 mm			
60x120	nat rett.	0002630	F 71,50
30x120	nat rett.	0002634	F 71,50



FORM ASH

6 mm			
* 120x280	nat rett.	0008213	F 133,50
8,5 mm			
60x120	nat rett.	0002628	F 71,50
30x120	nat rett.	0002632	F 71,50



FORM TAUPE


6 mm			
* 120x280	nat rett.	0008214	F 133,50
8,5 mm			
60x120	nat rett.	0002629	F 71,50
30x120	nat rett.	0002633	F 71,50



* Fino ad esaurimento scorte l' art. verrà consegnato nel formato 120x278 6 mm oppure 120x270 7 mm.
The item will be delivered in sizes 120x278 (thickness 6 mm) or 120x270 (thickness 7 mm) while stocks last.

METAL ASH

6 mm			
* 120x280	nat rett.	0008720	F 133,50
8,5 mm			
60x120	nat rett.	0002675	F 71,50
30x120	nat rett.	0002677	F 71,50



METAL TAUPE

6 mm			
* 120x280	nat rett.	0008219	F 133,50
8,5 mm			
60x120	nat rett.	0002676	F 71,50
30x120	nat rett.	0002678	F 71,50



index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

OUTDOOR R11 8,5 mm

20x40 15
FORM ASH R11 nat.
0002679

F 36,50

60x60 3
BASE PEARL R11 rett.
0003008

P3
F 58,90

60x60 3
BASE ASH R11 rett.
0003009

P3
F 58,90

20x40 15
FORM TAUPE R11 nat.
0002680

F 36,50

60x60 3
BASE TAUPE R11 rett.
0003010

P3
F 58,90

60x60 3
BASE PEPPER R11 rett.
0003011

P3
F 58,90

OUT.20 R11 20 mm

60x120 1
BASE ASH R11 rett.
0002705

F 99,50

60x120 1
BASE TAUPE R11 rett.
0002706

F 99,50

60x120 1
FORM ASH R11 rett.
0002703

F 99,50

60x120 1
FORM TAUPE R11 rett.
0002704

F 99,50

OUT.30 R11 30 mm

90x90 1
BASE TAUPE 30 R11 rett.
0009231

F 160,90

90x90 1
BASE PEPPER 30 R11 rett.
0009232

F 160,90

Per la serie completa vedi pag. 301
For the complete collection see page 301

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322

MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.

MATITA ALLUM. WHITE
0000087 PZ 31,50

MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50

MATITA ALLUM. BRONZO
0000557 PZ 38,90

MATITA ALLUM. RAME
0000556 PZ 38,90

MATITA ALLUM. BLU
0008532 PZ 31,50

MATITA ALLUM. VERDE
0008531 PZ 31,50

MATITA ALLUM. ARDESIA
0008533 PZ 31,50

MATITA ALLUM. BLACK
0000088 PZ 31,50

MATITA ALLUMINIO
0000086 PZ 23,50

MATITA ALLUM. ORO
0008535 PZ 31,50

MATITA ALLUM. RAME SCURO
0008534 PZ 31,50

MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50

MATITA ALLUM. BLU
0008532 PZ 31,50

MATITA ALLUM. VERDE
0008531 PZ 31,50

MATITA ALLUM. ARDESIA
0008533 PZ 31,50

MATITA ALLUM. BLACK
0000088 PZ 31,50

MATITA ALLUMINIO
0000086 PZ 23,50

MATITA ALLUM. ORO
0008535 PZ 31,50

MATITA ALLUM. RAME SCURO
0008534 PZ 31,50






index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

LAB325

DECORI / DECORATIVE 8,5 mm						
A B D E G C D F H	SUM PACK mix sizes rett. F 120,50	Pcs/box: 1 ☞ = 0,54 mq A 7,5x60 ☞ 4 B 7,5x40 ☞ 4 C 7,5x20 ☞ 4 D 7,5x30 ☞ 4 E 7,5x40 Diagonale Sx ☞ 1 F 7,5x20 Diagonale Dx ☞ 1 G 7,5x20 Diagonale Sx ☞ 1 H 7,5x40 Diagonale Dx ☞ 1	0002885	0002886	0002887	0002888

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		BASE PEARL	BASE ASH	BASE TAUPE	BASE PEPPER
	BATTISCOPA 5,5x60 PZ 8,90 ☞ 10	0002889	0002890	0002891	0002892
	BATTISCOPA 5,5x80 PZ 10,50 ☞ 8	0003075	0003076	0002681	0002682
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90 ☞ 1	0003077	0003078	0002683	0002684
 	ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50 ☞ 1	0003079	0003080	0002685	0002686
	ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50 ☞ 1	0003081	0003082	0002687	0002688
					
			FORM ASH	FORM TAUPE	
	ELEM. L MONO. R11 15x30x3,5 PZ 16,90 ☞ 8	-	0003574	0003575	-

GRES PORCELLANATO TUTTA MASSA FULL BODY PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla UGL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla UGL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE LAB325 NAT.	VAL. / VALUE LAB325 OUTDOOR/ OUT.20 OUT.30
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET	> 0,60 DRY > 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R11
	DIN 51097	-	A+B	A+B+C
	ANSI A 137-1:2012 (D.C.O.F.)	≥ 0,42	> 0,42	> 0,42

P. tech ON DEMAND

La tecnologia P.TECH migliora le performance anti-scivolo dei pavimenti, mantenendo inalterati i valori di resistenza meccanica del gres porcellanato, con una finitura estremamente piacevole al tatto e facile da pulire.
LAB325 in finitura P.TECH, nei formati 60x120, 120x120 e 80x80, può essere fornita su richiesta con un ordine soggetto a lotto minimo di produzione.
The innovative P.TECH technology which improves the slip resistance of floors while delivering the renowned mechanical strength of porcelain tiles and a finish that is both extremely pleasant to the touch and easy to clean.
LAB325 in P.TECH finish, in the 60x120, 120x120 and 80x80 sizes, can be supplied on request with an order subject to a minimum production batch.

LAB325

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

INTERNO 9

SENSI SIGNORIA

SENSI UP

ECO CHIC

CROSSROAD WOOD

BASE PEARL

DARK

ROMA IMPERIALE

GRAND ANTIQUE

NATURALE

COAL

BASE ASH

RUST

PORT GOLD

MARQUINIA SELECT

AVANA

TAN

BASE TAUPE

RUST

CALACATTA VENA ORO

INVISIBLE PEARL

NATURALE

TAN

BASE PEPPER

SILVER

CALACATTA VENA ORO

STATUARIO ULTRA

ALMOND

AMBER

CHROME

WHITE

BLACK

CONCRETE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE





CONCRETE

CROSSROAD CHALK

GRES PORCELLANATO TUTTA MASSA - UGL
FULL BODY PORCELAIN - UGL

6 mm	8,5 mm
160x320 nat.	120x120 nat.
120x280 nat.	60x120 nat.
	80x80 nat.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

CROSSROAD CHALK

WHITE

6 mm			
**	120x280	nat rett.	0008718 F 117,50
8,5 mm			
	120x120	nat rett.	0000520 F 87,90
	60x120	nat rett.	0001207 F 67,50
	80x80	nat rett.	0000508 F 63,50



SAND

6 mm			
*	160x320	nat rett.	0000491 F 158,50
**	120x280	nat rett.	0008719 F 117,50
8,5 mm			
	120x120	nat rett.	0000521 F 87,90
	60x120	nat rett.	0001208 F 67,50
	80x80	nat rett.	0000509 F 63,50



CROSSROAD CHALK

GREY

6 mm			
*	160x320	nat rett.	0000493 F 158,50
**	120x280	nat rett.	0008278 F 117,50
8,5 mm			
	120x120	nat rett.	0000523 F 87,90
	60x120	nat rett.	0001210 F 67,50
	80x80	nat rett.	0000511 F 63,50



SMOKE

6 mm			
**	120x280	nat rett.	0008277 F 117,50
8,5 mm			
	120x120	nat rett.	0000522 F 87,90
	60x120	nat rett.	0001209 F 67,50
	80x80	nat rett.	0000510 F 63,50



*Fino ad esaurimento scorte l' art. verrà consegnato a spessore 7 mm. The item will be delivered in a 7 mm thickness while stocks last.

**Fino ad esaurimento scorte l' art. verrà consegnato nel formato 120x278 6 mm oppure 120x240 7 mm. The item will be delivered in sizes 120x278 (thickness 6 mm) or 120x240 (thickness 7 mm) while stocks last.

CONCRETE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

CROSSROAD CHALK

COAL

6 mm			
* 160x320	nat rett.	0000494	F 158,50
** 120x280	nat rett.	0008279	F 117,50
8,5 mm			
120x120	nat rett.	0000524	F 87,90
60x120	nat rett.	0001211	F 67,50
80x80	nat rett.	0000512	F 63,50

* Fino ad esaurimento scorte l' art. verrà consegnato a spessore 7 mm. The item will be delivered in a 7 mm thickness while stocks last.

** Fino ad esaurimento scorte l' art. verrà consegnato nel formato 120x278 6 mm oppure 120x240 7 mm. The item will be delivered in sizes 120x278 (thickness 6 mm) or 120x240 (thickness 7 mm) while stocks last.



MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.

MATITA ALLUMINIO
0000086 PZ 23,50

Parte superiore arrotondata e colorata con
resine acriliche.
Rounded top colored with acrylic resins.

MATITA ALLUM. ORO
0008535 PZ 31,50

MATITA ALLUM. RAME SCURO
0008534 PZ 31,50



MATITA ALLUM. WHITE
0000087 PZ 31,50



MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50



MATITA ALLUM. BLU
0008532 PZ 31,50



MATITA ALLUM. VERDE
0008531 PZ 31,50



MATITA ALLUM. ARDESIA
0008533 PZ 31,50



MATITA ALLUM. BLACK
0000088 PZ 31,50



MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno
galvanico / Flat top colored in galvanic bath.



MATITA ALLUM. BRONZO
0000557 PZ 38,90



MATITA ALLUM. RAME
0000556 PZ 38,90

CROSSROAD CHALK

			CONCRETE				
DECORI / DECORATIVE			WHITE	SAND	GREY	SMOKE	COAL
	MOS GEM 30x34 rett. F 233,90	8,5 mm 5	0000578	0000579	0000581	0000580	0000582
	TRAPEZIO 60x30x30 rett. F 207,90	7 mm 4 = 0,46 MQ	0000526	0000527	0000529	0000528	-
	ROMBO 30 30x30 rett. F 207,90	7 mm 7 = 0,54 MQ	0000532	0000533	0000535	-	0000536

PEZZI SPECIALI / SPECIAL TRIMS		8,5 mm	WHITE	SAND	GREY	SMOKE	COAL
	* BATTISCOPA 5,5x80 PZ 10,50	8	0001212	0001213	0001215	0001214	0001216
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90	1	0001217	0001218	0001220	0001219	0001221
	ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50	1	0001222	0001223	0001225	0001224	0001226
	ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50	1	0001227	0001228	0001230	0001229	0001231

* Fino ad esaurimento scorte l' art. verrà consegnato a spessore 7 mm. The item will be delivered in a 7 mm thickness while stocks last.

GRES PORCELLANATO TUTTA MASSA FULL BODY PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla UGL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla UGL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE CROSSROAD CHALK NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	> 0,60 WET
	DIN 51097	-	R10
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	A+B
			> 0,42

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

CROSSROAD CHALK

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

INTERNO 9

SILVER

DARK

PEARL

RUST

SILVER

CHROME

WHITE

BLACK

SENSI SIGNORIA

PORT GOLD

PORT GOLD

LABRADORITE

GRIGIO SIENA

LILAC GREY

SENSI UP

MARQUINIA SELECT

CALACATTA GOLD

STATUARIO ULTRA

INVISIBLE PEARL

GRAND ANTIQUE

ECO CHIC

ALMOND

AVANA

NATURALE

NATURALE

AVANA

CROSSROAD WOOD

WHITE

SAND

GREY

TAN

COAL

NEST

BEIGE

OAK

BLUE

BLUE

TAUPE

CROSSROAD CHALK

CONCRETE



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



CONCRETE

DOWNTOWN

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

- 9,5 mm

80x80 nat.
- 8,5 mm

60x60 nat.

30x60 nat. / R11

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DOWNTOWN

IVORY

9,5 mm			
80x80	nat rett.	DWR52050	F 60,50
8,5 mm			
60x60	nat rett.	DWR01050	F 54,50
30x60	nat rett.	DWR03050	F 50,50



ECRU

8,5 mm			
60x60	nat rett.	DWR01100	F 54,50
30x60	nat rett.	DWR03100	F 50,50



DOWNTOWN

EARTH

8,5 mm			
60x60	nat rett.	DWR01150	F 54,50
30x60	nat rett.	DWR03150	F 50,50



ASH

9,5 mm			
80x80	nat rett.	DWR52200	F 60,50
8,5 mm			
60x60	nat rett.	DWR01200	F 54,50
30x60	nat rett.	DWR03200	F 50,50



CONCRETE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DOWNTOWN

GRAPHITE

8,5 mm			
60x60	nat rett.	DWR01250	F 54,50
30x60	nat rett.	DWR03250	F 50,50




MATITE ALLUMINIO - ALUMINIUM STRIPS



Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.



Parte superiore arrotondata e colorata con
resine acriliche.
Rounded top colored with acrylic resins.



MATITA ALLUM. WHITE
0000087 PZ 31,50



MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50



MATITA ALLUM. BLU
0008532 PZ 31,50



MATITA ALLUM. VERDE
0008531 PZ 31,50



MATITA ALLUM. ARDESIA
0008533 PZ 31,50



MATITA ALLUM. BLACK
0000088 PZ 31,50



MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno
galvanico / Flat top colored in galvanic bath.



MATITA ALLUM. BRONZO
0000557 PZ 38,90



MATITA ALLUM. RAME
0000556 PZ 38,90

DOWNTOWN



30x40 4
MOSAICO BRICK IVORY/ASH
DWR51051 nat. rett. PZ 24,50
(Miscelazione colori casuale - Random mixing colours)



5x80 4
LIST. SOLERAS ANTRACITE
S1R49155 rett. PZ 7,90



1,5x60 4
MATITA METAL (alluminio - aluminium)
DWR01001 PZ 17,90



30x40 4
MOSAICO BRICK ECRU/EARTH
DWR51001 nat. rett. PZ 24,50
(Miscelazione colori casuale - Random mixing colours)



5x80 4
LIST. SOLERAS AVANA
S1R49255 rett. PZ 7,90



1,5x80 3
MATITA METAL (alluminio - aluminium)
DKR51051 PZ 22,50

DECORI DA RIVESTIMENTO - WALL DECORS 8,5 mm

2x80 3
LISTELLO FOGLIA ARGENTO (Vetro - Glass)
FSR51210 PZ 44,90



5x40 4
* LISTELLO WOOD
DKR51055 rett. PZ 22,50

Antico legno alpino recuperato da costruzioni
dismesse e trattato per l'utilizzo in parete e a
pavimento.
Ogni pezzo è unico e irripetibile.
Antique alpin wood, recovered from discontinued
buildings and treated for floor and wall use. Every
single piece turns out to be different and unique.

* Art. realizzati con materiali naturali: vedi indicazioni per posa e pulizia a pag. 322 dell' area tecnica.
Items produced with natural materials: check the technical area at page 322.



1,5x30 4
FASCIA VETRO PLATINO
R1R03207 PZ 25,90



1,5x30 4
FASCIA VETRO ORO
R1R03106 PZ 25,90



1,5x30 4
FASCIA VETRO BRONZO
R1R03157 PZ 25,90
(Vetro e metalli preziosi - Glass and precious metals)

CONCRETE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DOWNTOWN

OUTDOOR R11 8,5 mm

30x60

6

DOWNTOWN IVORY

DWN03500 walk R11nat. F 44,90

30x60

6

DOWNTOWN EARTH

DWN03550 walk R11nat. F 44,90

30x60

6

DOWNTOWN ASH

DWN03600 walk R11nat. F 44,90



floor
DOWNTOWN ASH WALK R11 30x60

DOWNTOWN

CONCRETE

DECORI / DECORATIVE 8,5 mm		IVORY	ECRU	EARTH	ASH	GRAPHITE
	MOS. QUADRETTI rett. 30x30 F 113,90 6 4	DWR09051	DWR09101	DWR09151	DWR09201	DWR09251
	MOS. QUADRETTI walk 30x30 F 113,90 6 4	DWR03500	-	DWR03550	DWR03600	-
	MIX SIZES rett. 30x60 F 88,50 6 6	DWR00050	DWR00100	DWR00150	DWR00200	-
	Pcs 5x60 6 6					
	box: 10x60 6 6					
	15x60 6 6					

PEZZI SPECIALI / SPECIAL TRIMS		IVORY	ECRU	EARTH	ASH	GRAPHITE
	BATTISCOPA rett. 5,5x80 PZ 10,50 8 8	DWR52054	-	-	DWR52204	-
	BATTISCOPA rett. 5,5x60 PZ 8,90 10 10	DWR01054	DWR01104	DWR01154	DWR01204	DWR01254
	GRADONE TOP rett. 33x60x4,5x2 PZ 89,50 2 2	DWR01053	DWR01103	DWR01153	DWR01203	DWR01253
	ANGOLARE TOP SX 33x60x4,5x2 PZ 121,50 1 1	DWR01056	DWR01106	DWR01156	DWR01206	DWR01256
	ANGOLARE TOP DX 33x60x4,5x2 PZ 121,50 1 1	DWR01055	DWR01105	DWR01155	DWR01205	DWR01255
	ELEM. L walk INCOLL. 16,5x60x5 PZ 36,90 R11 4 4	DWN03501A	-	DWN03551A	DWN03601A	-

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE DOWNTOWN NAT.	VAL. / VALUE DOWNTOWN OUTDOOR
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY	> 0,60 DRY
			> 0,60 WET	> 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R9	R11
	DIN 51097	-	A	A+B+C
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42	> 0,42

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



CONCRETE

DOCKS

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

9,5 mm
80x80 nat. / pat.

8,5 mm
60x120 nat.
60x60 nat. / pat.
30x60 nat. / R11

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DOCKS

BLACK

9,5 mm			
80x80	nat rett.	DKR52200	F 60,50
80x80	patinato rett.	DKL52200	F 72,50
8,5 mm			
60x60	nat	DKN01200	F 46,90
60x60	nat rett.	DKR01200	F 54,50
60x60	patinato rett.	DKL01200	F 70,50
30x60	nat rett.	DKR03200	F 50,50



GREY

9,5 mm			
80x80	nat rett.	DKR52150	F 60,50
80x80	patinato rett.	DKL52150	F 72,50
8,5 mm			
60x60	nat	DKN01150	F 46,90
60x60	nat rett.	DKR01150	F 54,50
60x60	patinato rett.	DKL01150	F 70,50
30x60	nat rett.	DKR03150	F 50,50



DOCKS

SILVER

9,5 mm			
80x80	nat rett.	DKR52100	F 60,50
80x80	patinato rett.	DKL52100	F 72,50
8,5 mm			
60x120	nat rett.	0007974	F 64,50
60x60	nat	DKN01100	F 46,90
60x60	nat rett.	DKR01100	F 54,50
60x60	patinato rett.	DKL01100	F 70,50
30x60	nat rett.	DKR03100	F 50,50



WHITE

8,5 mm			
60x60	nat rett.	DKR01050	F 54,50
60x60	patinato rett.	DKL01050	F 70,50
30x60	nat rett.	DKR03050	F 50,50



CONCRETE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DOCKS

BONE

9,5 mm				
80x80	nat rett.	DKR52250	F 60,50	
80x80	patinato rett.	DKL52250	F 72,50	
8,5 mm				
60x120	nat rett.	0007975	F 64,50	
60x60	nat	DKN01250	F 46,90	
60x60	nat rett.	DKR01250	F 54,50	
60x60	patinato rett.	DKL01250	F 70,50	
30x60	nat rett.	DKR03250	F 50,50	

WARM

8,5 mm				
60x60	nat rett.	DKR01300	F 54,50	
60x60	patinato rett.	DKL01300	F 70,50	
30x60	nat rett.	DKR03300	F 50,50	

DOCKS

DECORI DA RIVESTIMENTO - WALL DECORS 8,5 mm



30x60 4
DEC. MURALES SILVER MIX 4
DKR03113 rett. PZ 48,90



30x60 4
DEC. MURALES WHITE MIX 4
DKR03063 rett. PZ 48,90



30x60 4
DEC. MURALES BONE MIX 4
DKR03263 rett. PZ 48,90

2x60 4
MAT. MURALES BRONZE
DKR03064 rett. PZ 15,90

DECORI DA RIVESTIMENTO E DA PAVIMENTO - WALL AND FLOOR DECORS 8,5 mm



30x30 4
DECORO COMBI 4 BIANCO/NERO
DKR01062 rett. PZ 30,50



30x30 4
DECORO COMBI 4 BEIGE/ROSSO
DKR01262 rett. PZ 30,50



30x30 4
DECORO COMBI 4 GRIGIO/NERO
DKR01112 rett. PZ 30,50



30x30 4
DECORO COMBI 4 GRIGIO/ROSSO
DKR01113 rett. PZ 30,50



30x40 4
MOSAICO BRICK GREY/BLACK
DKR51152 PZ 24,50
(Miscelazione colori casuale - Random mixing colours)



30x40 4
MOSAICO BRICK WHITE/SILVER
DKR51052 PZ 24,50
(Miscelazione colori casuale - Random mixing colours)



30x40 4
MOSAICO BRICK BONE/WARM
DKR51252 PZ 24,50
(Miscelazione colori casuale - Random mixing colours)

CONCRETE

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DOCKS

DECORI DA RIVESTIMENTO - WALL DECORS 8,5 mm

15x60 2
DEC. SPLASH BLUE MIX 2
DKL04051 rett. PZ 44,90

15x60 2
DEC. SPLASH ARANCIO MIX 2
DKL04251 rett. PZ 44,90

2x60 4
MATITA SPLASH BLUE
DKL04052 rett. PZ 15,90

2x60 4
MATITA SPLASH ARANCIO
DKL04252 rett. PZ 15,90

10x60 4
LIST. OPERA BLUE
DKR03062 rett. PZ 30,50

10x60 4
LIST. OPERA RED
DKR03262 rett. PZ 30,50

5x40 4
*LISTELLO WOOD
DKR51055 rett. PZ 22,50

Antico legno alpino recuperato da costruzioni dismesse e trattato per l'utilizzo in parete e a pavimento.
Ogni pezzo è unico e irripetibile.
Antique alpin wood, recovered from discontinued buildings and treated for floor and wall use. Every single piece turns out to be different and unique.

1,5x30 4
FASCIA VETRO ORO
R1R03106 PZ 25,90

1,5x30 4
FASCIA VETRO PLATINO
R1R03207 PZ 25,90

1,5x30 4
FASCIA VETRO BRONZO
R1R03157 PZ 25,90
(Vetro e metalli preziosi - Glass and precious metals)

1,5x80 3
MATITA METAL (alluminio - aluminium)
DKR51051 PZ 22,50

*Art. realizzati con materiali naturali: vedi indicazioni per posa e pulizia a pag. 322 dell' area tecnica.
Items produced with natural materials: check the technical area at page 322.

OUTDOOR R 11 8,5 mm

30x60 6
DOCKS GREY
DKN03750 walk R11 nat. F 44,90

30x60 6
DOCKS SILVER
DKN03700 walk R11 nat. F 44,90

30x60 6
DOCKS WARM
DKN03800 walk R11 nat. F 44,90

DOCKS

DECORI / DECORATIVE 8,5 mm		BLACK	GREY	SILVER	WHITE	BONE	WARM
	MOS. QUADRETTI rett. 30x30 F 113,90	DKR09201	DKR09151	DKR09101	DKR09051	DKR09251	DKR09301
	MIX SIZES rett. 30x60 F 88,50	DKR00200	DKR00150	DKR00100	DKR00050	DKR00250	DKR00300
	Pcs box: 5x60 10x60 15x60						

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		BLACK	GREY	SILVER	WHITE	BONE	WARM
	BATTISCOPA rett. 5,5x80 PZ 10,50	DKR52202	DKR52152	DKR52102	-	DKR52252	-
	BATTISCOPA nat. 5,5x60 PZ 8,90	DKN01202	DKN01152	DKN01102	-	DKN01252	-
	BATTISCOPA rett. 5,5x60 PZ 8,90	DKR01202	DKR01152	DKR01102	DKR01052	DKR01252	DKR01302
	GRADONE TOP rett. 33x60x4,5x2 PZ 89,50	DKR03206	DKR03156	DKR03106	DKR03056	DKR03256	DKR03306
	ANGOLARE TOP SX 33x60x4,5x2 PZ 121,50	DKR03207	DKR03157	DKR03107	DKR03057	DKR03257	DKR03307
	ANGOLARE TOP DX 33x60x4,5x2 PZ 121,50	DKR03208	DKR03158	DKR03108	DKR03058	DKR03258	DKR03308
	ELEM. L WALK INCOLL. 16,5x60x5 PZ 36,90 R11	-	DKN03751A	DKN03701A	-	-	DKN03801A

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE DOCKS NAT.	VAL. / VALUE DOCKS OUTDOOR
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R9	R11
	DIN 51097	-	A	A+B+C
	ANSI A 137-1:2012 (D.C.O.F.)	≥ 0,42	> 0,42	> 0,42

CONCRETE



index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE




6 mm
160x320 nat.
120x280 nat.

8,5 mm
120x120 nat.
80x160 nat.
80x80 nat.

METAL

INTERNO 9

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN



8,5 mm
60x120 nat. / lapp.
30x120 nat. / lapp.
60x60 nat. / lapp.
30x60 nat.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

INTERNO 9 WIDE

RUST

6 mm			
160x320	nat rett.	0000299	F 151,90
120x280	nat rett.	0008649	F 112,90
8,5 mm			
120x120	nat rett.	0000314	F 84,50
80x160	nat rett.	0000305	F 97,90
80x80	nat rett.	0000308	F 60,50

ABKSTONE

163,5x323 nat.	0000296	⌵ 6 mm
163,5x323 nat.	0003779	⌵ 12 mm

DARK

6 mm			
160x320	nat rett.	0000300	F 151,90
120x280	nat rett.	0008650	F 112,90
8,5 mm			
120x120	nat rett.	0000315	F 84,50
80x160	nat rett.	0000306	F 97,90
80x80	nat rett.	0000309	F 60,50

ABKSTONE

163,5x323 nat.	0000297	⌵ 6 mm
163,5x323 nat.	0005319	⌵ 12 mm

INTERNO 9 WIDE

SILVER

6 mm			
160x320	nat rett.	0000301	F 151,90
120x280	nat rett.	0008651	F 112,90
8,5 mm			
120x120	nat rett.	0000316	F 84,50
80x160	nat rett.	0000307	F 97,90
80x80	nat rett.	0000310	F 60,50

ABKSTONE

163,5x323 nat.	0000298	⌵ 6 mm
163,5x323 nat.	0005320	⌵ 12 mm

PEARL

6 mm			
120x280	nat rett.	0008269	F 112,90
8,5 mm			
120x120	nat rett.	0000630	F 84,50
80x160	nat rett.	0000627	F 97,90
80x80	nat rett.	0000628	F 60,50

METAL

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120  4
Parte superiore arrotondata / Rounded top.

**MATITA ALLUMINIO**
0000086 PZ 23,50

Parte superiore arrotondata e colorata con resine acriliche.
Rounded top colored with acrylic resins.

**MATITA ALLUM. ORO**
0008535 PZ 31,50

**MATITA ALLUM. RAME SCURO**
0008534 PZ 31,50



MATITA ALLUM. WHITE
0000087 PZ 31,50

**MATITA ALLUM. TERRACOTTA**
0008530 PZ 31,50

**MATITA ALLUM. BLU**
0008532 PZ 31,50

**MATITA ALLUM. VERDE**
0008531 PZ 31,50

**MATITA ALLUM. ARDESIA**
0008533 PZ 31,50


**MATITA ALLUM. BLACK**
0000088 PZ 31,50






MATITA ALLUMINIO 0,5x120  4
Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.

**MATITA ALLUM. BRONZO**
0000557 PZ 38,90

**MATITA ALLUM. RAME**
0000556 PZ 38,90

DECORI / DECORATIVE 7 mm					
	MOS. VERSUS 30x29 F 281,90  5	0000961	0000962	0000963	0000964

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		RUST	DARK	SILVER	PEARL
	* BATTISCOPA 5,5x80 PZ 10,50  8	0000720	0000721	0000722	0000723
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90  1	0000724	0000725	0000726	0000727
	ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50  1	0000763	0000764	0000765	0000766
	ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50  1				

* Fino ad esaurimento scorte l' art. verrà consegnato a spessore 7 mm. The item will be delivered 7 mm thick until stocks are exhausted.

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE INTERNO 9 WIDE NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10
	DIN 51097	-	A+B
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

BLEND CONCRETE

RUST

DARK

SILVER

PEARL

IRON

ASH

MOON

GREY

CHROME

WHITE

BLACK

LAB325

ASH

PEARL

TAUPE

TAUPE

SENSI SIGNORIA

CALACATTA VENA ORO

LILAC GREY

LABRADORITE

PORT GOLD

SENSI GEMS

CRYSTAL

TAJ MAHAL

ICEBERG

TITANIUM BLACK

ECO CHIC

NATURALE

AVANA

AVANA

CROSSROAD WOOD

AMBER

TAN

GREY

COAL



index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

RUST

8,5 mm			
60x120	nat rett.	I9R34300	F 64,50
60x120	lapp. rett.	I9L34300	F 78,50
30x120	nat rett.	I9R57300	F 65,50
30x120	lapp. rett.	I9L57300	F 78,50
60x60	nat rett.	I9R01300	F 54,50
60x60	lapp. rett.	I9L01300	F 70,50
30x60	nat rett.	I9R03300	F 50,50



MUD

8,5 mm			
60x120	nat rett.	I9R34250	F 64,50
60x120	lapp. rett.	I9L34250	F 78,50
30x120	nat rett.	I9R57250	F 65,50
30x120	lapp. rett.	I9L57250	F 78,50
60x60	nat rett.	I9R01250	F 54,50
60x60	lapp. rett.	I9L01250	F 70,50
30x60	nat rett.	I9R03250	F 50,50



DUNE

8,5 mm			
60x120	nat rett.	I9R34100	F 64,50
60x120	lapp. rett.	I9L34100	F 78,50
30x120	nat rett.	I9R57100	F 65,50
30x120	lapp. rett.	I9L57100	F 78,50
60x60	nat rett.	I9R01100	F 54,50
60x60	lapp. rett.	I9L01100	F 70,50
30x60	nat rett.	I9R03100	F 50,50



DARK

8,5 mm			
60x120	nat rett.	I9R34200	F 64,50
60x120	lapp. rett.	I9L34200	F 78,50
30x120	nat rett.	I9R57200	F 65,50
30x120	lapp. rett.	I9L57200	F 78,50
60x60	nat rett.	I9R01200	F 54,50
60x60	lapp. rett.	I9L01200	F 70,50
30x60	nat rett.	I9R03200	F 50,50



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

INTERNO 9

SILVER

8,5 mm			
60x120	nat rett.	I9R34150	F 64,50
60x120	lapp. rett.	I9L34150	F 78,50
30x120	nat rett.	I9R57150	F 65,50
30x120	lapp. rett.	I9L57150	F 78,50
60x60	nat rett.	I9R01150	F 54,50
60x60	lapp. rett.	I9L01150	F 70,50
30x60	nat rett.	I9R03150	F 50,50



PEARL

8,5 mm			
60x120	nat rett.	I9R34050	F 64,50
60x120	lapp. rett.	I9L34050	F 78,50
30x120	nat rett.	I9R57050	F 65,50
30x120	lapp. rett.	I9L57050	F 78,50
60x60	nat rett.	I9R01050	F 54,50
60x60	lapp. rett.	I9L01050	F 70,50
30x60	nat rett.	I9R03050	F 50,50



INTERNO 9

DUO COLD

8,5 mm			
* 60x60	nat rett.	I9R01160	F 80,50

* Articolo composto da pattern grafici diversi che non prevedono agganci tra loro e miscelati in modo casuale in fase di inscatolamento. Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni.
This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.




METAL

index

STONE	POETRY STONE
	ATLANTIS
	NATIVE
	ALPES WIDE - ALPES RAW
	MONOLITH
	UNIKA
	RE-WORK
MARBLE	FOSSIL
	SENSI SIGNORIA
	SENSI GEMS
	SENSI UP
CONCRETE	SENSI
	BLEND
	GHOST
	LAB325
	CROSSROAD CHALK
	DOWNTOWN
	DOCKS
METAL	LEVEL
	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD
	ECO CHIC
	NEST
	CROSSROAD WOOD
	DOLPHIN
	SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR
	WIDE&STYLE MINI
	PLAY
	CROSSROAD BRICK
	DO UP
	CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325
	GENT - ATLANTIS - GHOST
	NATIVE - POETRY WOOD - ECO CHIC
	DOLPHIN - SOLERAS
OUT.30 30MM	LAB325
	TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DECORI DA RIVESTIMENTO - WALL DECORS



30x120 4 2
FASCIA RAKU DARK MIX 2
I9R57051 (prezzo al pz) PZ 166,90
(Metalli preziosi - Precious metals)



19,5x8,5 4
LOSANGA RAKU MIX
I9R03052 PZ 28,90

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.

MATITA ALLUMINIO
0000086 PZ 23,50

Parte superiore arrotondata e colorata con
resine acriliche.
Rounded top colored with acrylic resins.

MATITA ALLUM. ORO
0008535 PZ 31,50

MATITA ALLUM. RAME SCURO
0008534 PZ 31,50



MATITA ALLUM. WHITE
0000087 PZ 31,50



MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50



MATITA ALLUM. BLU
0008532 PZ 31,50



MATITA ALLUM. VERDE
0008531 PZ 31,50



MATITA ALLUM. ARDESIA
0008533 PZ 31,50



MATITA ALLUM. BLACK
0000088 PZ 31,50

DECORI DA RIVESTIMENTO E DA PAVIMENTO
WALL AND FLOOR DECORS



5x30 4
* FASCIA ESSENZE MIX
I9R03053 PZ 24,50
(Legno - Wood)



4x30 4
* FASCIA ARDESIA GRIGIO
RER09204 PZ 23,50
(Pietra naturale - Natural stone)



4x30 4
* FASCIA ARDESIA BRONZO
RER09054 PZ 23,50
(Pietra naturale - Natural stone)

* Art. realizzati con materiali naturali:
vedi indicazioni per posa e pulizia a pag. 322 dell' area tecnica.
Items produced with natural materials:
check the technical area at page 322.



DECORI / DECORATIVE	8,5 mm	RUST	MUD	DUNE	DARK	SILVER	PEARL
	MOS. LOSANGA rett. 30x60 F 133,90 4	I9R03301	I9R03251	I9R03101	I9R03201	I9R03151	I9R03051
	MOS. QUADRETTI rett. 30x30 F 113,90 4	I9R09301	I9R09251	I9R09101	I9R09201	I9R09151	I9R09051
	MIX SIZES 60x120 F 116,50 2 Pcs box: 30x120 2 20x120 2 10x120 2	I9R34310	I9R34260	I9R34110	I9R34210	I9R34160	I9R34060

PEZZI SPECIALI / SPECIAL TRIMS	8,5 mm	RUST	MUD	DUNE	DARK	SILVER	PEARL
	BATTISCOPA rett. 5,5x60 PZ 8,90 10	I9R01302	I9R01252	I9R01102	I9R01202	I9R01152	I9R01052
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90 1	I9R34301	I9R34251	I9R34101	I9R34201	I9R34151	I9R34051
	ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50 1	I9R34302	I9R34252	I9R34102	I9R34202	I9R34152	I9R34052
	ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50 1	I9R34303	I9R34253	I9R34103	I9R34203	I9R34153	I9R34053

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE INTERNO 9 NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	> 0,60 WET
	DIN 51097	-	R10
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	A+B
			> 0,42

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR &
WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE



GOLD



ECRU



OAK



MUD



WOOD

POETRY WOOD

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

8,5 mm

26,5x180 nat.

30x120 nat.

20x120 nat. / R11

20 mm

30x180 R11

30x120 nat. R11

3D tech

by  paola navone

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES ^{WIDE} - ALPES ^{RAW}
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI ^{GEMS}
SENSI ^{UP}
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 ^{WIDE} - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

POETRY WOOD



Outdoor floor
POETRY WOOD ECRU R11 RETT. 20x120

Indoor floor
POETRY WOOD ECRU NAT. RETT. 20x120



floor
POETRY WOOD MUD NAT. RETT. 26,5x180

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

POETRY WOOD

POETRY GOLD

8,5 mm			
26,5x180	nat rett.	0010054	F 87,90
30x120	nat rett.	0010336	F 65,50
20x120	nat rett.	0010058	F 60,50



POETRY ECRU

8,5 mm			
26,5x180	nat rett.	0010055	F 87,90
30x120	nat rett.	0010337	F 65,50
20x120	nat rett.	0010059	F 60,50



POETRY WOOD

POETRY OAK

8,5 mm			
26,5x180	nat rett.	0010056	F 87,90
30x120	nat rett.	0010338	F 65,50
20x120	nat rett.	0010060	F 60,50



POETRY MUD

8,5 mm			
26,5x180	nat rett.	0010057	F 87,90
30x120	nat rett.	0010339	F 65,50
20x120	nat rett.	0010061	F 60,50



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



20x120

6

3D tech

PEI V

* 0010066

PAINT nat. rett.

F 72,50

3D tech

La nuova tecnologia 3D Tech consente di applicare differenti materie ceramiche, anche a spessore, in perfetta corrispondenza con la grafica sottostante, realizzata in digitale ad altissima definizione. Un processo produttivo rivoluzionario, che combina la matericit  con l'estetica del prodotto, fino ad ottenere superfici dallo straordinario valore sensoriale.

The new technology 3D Tech si able to apply different ceramic materials, even within thickness, integrating them perfectly with the underlying graphics, made using highdefinition digital technology. A revolutionary production process that combines the textures with the aesthetics of the product, resulting in surfaces of outstanding sensory value.

* Articolo composto da pattern grafici diversi che non prevedono agganci tra loro e miscelati in modo casuale in fase di inscatolamento. Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni.

This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

DECORI DA RIVESTIMENTO E PAVIMENTO - WALL AND FLOOR DECORS



20x120

3

DEC. METAL OAK MIX 3 nat. rett.

PZ 105,50

** 0010072

(prezzo al pz / price for piece)



20x120

3

DEC.METAL MUD MIX 3 nat. rett.

PZ 105,50

** 0010073

(prezzo al pz / price for piece)

** Metalli preziosi. Si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive per non alterare la brillantezza del metallo prezioso.

Precious metal. Do not use products containing abrasive substances to clean the decorative element so as not to affect the shine of the precious metal.

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322

Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120

4

Parte superiore arrotondata / Rounded top.



MATITA ALLUMINIO

0000086

PZ 23,50

Parte superiore arrotondata e colorata con resine acriliche.

Rounded top colored with acrylic resins.



MATITA ALLUM. ORO

0008535

PZ 31,50



MATITA ALLUM. RAME SCURO

0008534

PZ 31,50



MATITA ALLUM. WHITE

0000087

PZ 31,50



MATITA ALLUM. TERRACOTTA

0008530

PZ 31,50



MATITA ALLUM. BLU

0008532

PZ 31,50



MATITA ALLUM. VERDE

0008531

PZ 31,50



MATITA ALLUM. ARDESIA

0008533

PZ 31,50



MATITA ALLUM. BLACK

0000088

PZ 31,50



MATITA ALLUMINIO 0,5x120

4

Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.



MATITA ALLUM. BRONZO

0000557

PZ 38,90




MATITA ALLUM. RAME

0000556

PZ 38,90

OUTDOOR R11 8,5 mm



20x120


6

POETRY WOOD GOLD R11 rett.

0010062

F 62,50





20x120


6

POETRY WOOD ECRU R11 rett.

0010063

F 62,50





20x120

6

POETRY WOOD OAK R11 rett.

0010064

F 62,50





20x120

6


POETRY WOOD MUD R11 rett.

0010065

F 62,50



OUT.20 R11 20 mm



30x180


1

POETRY WOOD GOLD 20 R11 rett.

0010078

F 120,50





30x180

1

POETRY WOOD OAK 20 R11 rett.

0010079

F 120,50





30x120

1

POETRY WOOD GOLD 20 R11 rett.

0010081

F 99,50





30x120

1

POETRY WOOD OAK 20 R11 rett.

0010082

F 99,50






Per la serie completa vedi pag. 304

For the complete collection see page 304

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

POETRY WOOD

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm					
	BATTISCOPA rett. 6,5x120 PZ 12,50 	0010344	0010345	0010346	0010347
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90 	0010348	0010349	0010350	0010351
	ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50 	0010352	0010353	0010354	0010355
	ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50 				

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL


PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE POETRY WOOD NAT.	VAL. / VALUE POETRY WOOD OUTDOOR / OUT.20
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY SLIPGRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	> 0,60 WET	> 0,60 WET
	DIN 51097	-	R10	R11
	ANSI A 137-1:2012 (D.C.O.F.)	≥ 0,42	A+B	A+B+C
			> 0,42	> 0,42

POETRY WOOD

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



WOOD

ECO CHIC

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

- 8,5 mm

20x170 nat.

20x120 nat.
- 20 mm

30x180 R11

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

ECO CHIC

ALMOND

8,5 mm			
20x170	nat rett.	0006390	F 80,50
20x120	nat rett.	0004938	F 56,50



NATURALE

8,5 mm			
20x170	nat rett.	0005050	F 80,50
20x120	nat rett.	0004939	F 56,50



ECO CHIC

AVANA

8,5 mm			
20x170	nat rett.	0005051	F 80,50
20x120	nat rett.	0004940	F 56,50



BROWN

8,5 mm			
20x170	nat rett.	0006391	F 80,50
20x120	nat rett.	0004941	F 56,50



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



floor
ECO CHIC AVANA 20x170 nat. rett.
OUT.20 ECO CHIC AVANA 30x180 R11 rett.




DECORI DA RIVESTIMENTO - WALL DECORS 8,5 mm



		
5x60  4 0006775 LIST. AVIO rett. Lucido / Glossy	5x60  4 0006776 LIST. PHARD rett. Lucido / Glossy	5x60  4 0006777 LIST. SENAPE rett. Lucido / Glossy
PZ 20,50	PZ 20,50	PZ 20,50

OUT.20 R11 20 mm

			
30x180  1 NATURALE R11 rett. 0006377 F 120,50		30x180  1 AVANA R11 rett. 0006378 F 120,50	

Per la serie completa vedi pag. 304
For the complete collection see page 304

DECORI / DECORATIVE 8,5 mm				
   MIX SIZES rett. 30x60 F 88,50  6 Pcs 5x60  6 box: 10x60  6 15x60  6	ALMOND 0006771	NATURALE 0006772	AVANA 0006773	BROWN 0006774

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm	ALMOND	NATURALE	AVANA	BROWN
 BATTISCOPA rett. 6,5x120 PZ 12,50  6	0004946	0004947	0004948	0004949
 GRADONE TOP rett. 32x120x4,5x2 PZ 192,90  1	0006662	0006663	0006664	0006665
 ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50  1	0006666	0006667	0006668	0006669
 ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50  1	0006670	0006671	0006672	0006673

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE ECO CHIC NAT.	VAL. / VALUE ECO CHIC OUT.20
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	> 0,60 WET	> 0,60 WET
	DIN 51097	-	R10	R11
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	A+B	A+B+C
			> 0,42	> 0,42

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

ECO CHIC

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

BLEND
CONCRETE

BLEND
DOTS

LAB325

ATLANTIS

SENSI SIGNORIA

SENSI GEMS

ALMOND

GREY

TAUPE

TAUPE

TAUPE

LABRADORITE

TITANIUM BLACK

NATURALE

IRON

MULTIWHITE

ASH

SMOKE

ROMA IMPERIALE

CRYSTAL

AVANA

MOON

MULTIBLACK

PEARL

GREY

PORT GOLD

TAJ MAHAL

BROWN

ASH

GREY

ASH

SAND

CALACATTA VENA ORO

ICEBERG


CHROME

WHITE

BLACK


ECO CHIC

WOOD



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



WOOD

NEST

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

8,5 mm
20x170 nat.
20x120 nat.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

NEST

BEIGE

8,5 mm			
20x170	nat rett.	0002731	F 80,50
20x120	nat rett.	0002739	F 56,50



OAK

8,5 mm			
20x170	nat rett.	0002733	F 80,50
20x120	nat rett.	0002741	F 56,50



NEST

TAUPE

8,5 mm			
20x170	nat rett.	0002732	F 80,50
20x120	nat rett.	0002740	F 56,50



BLUE

8,5 mm			
20x170	nat rett.	0003273	F 80,50
20x120	nat rett.	0003224	F 56,50



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE





wall
LAB325
120x280 FORM ASH
CROSSROAD
BRICK BLUE 7,5x30

volume and washbasin top
LAB325
BASE PEPPER 120x280 / 160x320

floor
NEST
20x120 TAUPE

shower area
WIDE&STYLE
120x280 TRIBE BLUE

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		BEIGE	OAK	TAUPE	BLUE
	BATTISCOPIA 6,5x120 PZ 12,50 6	0003227	0003229	0003228	0003230
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90 1	0003232	0003234	0003233	0003235
	ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50 1	0003237	0003239	0003238	0003240
	ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50 1	0003242	0003244	0003243	0003245

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL




PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE NEST NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10
	DIN 51097	-	A
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42

THE PERFECT COMBO

DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



WOOD

CROSSROAD WOOD

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

7 mm
26x200 nat.

8,5 mm
20x120 nat.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

CROSSROAD WOOD

WHITE

7 mm			
26x200	nat rett.	0000538	F 87,90
8,5 mm			
20x120	nat rett.	0000543	F 56,50



SAND

7 mm			
26x200	nat rett.	0000539	F 87,90
8,5 mm			
20x120	nat rett.	0000544	F 56,50



CROSSROAD WOOD

GREY

7 mm			
26x200	nat rett.	0000558	F 87,90
8,5 mm			
20x120	nat rett.	0000559	F 56,50



COAL

7 mm			
26x200	nat rett.	0000542	F 87,90
8,5 mm			
20x120	nat rett.	0000547	F 56,50



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

CROSSROAD WOOD

AMBER

7 mm			
26x200	nat rett.	0000540	F 87,90
8,5 mm			
20x120	nat rett.	0000545	F 56,50








TAN

8,5 mm			
20x120	nat rett.	0000546	F 56,50



CROSSROAD WOOD

WOOD

							
DECORI / DECORATIVE 7 mm		WHITE	SAND	GREY	COAL	AMBER	TAN
	*TRAPEZIO 60x30x30 rett. F 207,90 ⌀ 4 = 0,46 MQ	0001097	0001098	-	0001101	0001099	0001100
	*ROMBO 30 30x30 rett. F 207,90 ⌀ 7 = 0,54 MQ	0001103	0001104	0001108	0001107	0001105	0001106
PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		WHITE	SAND	GREY	COAL	AMBER	TAN
	BATTISCOPA rett. 6,5x120 PZ 12,50 ⌀ 6	0001258	0001262	0001298	0001297	0001295	0001296
	GRADONE TOP rett. 32x120x4,5x2 PZ 192,90 ⌀ 1	0001299	0001300	0001304	0001303	0001301	0001302
	ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50 ⌀ 1	0001305	0001306	0001310	0001309	0001307	0001308
	ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50 ⌀ 1						
		0001311	0001312	0001316	0001315	0001313	0001314

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL / VALUE CROSSROAD WOOD NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10
	DIN 51097	-	A
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR &
WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH










INFORMAZIONI TECNICHE

CROSSROAD WOOD

THE PERFECT COMBO


DALLA CONSULTAZIONE DELLA MATERIOTECA ABK, NASCE LA NUOVA SEZIONE DEDICATA AGLI ABBINAMENTI CHE VALORIZZANO LE SUPERFICI DELLE PRINCIPALI COLLEZIONI.

THE NEW SECTION EXPLORES THE DIFFERENT WAYS IN WHICH ABK MATERIALS CAN BE COORDINATED TO ENHANCE THE SURFACES OF THE MAIN COLLECTIONS.

	LAB325	CROSSROAD CHALK	INTERNO 9	ALPES	SENSI SIGNORIA	SENSI UP
 WHITE	 TAUPE	 WHITE	 SILVER	 SAND	 PORT GOLD	 ONICE BEIGE
 SAND	 TAUPE	 SAND	 DARK	 SAND	 PORT GOLD	 CALACATTA GOLD
 GREY	 TAUPE	 GREY	 SILVER	 IVORY	 LABRADORITE	 STATUARIO VERSILIA
 COAL	 PEARL	 COAL	 PEARL	 LEAD	 CALACATTA VENA ORO	 GRAND ANTIQUE
 AMBER	 PEPPER	 COAL	 RUST	 SAND	 ROMA IMPERIALE	 STATUARIO ULTRA
 TAN	 ASH	 WHITE	 DARK	 GREY	 CALACATTA VENA ORO	 CALACATTA GOLD
	 CHROME					
	 WHITE	 BLACK				

CROSSROAD WOOD

WOOD



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



WOOD

DOLPHIN

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

8,5 mm	20 mm
40x170 nat.	30x120 R11
20x170 nat.	
20x120 nat. / R11	

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DOLPHIN

MILK

8,5 mm			
40x170	nat rett.	DPR5605A	F 80,50
20x170	nat rett.	DPR5505A	F 80,50
20x120	nat rett.	DPR35050	F 56,50



CLAY

8,5 mm			
40x170	nat rett.	DPR5610A	F 80,50
20x170	nat rett.	DPR5510A	F 80,50
20x120	nat rett.	DPR35100	F 56,50



DOLPHIN

OAK

8,5 mm			
40x170	nat rett.	DPR5615A	F 80,50
20x170	nat rett.	DPR5516A	F 80,50
20x120	nat rett.	DPR35150	F 56,50



MOON

8,5 mm			
40x170	nat rett.	DPR5620A	F 80,50
20x170	nat rett.	DPR5520A	F 80,50
20x120	nat rett.	DPR35200	F 56,50



WOOD

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DOLPHIN

GREY

8,5 mm			
40x170	nat rett.	DPR5625A	F 80,50
20x170	nat rett.	DPR5525A	F 80,50
20x120	nat rett.	DPR35250	F 56,50



COAL

8,5 mm			
20x170	nat rett.	DPR5530A	F 80,50
20x120	nat rett.	DPR35300	F 56,50



DOLPHIN

DECORI DA RIVESTIMENTO E PAVIMENTO - WALL AND FLOOR DECORS 8,5 mm

20x120 3
LISTONE CLAY PAINT MIX 3
DPR35105 rett. PZ 95,90

20x120 3
LISTONE GREY ENAMEL MIX 3
DPR35255 rett. PZ 95,90

20x15 6
SNIP PAINT MIX 6 (5x20+10x20+15x20)
DPR35106 rett. PZ 133,90
(prezzo a cp.)

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322

MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.

MATITA ALLUMINIO
0000086 PZ 23,50

Parte superiore arrotondata e colorata con resine acriliche.
Rounded top colored with acrylic resins.

MATITA ALLUM. ORO
0008535 PZ 31,50

MATITA ALLUM. RAME SCURO
0008534 PZ 31,50

MATITA ALLUM. WHITE
0000087 PZ 31,50

MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50

MATITA ALLUM. BLU
0008532 PZ 31,50

MATITA ALLUM. VERDE
0008531 PZ 31,50

MATITA ALLUM. ARDESIA
0008533 PZ 31,50

MATITA ALLUM. BLACK
0000088 PZ 31,50

MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.

MATITA ALLUM. BRONZO
0000557 PZ 38,90

MATITA ALLUM. RAME
0000556 PZ 38,90


WOOD

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DOLPHIN

OUTDOOR R11 8,5 mm




20x120 6

DOLPHIN MILK AGED R11 rett.

DPR35500

F 58,50




20x120 6

DOLPHIN OAK AGED R11 rett.

DPR35550

F 58,50



20x120 6

DOLPHIN GREY AGED R11 rett.

DPR35600

F 58,50





20x120 6

DOLPHIN CLAY AGED R11 rett.

DPR35650

F 58,50





20x120 6

DOLPHIN MOON AGED R11 rett.

DPR35700

F 58,50



20x120 6

DOLPHIN COAL AGED R11 rett.

DPR35750

F 58,50

OUT.20 R11 20 mm



30x120 2

DOLPHIN CLAY R11 rett.

DPR57100

F 99,50



30x120 2

DOLPHIN OAK R11 rett.

DPR57150

F 99,50



30x120 2

DOLPHIN GREY R11 rett.

DPR57250


F 99,50

Per la serie completo vedi pag. 305
For the complete collection see page 305

DOLPHIN


WOOD

SCHEMI DI POSA
INSTALLATION PATTERNS





20x120	41,40 %
20x170	58,60 %

(MODULO FISSO - FIX MODULE)



20x120	50 %
20x170	50 %

(A FILE ALTERNATE / ALTERNATE LINES)

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm	MILK	CLAY	OAK	MOON	GREY	COAL
 BATTISCOPA rett. 6,5x120 PZ 12,50 6	DPR35051	DPR35101	DPR35151	DPR35201	DPR35251	DPR35301
 GRADONE TOP rett. 32x120x4,5x2 PZ 192,90 1	DPR35053	DPR35103	DPR35153	DPR35203	DPR35253	DPR35303
 ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50 1	DPR35054	DPR35104	DPR35154	DPR35204	DPR35254	DPR35304
 ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50 1	DPR35055	DPR35107	DPR35155	DPR35205	DPR35257	DPR35305
 ELEMENTO L aged 15x60x4 PZ 51,50 R11 4	DPR35501	DPR35651	DPR35551	DPR35701	DPR35601	DPR35751

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE DOLPHIN NAT.	VAL. / VALUE DOLPHIN OUTDOOR / OUT.20
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET	> 0,60 DRY > 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R11
	DIN 51097	-	A	A+B+C
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42	> 0,42

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



WOOD

SOLERAS

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

8,5 mm	20 mm
40x170 nat.	30x120 R11
20x170 nat.	
20x120 nat.	
20x80 nat. / R11	
13,5x80 nat.	

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES ^{WIDE} - ALPES ^{RAW} MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI ^{GEMS} SENSI ^{UP} SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 ^{WIDE} - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO ^{UP} CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



floor
NATURALE 20x80

SOLERAS

NATURALE

8,5 mm			
40x170	nat rett.	S1R5620A	F 80,50
20x170	nat rett.	S1R5520A	F 80,50
20x120	nat rett.	S1R35200	F 56,50
20x80	nat rett.	S1R4920B	F 51,50
13,5x80	nat rett.	S1R48200	F 51,50

BEIGE

8,5 mm			
20x120	nat rett.	S1R35300	F 56,50
20x80	nat rett.	S1R4930B	F 51,50
13,5x80	nat rett.	S1R48300	F 51,50

WOOD



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN <u>SOLERAS</u>
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

SOLERAS

AVANA

8,5 mm			
40x170	nat rett.	S1R5625A	F 80,50
20x170	nat rett.	S1R5525A	F 80,50
20x120	nat rett.	S1R35250	F 56,50
20x80	nat rett.	S1R4925B	F 51,50
13,5x80	nat rett.	S1R48250	F 51,50



BIANCO

8,5 mm			
40x170	nat rett.	S1R5605A	F 80,50
20x170	nat rett.	S1R5505A	F 80,50
20x120	nat rett.	S1R35050	F 56,50
20x80	nat rett.	S1R4905B	F 51,50
13,5x80	nat rett.	S1R48050	F 51,50



SOLERAS

GRIGIO

8,5 mm			
40x170	nat rett.	S1R5610A	F 80,50
20x170	nat rett.	S1R5510A	F 80,50
20x120	nat rett.	S1R35100	F 56,50
20x80	nat rett.	S1R4910B	F 51,50
13,5x80	nat rett.	S1R48100	F 51,50



ANTRACITE

8,5 mm			
20x120	nat rett.	S1R35150	F 56,50
20x80	nat rett.	S1R4915B	F 51,50
13,5x80	nat rett.	S1R48150	F 51,50



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

SOLERAS



5x80 4
LIST. SOLERAS AVANA
S1R49255 nat. rett. PZ 7,90



5x80 4
LIST. SOLERAS ANTRACITE
S1R49155 nat. rett. PZ 7,90



5x40 4
*LISTELLO WOOD
DKR51055 nat. rett. PZ 22,50

* Antico legno alpino recuperato da costruzioni dismesse e trattato per l'utilizzo in parete e a pavimento. Ogni pezzo è unico e irripetibile. Antique alpin wood, recovered from discontinued buildings and treated for floor and wall use. Every single piece turns out to be different and unique.
Art. realizzati con materiali naturali; vedi indicazioni per posa e pulizia a pag. 322 dell' area tecnica.
Items produced with natural materials: check the technical area at page 322.


OUTDOOR R11 8,5 mm



20x80 8
SOLERAS NATURALE R11 rett.
S1R4965B F 53,50



20x80 8
SOLERAS AVANA R11 rett.
S1R4970B F 53,50



20x80 8
SOLERAS BIANCO R11 rett.
S1R4950B F 53,50



20x80 8
SOLERAS GRIGIO R11 rett.
S1R4955B F 53,50

OUT.20 R11 20 mm



30x120 2
SOLERAS NATURALE R11 rett.
S1R57200 F 99,50




30x120 2
SOLERAS AVANA R11 rett.
S1R57250 F 99,50

Per la serie completa vedi pag. 305
For the complete collection see page 305


SCHEMI DI POSA / INSTALLATION PATTERNS

1




40x170 66,7 %
20x170 33,3 %

2



20x170 50 %
20x120 50 %


3







20x80 59,7 %
13,5x80 40,3 %

SOLERAS

WOOD

DECORI / DECORATIVE 8,5 mm	NATURALE	BEIGE	AVANA	BIANCO	GRIGIO	ANTRACITE
 FRENCH PATTERN rett. 20x80 F 108,50 6 80 cm 68,45 cm	-	-	S1R4926A	-	S1R4911A	-

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm	NATURALE	BEIGE	AVANA	BIANCO	GRIGIO	ANTRACITE
 BATTISCOPA rett. 6,5x80 PZ 10,50 8	S1R49201	S1R49301	S1R49251	S1R49051	S1R49101	S1R49151
 COMP. SCALINO rett. 35x80x4 PZ 92,50 (prezzo a comp.) 1 cp/box	S1R49206	S1R49306	S1R49256	S1R49056	S1R49106	S1R49156
 AE INC. rett. 12,5x40x3 PZ 31,50 4	S1R49207A	S1R49307A	S1R49257A	S1R49057A	S1R49107A	S1R49157A
 GRADONE TOP rett. 32x120x4,5x2 PZ 192,90 1	S1R55203	S1R55303	S1R55253	S1R55053	S1R55103	S1R55153
 ANGOLARE TOP SX 32x120x4,5x2 PZ 221,50 1	S1R55204	S1R55304	S1R55254	S1R55054	S1R55104	S1R55154
 ANGOLARE TOP DX 32x120x4,5x2 PZ 221,50 1	S1R55205	S1R55305	S1R55255	S1R55055	S1R55105	S1R55155
 GRADINO L R11 20x40x4 PZ 46,90 2	S1R49651	-	S1R49701	S1R49501	S1R49551	-

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE SOLERAS NAT.	VAL. / VALUE SOLERAS OUTDOOR/ OUT.20
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	> 0,60 WET	> 0,60 WET
	DIN 51097	-	R9	R11
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	A	A+B+C
			> 0,42	> 0,42

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

8,5 mm
60,4x60,4 nat.
60x60 nat.
30x60,4 nat.
30x60 nat.

LEVEL

IVORY




60,4x60,4	nat.	LEN01050	F 46,90
60x60	nat rett.	LER0105A	F 54,50
30x60,4	nat.	LEN03050	F 42,90
30x60	nat rett.	LER0305A	F 50,50

SILVER



60,4x60,4	nat.	LEN01100	F 46,90
60x60	nat rett.	LER0110A	F 54,50
30x60,4	nat.	LEN03100	F 42,90
30x60	nat rett.	LER0310A	F 50,50

GREY



60,4x60,4	nat.	LEN01150	F 46,90
60x60	nat rett.	LER0115A	F 54,50
30x60,4	nat.	LEN03150	F 42,90
30x60	nat rett.	LER0315A	F 50,50

BLACK



60,4x60,4	nat.	LEN01200	F 46,90
60x60	nat rett.	LER0120A	F 54,50
30x60,4	nat.	LEN03200	F 42,90
30x60	nat rett.	LER0320A	F 50,50

CONCRETE

8,5 mm



30x30 4
MOS. BRICK LEVEL IVORY/GREY
LER09052 rett. PZ 20,50



30x30 4
MOS. BRICK LEVEL SILVER/BLACK
LER09102 rett. PZ 20,50

DECORI / DECORATIVE	IVORY	GREY	SILVER	BLACK
MOS. QUADRETTI 30x30 F 113,90 4	LER09051	LER09151	LER09101	LER09201
PEZZI SPECIALI / SPECIAL TRIMS	IVORY	GREY	SILVER	BLACK
BATTISCOPA 6,5x60,4 PZ 8,90 10	LEN01051	LEN01151	LEN01101	LEN01201

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



R10 A+B

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

MULTI FOG



MULTI BEIGE



STONE

RE-WORK

GRES PORCELLANATO A MASSA COLORATA
FULL BODY COLORED PORCELAIN

8,5 mm

40x80 nat.

20x80 nat.

20x40 R11

RE-WORK

MULTI FOG

8,5 mm			
40x80	nat rett.	RER51400	F 60,50
20x80	nat rett.	RER4940B	F 51,50

MULTI BEIGE

8,5 mm			
40x80	nat rett.	RER51350	F 60,50
20x80	nat rett.	RER4935B	F 51,50

STONE



index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES ^{WIDE} - ALPES ^{RAW}
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 ^{WIDE} - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

DECORI DA RIVESTIMENTO - WALL DECORS



4x30 4
• FASCIA ARDESIA BRONZO
RER09054 rett. PZ 23,50
(Pietra naturale - Natural stone)




4x30 4
• FASCIA ARDESIA GRIGIO
RER09204 rett. PZ 23,50
(Pietra naturale - Natural stone)



1,5x30 4
FASCIA VETRO BRONZO
R1R03157 PZ 25,90
(Vetro e metalli preziosi - Glass and precious metals)



1,5x30 4
FASCIA VETRO PLATINO
R1R03207 PZ 25,90
(Vetro e metalli preziosi - Glass and precious metals)




1,5x80 3
MATITA METAL (alluminio - aluminium)
DKR51051 PZ 22,50



5x40 4
• LISTELLO WOOD
DKR51055 rett. PZ 22,50

Antico legno alpino recuperato da costruzioni dismesse e trattato per l'utilizzo in parete e a pavimento.
Ogni pezzo è unico e irripetibile.
Antique alpin wood, recovered from discontinued buildings and treated for floor and wall use.
Every single piece turns out to be different and unique.



2x80 3
LISTELLO FOGLIA ARGENTO (Vetro - Glass)
FSR51210 PZ 44,90




5x30 4
• FASCIA ESSENZE MIX
I9R03053 PZ 24,50
(Legno - wood)

* Art. realizzati con materiali naturali: vedi indicazioni per posa e pulizia a pag. 322 dell' area tecnica.
* Items produced with natural materials: check the technical area at page 322.





OUTDOOR R 11 8,5 mm



20x40 15
RE-WORK MULTI FOG R11 nat.
REN18400 F 36,50



20x40 15
RE-WORK MULTI BEIGE R11 nat.
REN18350 F 36,50

DECORI / DECORATIVE 8,5 mm		MULTI FOG	MULTI BEIGE
 BORDI IRREGOLARI - IRREGULAR EDGES T484	MOS. OPUS MINI rett. 30x30 F 281,90 4	RER09403	RER09353
PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		MULTI FOG	MULTI BEIGE
 BATTISCOPA rett. 6,5x60 PZ 8,90 10		RER01401	RER01351
 GRADONE TOP rett. 33x60x4,5x2 PZ 89,50 2		RER03404	RER03354
 	ANGOLARE TOP SX 33x60x4,5x2 PZ 121,50 1	RER03406	RER03356
	ANGOLARE TOP DX 33x60x4,5x2 PZ 121,50 1	RER03405	RER03355
 ELEMENTO L MONOL. 15x30x3,5 PZ 16,90 R11 8		REN18401	REN18351

GRES PORCELLANATO A MASSA COLORATA FULL BODY COLORED PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE RE-WORK NAT.	VAL. / VALUE RE-WORK OUTDOOR
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY > 0,60 WET	> 0,60 DRY > 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10	R11
	DIN 51097	-	A+B	A+B+C
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42	> 0,42

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



STONE

FOSSIL

GRES PORCELLANATO
PORCELAIN TILES

8,5 mm

50x50 nat.

30x60 nat.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

FOSSIL

STONE CREAM

8,5 mm			
50x50	nat	FSN24050	F 51,50
30x60	nat	FSN03050	F 42,90



STONE BEIGE

8,5 mm			
50x50	nat	FSN24100	F 51,50
30x60	nat	FSN03100	F 42,90



FOSSIL

STONE BROWN

8,5 mm			
50x50	nat	FSN24150	F 51,50
30x60	nat	FSN03150	F 42,90



STONE BLUE

8,5 mm			
50x50	nat	FSN24250	F 51,50
30x60	nat	FSN03250	F 42,90



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

FOSSIL

STONE LIGHT GREY

8,5 mm				
50x50	nat	FSN24200	F 51,50	
30x60	nat	FSN03200	F 42,90	



COORDINATI DA RIVESTIMENTO / WALL COORDINATED DECORS 8,5 mm

30x60 6
BLEND FOSSIL MIX CREAM
FSN03500 nat. F 42,90

33x30x12,5 2
ANG. INC. BLEND FOSSIL MIX GREY
FSN03501A nat. PZ 36,90

30x60 6
BLEND FOSSIL MIX GREY
FSN03550 nat. F 42,90

33x30x12,5 2
ANG. INC. BLEND FOSSIL MIX GREY
FSN03551A nat. PZ 36,90

30x30 6
MOS. QUADRETTI FOSSIL MIX CRE/BE/BR.
FSN03061 F 113,90

30x30 6
MOS. QUADRETTI FOSSIL MIX L. GREY/BLUE
FSN03211 F 113,90

30x30 4
MOS. MINI FOSSIL MIX CRE/BE/BR.
FSN03066 PZ 30,50

30x30 4
MOS. MINI FOSSIL MIX LIGHT GREY/BLUE
FSN03216 PZ 30,50

FOSSIL

DECORI DA RIVESTIMENTO - WALL DECORS

5x33,3 4
FASCIA ARS HOT
FSN03064 PZ 37,90
(Marmo e metalli preziosi - Marble and precious metals)

1,5x30 4
FASCIA VETRO BRONZO
R1R03157 PZ 25,90
(Vetro e metalli preziosi - Glass and precious metals)

1,5x60 4
MATITA METAL (alluminio - aluminium)
DWR01001 PZ 17,90

5x33,3 4
FASCIA ARS COLD
FSN03214 PZ 37,90
(Marmo e metalli preziosi - Marble and precious metals)

1,5x30 4
FASCIA VETRO PLATINO
R1R03207 PZ 25,90
(Vetro e metalli preziosi - Glass and precious metals)

1,5x30 4
FASCIA VETRO ORO
R1R03106 PZ 25,90
(Vetro e metalli preziosi - Glass and precious metals)

DECORI / DECORATIVE 8,5 mm	CREAM	BEIGE	BROWN	BLUE	LIGHT GREY
MOS. QUADRETTI nat. 30x30 F 113,90 4	FSN03060	FSN03110	FSN03160	FSN03260	FSN03210
MOS. MURETTO nat. 30x30 F 119,50 6	FSN03065	FSN03115	FSN03165	FSN03265	FSN03215

PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm	CREAM	BEIGE	BROWN	BLUE	LIGHT GREY
BATTISCOPA nat. 8x50 PZ 6,90 12	FSN24051	FSN24101	FSN24151	FSN24251	FSN24201

GRES PORCELLANATO PORCELAIN TILES

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE FOSSIL NAT.
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	> 0,60 WET
	DIN 51097	-	R10
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	A
			> 0,42

STONE

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE



RUSTIC

PETRAIA

GRES PORCELLANATO
PORCELAIN TILES

8,5 mm

50x50 nat.

33,3x33,3 nat. / R11

16,65x33,3 nat. / R11

PETRAIA

ROSSO

8,5 mm				
50x50	nat	A61170A	F 51,50	
33,3x33,3	nat	A8537H	F 45,50	
33,3x33,3	R11	A8537GH	F 47,50	
* 16,65x33,3	nat	A8537PC	F 51,50	
* 16,65x33,3	R11	A8537PGC	F 53,50	

COTTO

8,5 mm				
50x50	nat	A61070A	F 51,50	
33,3x33,3	nat	A8527H	F 45,50	
33,3x33,3	R11	A8527GH	F 47,50	
* 16,65x33,3	nat	A8527PC	F 51,50	
* 16,65x33,3	R11	A8527PGC	F 53,50	

* Tavella ricavata da piastrella preincisa.
Tile obtained from a pre-engraved tile.

RUSTIC



index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES ^{WIDE} - ALPES ^{RAW}
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI ^{GEMS}
SENSI ^{UP}
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 ^{WIDE} - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

PETRAIA

OCRA

8,5 mm				
50x50	nat	A61050A	F 51,50	
33,3x33,3	nat	A8525H	F 45,50	
33,3x33,3	R11	A8525GH	F 47,50	
* 16,65x33,3	nat	A8525PC	F 51,50	
* 16,65x33,3	R11	A8525PGC	F 53,50	

BEIGE

8,5 mm				
50x50	nat	A61000A	F 51,50	
33,3x33,3	nat	A8520H	F 45,50	
33,3x33,3	R11	A8520GH	F 47,50	
* 16,65x33,3	nat	A8520PC	F 51,50	
* 16,65x33,3	R11	A8520PGC	F 53,50	

* Tavella ricavata da piastrella preincisa.
Tile obtained from a pre-engraved tile.

PETRAIA

ALMOND

8,5 mm				
50x50	nat	A61040A	F 51,50	
33,3x33,3	nat	A8524H	F 45,50	
* 16,65x33,3	nat	A8524PC	F 51,50	

* Tavella ricavata da piastrella preincisa.
Tile obtained from a pre-engraved tile.

RUSTIC

index



STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

PETRAIA




COORDINATI DA PAVIMENTO ABBINABILI A PETRAIA OCRA - ROSSO - COTTO. / FLOOR COORDINATED DECORS WHICH MATCH THE OCRA, ROSSO AND COTTO PETRAIA PLAIN TILES.

 12,5x25  4 LISTELLO DECORATO A5017V	PZ 14,50	 12,5x25  4 LISTELLO DECORATO A5017Q	PZ 14,50	 12,5x25  4 LISTELLO DECORATO A5017J	PZ 14,50	 25x25  2 INSERTO CHIANTI A5007F	PZ 20,50
 12,5x12,5  4 TOZZETTO DECORATO A5017W	PZ 11,50	 12,5x12,5  4 TOZZETTO DECORATO A5017X	PZ 11,50	 12,5x12,5  4 TOZZETTO DECORATO A5017P	PZ 11,50	 12,5x12,5  4 TOZZETTO DECORATO A5017K	PZ 11,50

Si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive.
Do not use products containing abrasive substances to clean the decorative element.

DECORI / DECORATIVE 8,5 mm		ROSSO	COTTO	OCRA	BEIGE	ALMOND
	MOS. QUADRETTI 33,3x33,3 PZ 18,90  5	A8537U	A8527U	A8525U	A8520U	A8524U
	MOS. QUADRETTI OCRA/CO./RO. 33,3x33,3 PZ 18,90  5	A8525UM			-	-
 monolitico	PARQUET 25x35 PZ 20,50  8	A5017A	A5007A	A5005A	A5000A	A5004A
 monolitico	FRECCIA TRIANGOLI 12,5x25 PZ 13,50  8	A5017H			A5000H	A5004H
 monolitico	FRECCIA RETTANGOLI 12,5x25 PZ 11,50  8	A5017G	A5007G	A5005G	A5000G	A5004G
	RACCORDO PARQUET 4x36 PZ 11,50  10	A5017M	A5007M	A5005M	A5000M	A5004M
	Q. ROUND 2,5x12,5 PZ 7,90  20	A501711	A500711	A500511	A500011	-
	SGUSCIA 2,5x1 PZ 14,50  20	A501712	A500712	A500512	A500012	-
	V-CAP 5x12,5 PZ 10,50  12	-	-	A50054	-	-
	C-CAP 5x5 PZ 18,90  12	-	-	A50055	-	-

PETRAIA

						
PEZZI SPECIALI / SPECIAL TRIMS 8,5 mm		ROSSO	COTTO	OCRA	BEIGE	ALMOND
	BATTISCOPA 8x33,3 PZ 4,50  18	A85376	A85276	A85256	A85206	A85246
	GRADINO TORELLO 33,3x33,3 PZ 26,90  3	A85379	A85279	A85259	A85209	A85249
	ANGOLARE TORELLO 33,3x33,3 PZ 47,90  2	A85375	A85275	A85255	A85205	A85245
	ELEM. L INC. 33,3x16,65x5 PZ 20,50  8	A85373A	A85273A	A85253A	A85203A	-
	ELEM. L INC. R11 33,3x16,65x5 PZ 20,50  8	A85373GA	A85273GA	A85253GA	A85203GA	-

GRES PORCELLANATO PORCELAIN TILES

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL



PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE PETRAIA NAT.	VAL. / VALUE PETRAIA R11
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	> 0,40	> 0,40
	B.C.R.A. G.B.		> 0,40	> 0,40
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	> 0,60 DRY	> 0,60 DRY
			> 0,60 WET	> 0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R9	R11
	DIN 51097	-	A	A+B+C
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	> 0,42	> 0,42

RUSTIC

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

decor & wall

DECORAZIONE E RIVESTIMENTO

DECOR & WALL

POETRY DECOR 256
WIDE&STYLE MINI 264
PLAY 274
CROSSROAD BRICK 284
DO UP 286
CHROME 294

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



CEMENT


STAMP
PAINT



POIS
PAINT



LINES
PAINT




TRACES
PAINT




VERDIGRIS

STAMP
PAINT



POIS
PAINT



LINES
PAINT




TRACES
PAINT



STAMP
METAL




POIS
METAL




LINES
METAL



TRACES
METAL



STAMP
METAL



POIS
METAL



LINES
METAL



TRACES
METAL




LASTRE IN GRES PORCELLANATO - PORCELAIN SLABS 6 mm 120x280 nat.

POETRY DECOR

STAMP
METAL



POIS
METAL



LINES
METAL



STAMP
PAINT



POIS
PAINT



LINES
PAINT



WOOD
PAINT



METAL
OAK



METAL
MUD



GRES PORCELLANATO - PORCELAIN TILES 8,5 mm 20x20 nat.

by  paola navone

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES ^{WIDE} - ALPES ^{RAW}
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI ^{GEMS}
SENSI ^{UP}
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 ^{WIDE} - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO ^{UP}
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE



wall
POETRY DECOR METAL MUD NAT. 20X20



Wall
POETRY DECOR PAINT WOOD NAT. 20X20

floor
POETRY WOOD ECRU NAT. RETT. 30X120

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

POETRY DECOR

ON DEMAND 6 mm



120x280
STAMP PAINT CEMENT rett.
0010223 F 656,90



120x280
STAMP PAINT VERDIGRIS rett.
0010229 F 656,90



120x280
POIS PAINT CEMENT rett.
0010222 F 656,90

POETRY DECOR

ON DEMAND 6 mm



120x280
POIS PAINT VERDIGRIS rett.
0010228 F 656,90



120x280
LINES PAINT CEMENT rett.
0010221 F 656,90



120x280
LINES PAINT VERDIGRIS rett.
0010661 F 656,90



120x280
*STAMP METAL CEMENT rett.
0010226 F 722,50



120x280
*STAMP METAL VERDIGRIS rett.
0010232 F 722,50



120x280
*POIS METAL CEMENT rett.
0010225 F 722,50



120x280
*POIS METAL VERDIGRIS rett.
0010231 F 722,50



120x280
*LINES METAL CEMENT rett.
0010224 F 722,50



120x280
*LINES METAL VERDIGRIS rett.
0010230 F 722,50

* Metalli. Si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive per non alterare la brillantezza del metallo prezioso. Metal. Do not use products containing abrasive substances to clean the decorative element so as not to affect the shine of the precious metal.

DECOR & WALL

index


STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

POETRY DECOR

ON DEMAND 6 mm



120x280
TRACES PAINT CEMENT ret.
0010662 F 656,90



120x280
TRACES PAINT VERDIGRIS ret.
0010663 F 656,90




120x280
* TRACES METAL CEMENT ret.
0010664 F 722,50




120x280
* TRACES METAL VERDIGRIS ret.
0010665 F 722,50

LASTRE IN GRES PORCELLANATO - PORCELAIN SLABS

POETRY DECOR




20x20
* STAMP METAL CEMENT nat.
0010667 F 89,90




20x20
STAMP PAINT VERDIGRIS nat.
0010666 PEI V F 85,90



20x20
PAINT WOOD nat.
0010074 PEI V F 85,90



20x20
* POIS METAL CEMENT nat.
0010669 F 89,90




20x20
POIS PAINT VERDIGRIS nat.
0010668 PEI V F 85,90



20x20
* METAL OAK nat.
0010076 F 89,90



20x20
* LINES METAL CEMENT nat.
0010671 F 89,90



20x20
LINES PAINT VERDIGRIS nat.
0010670 PEI V F 85,90



20x20
* METAL MUD nat.
0010077 F 89,90

Articolo composto da pattern grafici diversi e miscelati in modo casuale in fase di inscatolamento. Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni. This article comes in several different versions that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

* Metalli. Si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive per non alterare la brillantezza del metallo prezioso. Metal. Do not use products containing abrasive substances to clean the decorative element so as not to affect the shine of the precious metal.

DECOR & WALL

GRES PORCELLANATO PORCELAIN TILES

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



PASTA BIANCA DA RIVESTIMENTO
WHITE BODY WALL TILES

WIDE&STYLE MINI

7 mm
60x120 matt



GRES PORCELLANATO
PORCELAIN TILES

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



wall
PALM | POWDER 60x120

floor:
CROSSROAD WOOD GREY 20x120

266



Wall
FOLIAGE 60x120

Floor
BLEND CONCRETE IRON 60x120

BATH DESIGN - Washbasin
SENSI UP INVISIBLE PEARL LUX

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE


SOLID COLOURS 7 mm




60x120
0008231 GINGER reff. F 94,40




60x120
0008235 POWDER reff. F 94,40




60x120
0008232 MINT reff. F 94,40




60x120
0008233 SKY reff. F 94,40



60x120
0008228 SNOW reff. F 94,40




60x120
0008229 CLOUD reff. F 94,40




60x120
0008236 PHARD reff. F 94,40



60x120
0008234 WHALE reff. F 94,40



60x120
0008230 ALABASTER reff. F 94,40



60x120
0008237 PAPRIKA reff. F 94,40

PASTA BIANCA DA RIVESTIMENTO WHITE BODY WALL TILES

CLASSIFICAZIONE SECONDO NORME UNI EN 14411 (ISO 13006) ALLEGATO L-Gruppo BIII
CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX L-GROUP BIII

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES ^{WIDE} - ALPES ^{RAW} MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI ^{GEMS} SENSI ^{UP} SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 ^{WIDE} - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

DECORATIVE MOOD 7 mm



60x120
0008434 MAUI rett. F 126,50



60x120
0008435 CARIBBEAN rett. F 126,50



60x120
0008438 FOLIAGE rett. F 126,50



60x120
0008441 BERRIES rett. F 126,50



60x120
0008439 ROSES rett. F 126,50



60x120
0008440 FERN rett. F 126,50



60x120
0008436 ROMANTIC rett. F 126,50



60x120
0008437 PALM rett. F 126,50



Le lastre “decorative mood” sono realizzate in gres porcellanato, quindi utilizzabili anche per la posa a pavimento in ambito residenziale.
“Decorative mood” porcelain slabs are suitable for floor use in residential areas.

Articoli con ripresa grafica tra le diverse lastre contenuta entro una tolleranza massima di 3 mm.
Items with a graphic clearance among the different slabs ranging within 3 mm.

GRES PORCELLANATO PORCELAIN TILES

CLASSIFICAZIONE SECONDO NORME UNI EN 14411 (ISO 13006) ALLEGATO G-Gruppo BIa GL
CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-GROUP BIa GL

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES ^{WIDE} - ALPES ^{RAW} MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI ^{GEMS} SENSI ^{UP} SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 ^{WIDE} - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO ^{UP} CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.

	MATITA ALLUMINIO 0000086	PZ 23,50
	MATITA ALLUM. TERRACOTTA 0008530	PZ 31,50
	MATITA ALLUM. BLU 0008532	PZ 31,50
	MATITA ALLUM. VERDE 0008531	PZ 31,50
	MATITA ALLUM. ARDESIA 0008533	PZ 31,50
	MATITA ALLUM. BLACK 0000088	PZ 31,50

Parte superiore arrotondata e colorata con resine acriliche.
Rounded top colored with acrylic resins.



MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.

	MATITA ALLUM. BRONZO 0000557	PZ 38,90
	MATITA ALLUM. RAME 0000556	PZ 38,90



DECORI DA RIVESTIMENTO - WALL DECORS 7 mm

(SUPERFICIE LUCIDA - GLOSSY SURFACE)



5x120 4
LIST. COLORFUL COGNAC 0000184 glossy PZ 66,90



5x120 4
LIST. COLORFUL OCHRE 0000185 glossy PZ 66,90



5x120 4
LIST. COLORFUL SEA 0000186 glossy PZ 66,90

DECORATIVE MOOD - TECHNICAL DATA

GRES PORCELLANATO PORCELAIN TILES


Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla Gl
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla Gl

PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VAL. / VALUE WIDE&STYLE MINI DECORATIVE MOOD
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY $0,20 < \mu < 0,39$ SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY $0,40 < \mu < 0,74$ ATTIRTO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTIRTO ECCELLENTE - EXCELLENT GRIP	> 0,40
	B.C.R.A. G.B.		> 0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)	> 0,60 DRY
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R10
	DIN 51097	-	A+B
	ANSI A 137-1:2012 (D.C.O.F.)	≥ 0,42	> 0,42

Le lastre "decorative mood" sono realizzate in gres porcellanato, quindi utilizzabili anche per la posa a pavimento in ambito residenziale.
"Decorative mood" porcelain slabs are suitable for floor use in residential areas.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



DECOR & WALL

PLAY

GRES PORCELLANATO
PORCELAIN TILES

8,5 mm

20x20 matt

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL	CONCRETE DESIGN
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI	CLASSIC
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL	
METAL	INTERNO 9 WIDE - INTERNO 9	ETNO
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS	
RUSTIC	PETRAIA	
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY	
	CROSSROAD BRICK DO UP CHROME	
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS	
OUT.30 30MM	LAB325 TRENTO	
HARDKOLL	COLLANTI E SIGILLANTI	
TECH	INFORMAZIONI TECNICHE	



wall
PLAY LABYRINTH CLAY 20x20



wall
GHOST GREY 120x280

floor
PLAY CLASSIC BROWN 20x20

index

STONE	POETRY STONE
	ATLANTIS
	NATIVE
	ALPES WIDE - ALPES RAW
	MONOLITH
	UNIKA
MARBLE	RE-WORK
	FOSSIL
	SENSI SIGNORIA
	SENSI GEMS
	SENSI UP
	SENSI
CONCRETE	BLEND
	GHOST
	LAB325
	CROSSROAD CHALK
	DOWNTOWN
	DOCKS
METAL	LEVEL
	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD
	ECO CHIC
	NEST
	CROSSROAD WOOD
	DOLPHIN
	SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR
	WIDE&STYLE MINI
	PLAY
	CROSSROAD BRICK
	DO UP
	CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325
	GENT - ATLANTIS - GHOST
	NATIVE - POETRY WOOD - ECO CHIC
	DOLPHIN - SOLERAS
	LAB325
	TRENTO
OUT.30 30MM	LAB325
HARDKOLL	TECH
	TECH
TECH	TECH
	TECH

PLAY

DOTS



20x20
PLAY DOTS WHITE
0005890 nat. F 73,90



20x20
PLAY DOTS BLACK
0005891 nat. F 73,90



20x20
PLAY DOTS MULTIWHITE
0005892 nat. F 73,90



20x20
PLAY DOTS MULTIBLACK
0005893 nat. F 73,90

DROPS



20x20
PLAY DROPS MULTIWHITE
0005894 nat. F 73,90



20x20
PLAY DROPS MULTIBLACK
0005895 nat. F 73,90

MARBLE



20x20
* PLAY MARBLE WHITE
0005896 nat. F 73,90



20x20
* PLAY MARBLE BLACK
0005897 nat. F 73,90

PLAY

CONCRETE DESIGN



20x20
PLAY CONCRETE DESIGN A
0005902 nat. F 73,90



20x20
PLAY CONCRETE DESIGN B
0005903 nat. F 73,90




20x20
PLAY CONCRETE DESIGN C
0005904 nat. F 73,90


CONCRETE RETRÒ




20x20
* PLAY CONCRETE RETRÒ MIX
0005898 nat. F 73,90



20x20
PLAY CONCRETE RETRÒ A
0005899 nat. F 73,90



20x20
PLAY CONCRETE RETRÒ B
0005900 nat. F 73,90



20x20
PLAY CONCRETE RETRÒ C
0005901 nat. F 73,90

* Articolo composto da pattern grafici diversi e miscelati in modo casuale in fase di inscatolamento. Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni. This article comes in several different versions that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

DECOR & WALL

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

PLAY

LABYRINTH



20x20
*PLAY LABYRINTH MIX MULTICOLOR
0003352 nat. F 73,90



20x20
*PLAY LABYRINTH MIX GREY
0003367 nat. F 73,90



20x20
PLAY LABYRINTH CLAY
0003368 nat. F 73,90



20x20
PLAY LABYRINTH SAGE
0003369 nat. F 73,90



20x20
PLAY LABYRINTH COTTO
0003370 nat. F 73,90



20x20
PLAY LABYRINTH PEARL
0003371 nat. F 73,90

CARPET



20x20
*PLAY CARPET MIX MULTICOLOR
0003351 nat. F 73,90



20x20
*PLAY CARPET MIX GREY
0003366 nat. F 73,90

PLAY

CLASSIC



20x20
*PLAY CLASSIC MIX MULTICOLOR
0003474 nat. F 73,90



20x20
*PLAY CLASSIC MIX GREY
0003475 nat. F 73,90



20x20
PLAY CLASSIC BROWN
0003476 nat. F 73,90



20x20
PLAY CLASSIC SKY
0003477 nat. F 73,90



20x20
PLAY CLASSIC SAGE
0003478 nat. F 73,90



20x20
PLAY CLASSIC COTTO
0003479 nat. F 73,90

RE-USED



20x20
*PLAY RE-USED MIX GREY
0003480 nat. F 73,90



20x20
*PLAY RE-USED MIX CLAY
0003481 nat. F 73,90

DECOR & WALL

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES ^{WIDE} - ALPES ^{RAW}
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI ^{GEMS}
SENSI ^{UP}
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 ^{WIDE} - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI


TECH

INFORMAZIONI TECNICHE


* Articolo composto da pattern grafici diversi e miscelati in modo casuale in fase di inscatolamento.
Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni.
This article comes in several different versions that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

PLAY


OXIDE



20x20
* PLAY OXIDE WHITE
0003493 nat. F 73,90



20x20
* PLAY OXIDE JADE
0003494 nat. F 73,90



20x20
* PLAY OXIDE BRONZE
0003495 nat. F 73,90

EDGE




20x20
* PLAY EDGE MIX MULTICOLOR
0003482 nat. F 73,90




20x20
* PLAY EDGE MIX GREY
0003483 nat. F 73,90

ETNO



20x20
* PLAY ETNO MIX PEARL
0003484 nat. F 73,90



20x20
* PLAY ETNO MIX DARK
0003486 nat. F 73,90


* Articolo composto da pattern grafici diversi e miscelati in modo casuale in fase di inscatolamento.
Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni.
This article comes in several different versions that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

PLAY

STRING




20x20
* PLAY STRING MIX MULTICOLOR
0003487 nat. F 73,90




20x20
* PLAY STRING MIX COLD
0003489 nat. F 73,90

HERITAGE



20x20
* PLAY HERITAGE PEARL
0003554 nat. F 73,90



20x20
* PLAY HERITAGE GREY
0003496 nat. F 73,90



20x20
* PLAY HERITAGE DARK
0003497 nat. F 73,90



20x20
* PLAY HERITAGE CLAY
0003498 nat. F 73,90

GRES PORCELLANATO PORCELAIN TILES

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo Bla GL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group Bla GL

DECOR & WALL

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



DECOR & WALL

CROSSROAD BRICK

PASTA BIANCA DA RIVESTIMENTO
WHITE BODY WALL TILES


8 mm
7,5x30 glossy

CROSSROAD BRICK


DECOR & WALL



7,5x30
BRICK WHITE
0001337



7,5x30
BRICK SMOKE
0001340



7,5x30
BRICK SAGE
0001343




7,5x30
BRICK SAND
0001338



7,5x30
BRICK COAL
0001341



7,5x30
BRICK CLAY
0001344



7,5x30
BRICK GREY
0001339



7,5x30
BRICK BLUE
0001342



2x30 4
** FASCIA MICRO ARGENTO
SCT067 PZ 15,50



2x30 4
** FASCIA MICRO ORO
SCT066 PZ 15,50

** Articoli realizzati con metalli preziosi; si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive.
Items produced with precious metals; do not use products containing abrasive substances to clean the surface.

Per visualizzare il progetto completo vedi pag. 152 Crossroad Chalk e pag. 212 Crossroad Wood
For the complete collection see at page 152 Crossroad Chalk and page 212 Crossroad Wood

MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.



MATITA ALLUMINIO
0000086 PZ 23,50

Parte superiore arrotondata e colorata con resine acriliche.
Rounded top colored with acrylic resins.



MATITA ALLUM. ORO
0008535 PZ 31,50



MATITA ALLUM. RAME SCURO
0008534 PZ 31,50



MATITA ALLUM. WHITE
0000087 PZ 31,50



MATITA ALLUM. TERRACOTTA
0008530 PZ 31,50



MATITA ALLUM. BLU
0008532 PZ 31,50



MATITA ALLUM. VERDE
0008531 PZ 31,50



MATITA ALLUM. ARDESIA
0008533 PZ 31,50



MATITA ALLUM. BLACK
0000088 PZ 31,50



MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.



MATITA ALLUM. BRONZO
0000557 PZ 38,90



MATITA ALLUM. RAME
0000556 PZ 38,90

PASTA BIANCA DA RIVESTIMENTO WHITE BODY WALL TILES

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato L-Gruppo BIII
Classification in accordance with UNI EN 14411 (ISO 13006) Annex L-Group BIII

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE



DECOR & WALL

DO UP

PASTA BIANCA DA RIVESTIMENTO
WHITE BODY WALL TILES

7 mm
60x120 matt
30x120 matt

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE


COVER



60x120 2
DOR3407A COVER NEUTRAL rett. F 77,50
30x120 4
DOR57070 COVER NEUTRAL rett. F 77,50



60x120 2
DOR3447A COVER SABBIA rett. F 77,50
30x120 4
DOR57470 COVER SABBIA rett. F 77,50



60x120 2
DOR3442A COVER TORTORA rett. F 77,50
30x120 4
DOR57420 COVER TORTORA rett. F 77,50

MATITE ALLUMINIO
ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm). Avvertenze per la posa e la pulizia a pag. 322
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm). Instructions for installation and cleaning page. 322



MATITA ALLUMINIO 0,5x120 4
Parte superiore arrotondata / Rounded top.

MATITA ALLUMINIO 0000086 PZ 23,50

Parte superiore arrotondata e colorata con resine acriliche.
Rounded top colored with acrylic resins.

MATITA ALLUM. ORO 0008535 PZ 31,50

MATITA ALLUM. RAME SCURO 0008534 PZ 31,50

MATITA ALLUM. WHITE 0000087 PZ 31,50

MATITA ALLUM. TERRACOTTA 0008530 PZ 31,50

MATITA ALLUM. BLU 0008532 PZ 31,50

MATITA ALLUM. VERDE 0008531 PZ 31,50

MATITA ALLUM. ARDESIA 0008533 PZ 31,50

MATITA ALLUM. BLACK 0000088 PZ 31,50



MATITA ALLUMINIO 0,5x120 4
Parte superiore piatta colorata in bagno galvanico / Flat top colored in galvanic bath.

MATITA ALLUM. BRONZO 0000557 PZ 38,90

MATITA ALLUM. RAME 0000556 PZ 38,90

COVER



120x240 1 cp = 2 box
DOR34073 PROG. COVER LOVE 4 PZ. PZ 1.557,50 (prezzo a cp.)



60x120 1
DOR34079 DEC. COVER GEISHA PZ 332,90



120x240 1 cp = 2 box
DOR34074 PROG. COVER LOVE 4 PZ. PZ 1.557,50 (prezzo a cp.)



60x120 1
DOR34082 DEC. COVER CITY PZ 332,90



120x240 1 cp = 2 box
DOR34086 PROG. COVER SPRING 4 PZ. PZ 1.557,50 (prezzo a cp.)



60x120 1
DOR34080 DEC. COVER SPRING PZ 332,90

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

MEMORY



60x120 2
* **DOR3452A** MEMORY SABBIA rett. F 89,50



60x120 2
* **DOR3457A** MEMORY RUST rett. F 89,50

REVERSE



60x120 2
** **DOR3417A** REVERSE SKY rett. F 89,50



wall
60x120 REVERSE SKY rett.
60x120 COVER TORTORA rett.

floor
60x120 INTERNO 9 PEARL nat. rett.

*La non perfetta continuità di linee, rilievi o motivi grafici tra piastrelle adiacenti è naturale conseguenza del processo produttivo, pertanto non costituisce un vizio del prodotto.
Any variations in graphic designs or textures between adjacent tiles are a natural consequence of the manufacturing process and do not constitute a product defect.

AFFRESCO



60x120 2
** **DOR34720** AFFRESCO DARK rett. F 89,50



30x120 4
** **DOR57720** AFFRESCO DARK rett. F 89,50



60x120 2
** **DOR34670** AFFRESCO LIGHT rett. F 89,50



30x120 4
** **DOR57670** AFFRESCO LIGHT rett. F 89,50

SCRATCH



30x120 4
** **DOR57620** SCRATCH rett. F 89,50



wall
30x120 AFFRESCO LIGHT rett.
30x120 - 60x120 AFFRESCO DARK rett.
30x120 COVER TORTORA rett.

floor
60x120 INTERNO 9 PEARL rett.

** Articolo composto da pattern grafici diversi che non prevedono agganci tra loro e miscelati in modo casuale in fase di inscatolamento.
Non si garantisce pertanto la presenza costante di tutti i soggetti all'interno delle confezioni.
This article comes in several different versions with unconnected patterns that are mixed randomly at the time of packaging. There is therefore no guarantee that all patterns will be present in any individual box.

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

STREET MATT



60x120 2
*DOR34220 STREET WHITE MATT rett. F 89,50



60x120 2
*DOR34320 STREET BLACK MATT rett. F 89,50



60x120 1
*DOR34221 DEC. STREET KID-BELIEVE MATT PZ 332,90



*60x120 2
**DOR34230 DEC. STREET CLASS BLACK MIX2 PZ 366,50 (prezzo al pz.)



60x120 1
*DOR34222 DEC. STREET KID-NEXT MATT PZ 332,90




60x120 1
*DOR34223 DEC. STREET KID-WHY MATT PZ 332,90

* La non perfetta continuità di linee, rilievi o motivi grafici tra piastrelle adiacenti è naturale conseguenza del processo produttivo, pertanto non costituisce un vizio del prodotto.
Any variations in graphic designs or textures between adjacent tiles are a natural consequence of the manufacturing process and do not constitute a product defect.

** Articoli realizzati con metalli preziosi; si consiglia di pulire la superficie senza utilizzare prodotti contenenti sostanze abrasive.
Items produced with precious metals; do not use products containing abrasive substances to clean the surface.

STREET GLOSSY



60x120 2
*DOR34270 STREET WHITE GLOSSY rett. F 89,50



120x240 1 cp = 2 box
*DOR34224 PROG. STREET MISS YOU GLOSSY 4 PZ. PZ 1.557,50 (prezzo a cp.)




120x240 1 cp = 2 box
*DOR34225 PROG. STREET MAXI COLORS GLOSSY 4 PZ. PZ 1.557,50 (prezzo a cp.)

PASTA BIANCA DA RIVESTIMENTO WHITE BODY WALL TILES

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato L Gruppo BIII
Classification in accordance with UNI EN 14411 (ISO 13006) Annex L Group BIII

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE



DECOR & WALL

CHROME

GRES PORCELLANATO TUTTA MASSA
FULL BODY PORCELAIN

6 mm
160x320 nat / lux
120x280 soft / lux
40x120 matt / glossy

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

CHROME

CHROME WHITE

6 mm				
160x320	nat. rett.	0005374	F 163,50	
160x320	lux rett.	0005376	F 183,50	
120x280	soft rett.	0008044	F 130,50	
120x280	lux rett.	0008639	F 150,50	

RIVESTIMENTO IN PASTA BIANCA WHITE BODY WALL TILES

6 mm				
40x120	matt rett.	0007283	F 82,90	
40x120	glossy rett.	0007284	F 82,90	

CHROME BLACK

6 mm				
160x320	nat. rett.	0005373	F 163,50	
120x280	soft rett.	0008638	F 130,50	

CHROME



GRES PORCELLANATO TUTTA MASSA FULL BODY PORCELAIN

Classificazione secondo norme UNI EN 14411 (ISO 13006) Allegato G-Gruppo BIa UGL
Classification in accordance with UNI EN 14411 (ISO 13006) Annex G-Group BIa UGL



DECOR & WALL

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES ^{WIDE} - ALPES ^{RAW} MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI ^{GEMS} SENSI ^{UP} SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 ^{WIDE} - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO ^{UP} CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

outdoor

GRES PORCELLANATO A MASSA COLORATA
FULLBODY COLORED PORCELAIN

BLEND 300
POETRY STONE 300
LAB325 301
GENT 302
ATLANTIS 303
GHOST 303
NATIVE 304
POETRY WOOD 304
ECO CHIC 304
DOLPHIN 305
SOLERAS 305

LAB325 308
TRENTO 308

OUT.20
20MM

OUT.30
30MM

OUT.20



BLEND CONCRETE ASH

OUTDOOR 20 MM



ATLANTIS MOON



SOLERAS AVANA



POETRY STONE PIRENEI ECRU - POETRY WOOD ECRU

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

BLEND



90x90 1
BLEND CONCRETE MOON 20 R11 rett.
0008947 F 108,50



90x90 1
BLEND CONCRETE ASH 20 R11 rett.
0006018 F 108,50

60x120 1
BLEND CONCRETE ASH 20 R11 rett.
0007024 F 99,50



90x90 1
BLEND CONCRETE GREY 20 R11 rett.
0006019 F 108,50

60x120 1
BLEND CONCRETE GREY 20 R11 rett.
0007025 F 99,50

POETRY STONE



60x120 1
POETRY STONE PIASE MUD 20 R11 rett.
0010206 F 99,50



60x120 1
POETRY STONE PIRENEI GREY 20 R11 rett.
0006356 F 99,50



60x120 1
POETRY STONE PIASE ASH 20 R11 rett.
0010205 F 99,50



60x120 1
POETRY STONE TRANI BEIGE 20 R11 rett.
0010632 F 99,50

LAB325



60x120 1
LAB325 BASE ASH 20 R11 rett.
0002705 F 99,50



60x120 1
LAB325 FORM ASH 20 R11 rett.
0002703 F 99,50



60x120 1
LAB325 BASE TAUPE 20 R11 rett.
0002706 F 99,50



60x120 1
LAB325 FORM TAUPE 20 R11 rett.
0002704 F 99,50

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

GENT




60x120  1
GENT DARK 20 R11 rett.
0001678 F 99,50



60x120  1
GENT BLUE 20 R11 rett.
0001677 F 99,50



60x120  1
GENT ASH 20 R11 rett.
0001948 F 99,50



60x120  1
GENT BLUE LINE 20 R11 rett.
0001679 F 99,50



60x120  1
GENT ASH LINE 20 R11 rett.
0001949 F 99,50



ATLANTIS



60x90  1
GREY HAMMERED 20 R11 rett.
0007174 F 95,50



60x90  1
SAND HAMMERED 20 R11 rett.
0007176 F 95,50

GHOST



90x90  1
GHOST GREY 20 R11 rett.
0004587 F 108,50



60x90  1
MOON HAMMERED 20 R11 rett.
0007780 F 95,50



60x90  1
SMOKE HAMMERED 20 R11 rett.
0007175 F 95,50



90x90  1
GHOST ROPE 20 R11 rett.
0004588 F 108,50



index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

NATIVE



90x90  1
NATIVE ASH 20 R11 rett.
0004219 F 108,50



90x90  1
NATIVE RED 20 R11 rett.
0004218 F 108,50



90x90  1
NATIVE FOG 20 R11 rett.
0004220 F 108,50

POETRY WOOD




30x180  1
POETRY WOOD GOLD 20 R11 rett.
0010078 rett. F 120,50



30x180  1
POETRY WOOD OAK 20 R11 rett.
0010079 rett. F 120,50

ECO CHIC



30x180  1
ECO CHIC NATURALE 20 R11 rett.
0006377 rett. F 120,50



30x180  1
ECO CHIC AVANA 20 R11 rett.
0006378 rett. F 120,50

POETRY WOOD



30x120  2
POETRY WOOD GOLD 20 R11 rett.
0010081 F 99,50

DOLPHIN




30x120  2
DOLPHIN CLAY 20 R11 rett.
DPR57100 F 99,50



30x120  2
DOLPHIN GREY 20 R11 rett.
DPR57250 F 99,50

SOLERAS




30x120  2
SOLERAS NATURALE 20 R11 rett.
S1R57200 F 99,50



30x120  2
POETRY WOOD OAK 20 R11 rett.
0010082 F 99,50








30x120  2
DOLPHIN OAK 20 R11 rett.
DPR57150 F 99,50




30x120  2
SOLERAS AVANA 20 R11 rett.
S1R57250 F 99,50

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

PEZZI SPECIALI SPECIAL TRIMS						ANG. GRIGLIA DX
	60x120 Rett. ☞ 1 PZ 188,50	15x60x5 Rett. ☞ 2 PZ 99,50	15x60x5 Rett. ☞ 2 PZ 111,50	15x60 Rett. ☞ 4 PZ 188,50	15x60 Rett. ☞ 4 PZ 254,90	15x60 Rett. ☞ 4 PZ 254,90
POETRY STONE PIASE ASH	0010572	0010615	0010617	0010619	0010621	0010623
POETRY STONE PIASE MUD	0010573	0010616	0010618	0010620	0010622	0010624
POETRY STONE PIRENEI GREY	0007836	0006359	0007073	0006362	0006365	0006368
POETRY STONE TRANI BEIGE	0010633	0010634	0010635	0010636	0010637	0010638
LAB325 BASE ASH	0007826	0002707	0006999	0002709	0002711	0002713
LAB325 BASE TAUPE	0007827	0002708	0007000	0002710	0002712	0002714
	90x90 Rett. ☞ 1 PZ 200,50	15x90x5 Rett. ☞ 2 PZ 132,50	15x90x5 Rett. ☞ 2 PZ 154,90	18x90 Rett. ☞ 4 PZ 221,50	18x90 Rett. ☞ 4 PZ 288,50	18x90 Rett. ☞ 4 PZ 288,50
BLEND CONCRETE MOON	0009709	0009226	0009227	0009228	0009229	0009230
NATIVE RED	0007845	0004221	0007001	0004224	0004227	0004230
NATIVE ASH	0007846	0004222	0007002	0004225	0004228	0004231
NATIVE FOG	0007847	0004223	0007003	0004226	0004229	0004232
GHOST GREY	-	0004589	0007004	0004591	0004593	0004595
GHOST ROPE	-	0004590	0007005	0004592	0004594	0004596
ECO CHIC NATURALE	-	0006576	0007036	0006578	0006580	0006582
ECO CHIC AVANA	-	0006577	0007037	0006579	0006581	0006583
	60x90 Rett. ☞ 1 PZ 166,90	15x60x5 Rett. ☞ 2 PZ 99,50	15x60x5 Rett. ☞ 2 PZ 111,50	15x60 Rett. ☞ 4 PZ 188,50	15x60 Rett. ☞ 4 PZ 254,90	15x60 Rett. ☞ 4 PZ 254,90
ATLANTIS GREY HAMMERED	0007854	0007009	0007012	0007015	0007018	0007021
ATLANTIS SMOKE HAMMERED	0007855	0007010	0007013	0007016	0007019	0007022
ATLANTIS SAND HAMMERED	0008261	0007011	0007014	0007017	0007020	0007023
ATLANTIS MOON HAMMERED	0007856	0007781	0007782	0007783	0007784	0007785
GENT ASH	-	0002266	0006996	0002269	0002272	0002274
GENT BLUE	-	0002267	0006997	0002270	0002273	0002275
GENT DARK	-	0002268	0006998	0002271	0002356	0002276
DOLPHIN CLAY	-	DPR57101	0007121	DPR57102	DPR57103	DPR57104
DOLPHIN OAK	-	DPR57151	0007122	DPR57152	DPR57153	DPR57154
DOLPHIN GREY	-	DPR57251	0007123	DPR57252	DPR57253	DPR57254
	30x120 Rett. ☞ 1 PZ 144,90	15x60x5 Rett. ☞ 2 PZ 99,50	15x60x5 Rett. ☞ 2 PZ 111,50	15x60 Rett. ☞ 4 PZ 188,50	15x60 Rett. ☞ 4 PZ 254,90	15x60 Rett. ☞ 4 PZ 254,90
POETRY WOOD GOLD	0010418	0010420	0010422	0010424	0010426	0010428
POETRY WOOD OAK	0010419	0010421	0010423	0010425	0010427	0010429
SOLERAS NATURALE	0007861	S1R57201	0007124	S1R57202	S1R57203	S1R57204
SOLERAS AVANA	0007862	S1R57251	0007125	S1R57252	S1R57253	S1R57254
	90x90 Rett. ☞ 1 PZ 200,50	15x60x5 Rett. ☞ 2 PZ 99,50	15x60x5 Rett. ☞ 2 PZ 111,50	15x60 Rett. ☞ 4 PZ 188,50	15x60 Rett. ☞ 4 PZ 254,90	15x60 Rett. ☞ 4 PZ 254,90
BLEND CONCRETE ASH	0009707	0007026	0007028	0007030	0007032	0007034
BLEND CONCRETE GREY	0009708	0007027	0007029	0007031	0007033	0007035

CONSIGLI DI POSA - ADVICE FOR LAYING



POSA TRADIZIONALE
La posa tradizionale è ideale per la realizzazione di pavimentazioni carrabili.

TRADITIONAL INSTALLATION
Traditional installation is ideal for floorings that will be driven over by vehicles.



POSA A SECCO SU ERBA
La posa diretta su erba permette di creare percorsi e camminamenti integrandosi perfettamente nell'ambiente.

DRY INSTALLATION ON GRASS
Installing directly on top of grass enables the creation of paths and walkways that blend in perfectly with the surroundings.



POSA SOPRAELEVATA DA ESTERNO
Il sistema di pavimentazione sopraelevata prevede l'utilizzo di supporti portanti di tipo autolivellante, regolabili oppure fissi che si adattano con semplicità e sicurezza ad ogni tipo di pavimento sottostante. Il sistema permette la realizzazione di piani di posa con altezze variabili, da terra, comprese fra 25 e 270 mm. L'indipendenza della pavimentazione dai supporti garantisce l'assorbimento di eventuali movimenti strutturali. Il sistema sopraelevato non necessita di massetto in cemento e consente una diminuzione del peso sulla struttura portante. Le fughe aperte tra una piastrella ed un'altra consentono un facile deflusso dell'acqua piovana evitando tutti i rischi di accumulo o di ristagno. La presenza dell'intercapedine fra il piano di calpestio e il piano di appoggio favorisce l'areazione e l'isolamento termico. Questa soluzione permette inoltre il passaggio di impianti e tubazioni nell'intercapedine, e la facile ispezione degli stessi una volta installata la pavimentazione.

OUTDOOR RAISED LAYING SYSTEM
The raised floor system foresees the use of self-levelling, adjustable or fixed load bearing supports that easily adapt to the floor below in total safety. The system is suitable to create laying designs with variable heights from the ground, which range between 25 and 270 mm. The independence of the flooring from the supports guarantees the absorption of any structural movements. The raised system does not require a cement screed and reduces the load on the bearing structure. The open joints between the tiles allow rainwater to easily drain off, avoiding any risk of water accumulation or stagnation. The gap between the tread surface and the support surface favours ventilation and heat insulation. This solution allows for the installation of systems and piping in the gap, which can be easily inspected even once the floor has been installed.

Per informazioni sull' utilizzo dei supporti per pavimentazione sopraelevata consultare il catalogo OUT.20.
To see more about the use of self - levelling for raised floor consult the OUT.20 catalog.


index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

LAB325



90x90 1
LAB325 BASE TAUPE 30 R11 rett.
0009231 F 160,90



90x90 1
LAB325 BASE PEPPER 30 R11 rett.
0009232 F 160,90

TRENTO



30x120 1
TRENTO NOCE 30 R11 rett.
0009233 F 160,90



30x120 1
TRENTO NATURALE 30 R11 rett.
0009234 F 160,90

SOLUZIONI PER SUPERFICI CARRABILI URBANE E RESIDENZIALI
DRIVE-OVER SURFACES SOLUTIONS FOR URBAN AND RESIDENTIAL SPACES

I prodotti OUT.30, grazie allo spessore maggiorato di 30 mm, hanno le caratteristiche tecniche necessarie per la posa di tutte le situazioni carrabili in esterno, dagli spazi residenziali privati fino ai centri urbani. In caso di traffico leggero, come nei viali, nei cortili e nei parcheggi delle abitazioni, la pavimentazione può essere installata senza incollaggio. In questo caso il materiale si stende su una base di aggregati lapidei di varia granulometria compattati, avendo cura di utilizzare i comuni distanziatori in materiale plastico. Nelle zone sottoposte a traffico elevato, come percorsi stradali e piazze cittadine, è invece necessario effettuare la posa su massetto cementizio con malta d'allettamento, seguendo procedimenti analoghi a quelli utilizzati per la posa dei materiali naturali.

With their extra-large 30 mm thickness, OUT.30 slabs have the necessary technical characteristics for use in any outdoor vehicular application, from private residential areas to urban centres. For light traffic situations such as driveways, courtyards and residential parking spaces, the slabs can be installed without adhesive. In this case, they should be laid on a base of compacted stone aggregates of various sizes and positioned using ordinary plastic spacers. In heavy traffic areas such as roads and city squares, the slabs should be laid on a cement screed with bedding mortar following similar procedures to those used for the installation of natural materials.



TRAFFICO LEGGERO
Light traffic



POSA A SECCO SU GHIAIA
Dry laying on gravel



TRAFFICO LEGGERO
Light traffic



POSA A SECCO SU GHIAIA
Dry laying on gravel



TRAFFICO URBANO
Urban traffic



POSA SU MASSETTO
Laying on cement screed



index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR &
WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

Entrata a far parte del Gruppo ABK nel 2015, Hardkoll è un’industria chimica specializzata nello sviluppo e nella produzione di soluzioni per l’edilizia che vuole porsi sul mercato come un partner attento in grado di fornire soluzioni complete per il mondo edile.

Ordinare Hardkoll oggi significa:
- avere a disposizione una gamma di prodotti sviluppati appositamente per le collezioni ABK che ne garantiscono il miglior risultato tecnico ed estetico
- includere i prodotti Hardkoll insieme ai materiali ABK in un unico ordine e un’unica fatturazione
- convenienza nei costi di trasporto: i prodotti Hardkoll potranno essere caricati unitamente ai prodotti ABK presso lo stesso magazzino logistico
- assistenza tecnica specializzata
- prodotti certificati che coprono tutte le casistiche di posa

COLLANTI PER EDILIZIA

Gli adesivi edili sono un insieme di sostanze naturali o sintetiche, che, opportunamente applicate, sono capaci di far aderire fra loro superfici di materiali uguali o diversi.
L’azione degli adesivi deriva da fattori interni (composizione, proprietà chimiche delle sostanze utilizzate) ed esterni (condizioni atmosferiche – ambiente umido/ asciutto – materiali da incollare – ceramica/pietra naturale/ricomposti – supporto sul quale incollare – massetto/ moquette/laminato – destinazione finale – pavimento/rivestimento/interni/esterni): tali fattori ne determinano la composizione chimica e dunque le differenti tipologie. In generale possiamo affermare che ciascuno di essi viene identificato con una lettera ed un numero in progressione, che ne determina l’upgrade di prestazione: sono tutti universalmente validi.

C1: collante a base cementizia, basico (per materiale ceramico poroso/assorbente o bicottura).
C2: collante a base cementizia migliorato (per materiali ceramici non assorbenti).
F: collante a presa rapida (fast). E’ utilizzato per esempio in condizioni di cantiere particolari e in tutte quelle situazioni che richiedono rapidità di intervento.
T: il collante ha un comportamento tixotropico (ovvero antiscivolo: dunque particolarmente apprezzato per la posa su parete di materiali di grandi formati e/o spessori maggiorati).
E: tempo aperto allungato (extended) ovvero il tempo massimo entro il quale il materiale può essere posato dopo l’applicazione dell’adesivo.
S1: il collante è deformabile (stretchy) ovvero ammortizza le tensioni termiche delle piastrelle e della superficie di posa senza danneggiare la superficie installata.
S2: variante migliorata della precedente.

Tutte queste caratteristiche possono coesistere e combinarsi fra loro, dando vita a variegate tipologie.
Il collante è l’ultimo strato prima del materiale scelto per la pavimentazione (legno, materiale ceramico, pietra naturale, etc) e contribuisce alla solidità del pavimento stesso: bisogna dunque non solo applicarlo con cura ma anche e soprattutto scegliere la tipologia idonea al materiale e al cantiere.

As part of the ABK Group since 2015, Hardkoll is a chemical manufacturer qualified in the development and production of building solutions. Hardkoll aims to be a reliable partner able to supply complete systems for buildings.

Today, placing an order of Hardkoll products means:
- A wide range of products specifically developed on ABK collections, guaranteeing the best technical and aesthetic result
- One loading and one invoice together with ABK materials
- Transport costs convenience: Hardkoll products can be loaded together with ABK products at the same logistic warehouse
- Technical support
- Certified products for all laying solutions

BUILDING ADHESIVES

Building adhesives are a mix of chemicals or natural substances providing or promoting adhesion.
Adhesives strength is depending on 2 different features: internal (chemical composition and chemical properties of the substances) and external (weather conditions - damp/dry room – materials to glue – ceramics/quarry stones/wood-rest where materials have to be glued - screed/ carpet/ laminate – end use – floor/ wall, interiors/exterior). All these set out the chemical composition and the varieties. The different kind of binding materials are identified by an alphabetical letter and a progressive number, specifying the upgrading performance.

C1: cement glue (for absorbing ceramic materials).
C2: improved cement glue (for not absorbing ceramic materials).
F: fast glue (usually less than 30 minutes); used whenever and wherever fast action is required, even during winter in order to prevent the freezing of the water.
T: tixotropic glue, i.e. antigrip (used for big sizes or extra thick wallcoverings).
E: open extended time (maximum time limit to fix down the material after the adhesive film application).
S1: stretchy glue i.e. thermal and shock absorber .
S2: highly stretchy glue (improved S1 glue).

All these, can be mixed together, giving out several types in return.
Binding materials are the last layer before tiles and support the firmness of the floor itself: it is crucial to select the proper one and to apply them properly.

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

COLLANTI PER EDILIZIA / BUILDING ADHESIVES

Hardkoll consiglia: / Hardkoll suggests:



BAUFLEX: classificazione C2TE idoneo per la posa di qualsiasi formato di gres, anche in sovrapposizione di piastrelle preesistenti.
BAUFLEX: C2TE suggested for fine stone porcelainware, even for overlapping in case of existing floor.

BAUFLEX		
BIANCO/WHITE	AD200M	1,01/kg
GRIGIO/GREY	AD210M	0,99/kg

Per tutti i formati
For all sizes



BAUFLEX MAXI S1: classificazione C2TES1, grazie alla dimensione maggiorata del granella, è ideale per i materiali di spessore maggiorato da esterno (20 mm)
BAUFLEX MAXI S1: C2TES1 suggested for special thick materials for outdoors (20 mm)

BAUFLEX MAXI S1		
BIANCO/WHITE	AD260M	1,24/kg
GRIGIO/GREY	AD280M	1,18/kg

Per spessorati da esterno
For outdoor thick materials



+30: classificazione C2TES1, ideale per la posa di piastrelle ceramiche di grande formato e/o basso spessore: la sua formula permette una resa del 30% maggiore rispetto agli altri adesivi equivalenti.
+30: C2TES1: suggested for laying extra thin big ceramic slabs; the enriched formula allows a 30% better performance compared to other equivalent adhesives.

+30		
BIANCO/WHITE	AD330M	1,30/kg
GRIGIO/GREY	AD331M	1,18/kg

Per grandi formati e/o basso spessore
For extra thin big ceramics slabs



+30 FAST: classificazione C2FTES1, si tratta di un collante a presa rapida già calpestabile dopo 4 ore.
+30 FAST: Adhesive: C2FTES1 a fast adhesive ready already 4 hours after the first application.

+30 FAST		
BIANCO/WHITE	AD334M	1,41/kg
GRIGIO/GREY	AD335M	1,30/kg

Per grandi formati e/o basso spessore
For extra thin big ceramics slabs



+30 S2: classificazione C2TES2, ideale per la posa di piastrelle ceramiche di grande formato e/o basso spessore: la sua formula permette una resa del 30% maggiore rispetto agli altri adesivi equivalenti.
+30 S2: Adhesive C2TES2, for laying extra thin big ceramic slabs; the new formula allows a 30% better performance compared to other equivalent adhesives.

+30 S2		
BIANCO/WHITE	AD332M	1,53/kg
GRIGIO/GREY	AD333M	1,41/kg

Per grandi formati e/o basso spessore
For extra thin big ceramics slabs



BAULITE S2: classificazione C2TES2, grazie alla nanotecnologia utilizzata, con un sacco di 15 kg si riesce a posare lo stesso quantitativo di materiale rispetto ad un sacco tradizionale (25 kg).
BAULITE S2: C2TES2 thanks to the nanotechnology, a 15 kg bag ensures the same performance of a 25 kg bag.

BAULITE S2		
BIANCO/WHITE	AD340M	2,80/kg
GRIGIO/GREY	AD341M	2,58/kg



BAUPRIMERGRIP: primer che migliora l'adesione di adesivi, rasanti e autolivellanti cementizi su supporti difficili e poco assorbenti.
BAUPRIMERGRIP: primer improving the adhesion of adhesives, plasters and self-leveling on not absorbing supports.

BAUPRIMERGRIP		
	AT1212	10,87/kg

STUCCO PER FUGHE
Lo stucco è un sigillante riempitivo per fughe e può essere più o meno idrorepellente e a base o cementizia o epossidica.
CG2: a base cementizia migliorata, ad elevata resistenza all'abrasione e basso assorbimento di acqua.
RG: a base epossidica, ad elevata resistenza all'abrasione.
GROUT SEALANT
Grout is a joint filling seal and can be waterproof and cement or epoxy based.
CG2: improved cement based grout, abrasion resistant and water low absorption.
RG: high abrasion resistance and epoxy based.



KROMOS 08: ideale per fughe sottili, materiali rettificati; presenta una finitura particolarmente liscia.
KROMOS 08: smooth thin grout for rectified tiles.

KROMOS 08	
2,42	/kg



BAUNET: soluzione per la pulizia di piastrelle e giunti cementizi
BAUNET: cleaning solution for tiles and groutings

BAUNET		
5L	AT1302	3,00/kg
1L x 12	AT1301	4,05
1KG x 12	AP1301	10,98

Kromos 08 presenta oggi una nuova gamma di cromie sviluppate appositamente per i materiali ABK, assicurando così un'eccellente resa estetica.
Kromos 08 introduce a new colour range specifically developed for ABK products, ensuring an excellent final look

	BIANCO	KROMOS SI124B		ARDESIA	KROMOS SI152B		TORTORA	KROMOS SI153B
	GRIGIO LUCE	KROMOS SI120B		ANTRACITE	KROMOS SI122B		NOCCIOLA	KROMOS SI143B
	PERLA	KROMOS SI150B		NERO	KROMOS SI140B		AVANA	KROMOS SI154B
	MANHATTAN	KROMOS SI123B		AVORIO	KROMOS SI126B		TABACCO	KROMOS SI133B
	BETULLA	KROMOS SI151B		JASMIN	KROMOS SI125B		MARRONE	KROMOS SI134B
	CEMENTO	KROMOS SI121B		BAHAMA BEIGE	KROMOS SI129B		NOCE	KROMOS SI155B

IMPERMEABILIZZANTE
L'impermeabilizzante è una guaina che si posa sopra il massetto allo scopo di proteggerlo dall'acqua: per la sua stesura è necessario che il sottofondo sia perfettamente asciutto.
SEALING
Sealing is a film that has to be fixed on the concrete to protect it from water; it has to be used on backgrounds perfectly dried.



BAU720 (A+B): impermeabilizzante bicomponente, idoneo per l'impermeabilizzazione di terrazzi, balconi, box doccia, piscine.
BAU720 (A+B): Two-component waterproofing product, suitable for waterproofing terraces, balconies, showers, swimming pools.

BAU720 (A+B)		
GRIGIO 33 KG	PP100N	3,36/kg



Hidro 1K: impermeabilizzante monocomponente ad alta resa fibrorinforzato a base di leganti idraulici, inerti alleggeriti.
Hidro 1K: One-component, high-performance fiber-reinforced waterproofing product based on hydraulic binders, lightened aggregates.

HIDRO 1K		
GRIGIO 15 KG	PP210N	5,68/kg

index

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

COLLEZIONE COLLECTION		COLORE COLOUR	CODICE SIGILLANTE SEALANT CODE
ALPES	Lead		SI121B kromos cemento
ALPES RAW	Grey		SI150B kromos perla
	Ivory		SI120B kromos grigio luce
	Sand		SI120B kromos grigio luce
ATLANTIS	Grey		SI150B kromos perla
	Smoke		SI122B kromos antracite
	Sand		SI123B kromos manhattan
	Moon		SI120B kromos grigio luce
	Taupe		SI150B kromos perla
BLEND	Concrete Moon		SI120B kromos grigio luce
	Concrete Ash		SI150B kromos perla
	Concrete Grey		SI121B kromos cemento
	Concrete Iron		SI122B kromos antracite
	Dots Multiwhite		SI120B kromos grigio luce
	Dots Multiblack		SI140B kromos nero
	Dots Taupe		SI123B kromos manhattan
	Dots Grey		SI121B kromos cemento
CROSSROAD	White		SI124B kromos bianco
CHALK/WOOD	Sand		SI150B kromos perla
	Grey		SI150B kromos perla
	Smoke		SI152B kromos ardesia
	Coal		SI140B kromos nero
	Amber		SI143B kromos nocciola
	Tan		SI151B kromos betulla
DOCKS	Silver		SI150B kromos perla
	Grey		SI152B kromos ardesia
	Black		SI122B kromos antracite
	White		SI120B kromos grigio luce
	Bone		SI153B kromos tortora
	Warm		SI123B kromos manhattan
DOLPHIN	Grey		SI123B kromos manhattan
	Moon		SI123B kromos manhattan
	Milk		SI153B kromos tortora
	Coal		SI122B kromos antracite
	Oak		SI152B kromos ardesia
	Clay		SI154B kromos avana
DOWNTOWN	Ash		SI123B kromos manhattan
	Ecrú		SI153B kromos tortora
	Earth		SI121B kromos cemento
	Ivory		SI120B kromos grigio luce
	Graphite		SI122B kromos antracite

COLLEZIONE COLLECTION		COLORE COLOUR	CODICE SIGILLANTE SEALANT CODE
ECO CHIC	Almond		SI123B kromos manhattan
	Naturale		SI150B kromos perla
	Avana		SI150B kromos perla
	Brown		SI152B kromos ardesia
FOSSIL	Brown		SI123B kromos manhattan
	Beige		SI153B kromos tortora
	Light Grey		SI120B kromos grigio luce
	Cream		SI126B kromos avorio
	Blue		SI123B kromos manhattan
GHOST	Ivory		SI150B kromos perla
	Rope		SI150B kromos perla
	Grey		SI150B kromos perla
	Taupe		SI122B kromos antracite
	Sage		SI150B kromos perla
	Clay		SI150B kromos perla
	Jade		SI121B kromos cemento
INTERNO 9	Rust		SI152B kromos ardesia
	Silver		SI121B kromos cemento
	Dark		SI122B kromos antracite
	Pearl		SI120B kromos grigio luce
	Mud		SI121B kromos cemento
	Dune		SI123B kromos manhattan
LAB325	Pearl		SI150B kromos perla
	Ash		SI150B kromos perla
	Taupe		SI150B kromos perla
	Pepper		SI122B kromos antracite
NATIVE	Ebony		SI122B kromos antracite
	Forest		SI122B kromos antracite
	Ash		SI150B kromos perla
	Red		SI152B kromos ardesia
	Fog		SI152B kromos ardesia
NEST	Beige		SI150B kromos perla
	Oak		SI150B kromos perla
	Taupe		SI150B kromos perla
	Blue		SI121B kromos cemento
PETRAIA	Rosso		SI121B kromos cemento
	Rosso		SI122B kromos antracite
	Cotto		SI121B kromos cemento
	Ocra		SI121B kromos cemento
	Beige		SI129B kromos bahama beige
	Almond		SI129B kromos bahama beige

COLLEZIONE COLLECTION		COLORE COLOUR	CODICE SIGILLANTE SEALANT CODE
POETRY WOOD	Gold		SI150B kromos perla
	Ecrú		SI150B kromos perla
	Oak		SI152B kromos ardesia
	Mud		SI152B kromos ardesia
POETRY STONE	Piase Mud		SI150B kromos perla
	Piase Smoke		SI121B kromos cemento
	Piase Ash		SI150B kromos perla
	Pirenei Ecrú		SI123B kromos manhattan
	Pirenei Grey		SI150B kromos perla
	Trani Beige		SI123B kromos manhattan
	Trani Ice		SI120B kromos grigio luce
RE-WORK	Multi Fog		SI150B kromos perla
	Multi Beige		SI153B kromos tortora
SENSI SIGNORIA	Calacatta Vena Oro		SI120B kromos grigio luce
SENSI GEMS	Port Gold		SI140B kromos nero
SENSI UP	Roma Imperiale		SI121B kromos cemento
SENSI	Siena Grigio		SI150B kromos perla
	Lilac Grey		SI150B kromos perla
	Crystal		SI120B kromos grigio luce
	Taj Mahal		SI120B kromos grigio luce
	Iceberg		SI120B kromos grigio luce
	Titanium Black		SI140B kromos nero
	Statuario Apuano		SI124B kromos bianco
	Onice beige		SI120B kromos grigio luce
	Pietra Grey		SI140B kromos nero
	Statuario Ultra		SI124B kromos bianco
	Arabesque Silver		SI150B kromos perla
	Calacatta Gold		SI124B kromos bianco
	Sahara Cream		SI120B kromos grigio luce
	Invisible Pearl		SI150B kromos perla
	Breccia Melange		SI124B kromos bianco
	Statuario Versilia		SI124B kromos bianco
	Grand Antique		SI120B kromos grigio luce
	Marquina Select		SI140B kromos nero
	Calacatta Select		SI124B kromos bianco
	Statuario White		SI124B kromos bianco
	Calacatta Michelangelo		SI124B kromos bianco
	Statuario Light		SI124B kromos bianco

COLLEZIONE COLLECTION		COLORE COLOUR	CODICE SIGILLANTE SEALANT CODE
SOLERAS	Naturale		SI153B kromos tortora
	Beige		SI153B kromos tortora
	Avana		SI154B kromos avana
	Bianco		SI120B kromos grigio luce
	Grigio		SI123B kromos manhattan
	Antracite		SI152B kromos ardesia
UNIKA	Cream		SI120B kromos grigio luce
	Ecrú		SI123B kromos manhattan
	Bronze		SI121B kromos cemento
	Grey		SI150B kromos perla
	Smoke		SI152B kromos ardesia

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

WIDE	317
AUTOLEVELING	322
CONSIGLI DI POSA E PULIZIA / INSTALLATION AND CLEANING ADVICE	323
CARATTERISTICHE TECNICHE / TECHNICAL CHARACTERISTICS	326
ECOSOSTENIBILITA' E CERTIFICAZIONI / ECO-SUSTAINABILITY AND CERTIFICATIONS	329
GUIDA ALLA CONSULTAZIONE / CONSULTATION GUIDE	329
CONDIZIONI GENERALI DI VENDITA / GENERAL SALES TERMS AND CONDITIONS	330
IMBALLI / PACKAGING	333

WIDE

SUPERSIZE SLABS

CERAMIC R-EVOLUTION

Il progetto WIDE ABK parte dalla rivoluzionaria tecnologia produttiva CONTINUA+, che permette di produrre lastre in gres porcellanato robuste e leggere allo stesso tempo, grazie allo spessore ridotto di 6 fino alla dimensione record di 160x320 cm. Il nuovo sistema di pressatura prevede la compattazione a secco delle materie prime e consente di ottenere superfici particolarmente apprezzabili sia per la qualità estetica che per le performance tecniche.

ABK's WIDE collection consists of tough yet lightweight porcelain slabs with a thickness of just 6 and a record size of 160x320 cm produced using the revolutionary CONTINUA+ technology. The new pressing system involves dry compaction of raw materials and is able to produce surfaces that combine excellent aesthetic quality with outstanding technical performance.

WIDE & STRONG
WIDE è perfettamente idoneo sia per il rivestimento che per la pavimentazione, in ambito residenziale e commerciale. Lo spessore 6 mm consente di mantenere un'ottima resistenza al carico di rottura reale.

WIDE is ideal as both a floor and wall covering in residential and commercial projects. The 6 mm thickness enables it to maintain excellent breaking strength in real situations.

LITE GOES WIDE
Lo spessore 6 mm consente di ridurre il peso per mq con interessanti vantaggi in termini di maneggevolezza e movimentazione.

The 6 thickness results in a reduced weight per square metre, bringing significant advantages in terms of ease of working and handling.

WIDE IS LEVELING
La combinazione fra impasto ad elevata plasticità, spessore e grande dimensione, dona particolare elasticità al prodotto, per ottenere risultati di posa sempre impeccabili.

The combination of a body with high plasticity, thickness and dimensions makes for a highly elastic product that delivers consistently flawless results.

EASY AS WIDE
La formulazione dell'impasto, unita alla compattazione a secco e alla cottura in forni di nuova concezione, genera un gres particolarmente facile da tagliare e lavorare.

The chemical formulation of the body combined with the raw material dry compaction process produces a porcelain slab that is easy to cut and work with.

WIDE MEANS GREEN
L'impasto contiene il 40% minimo di materie prime di qualità recuperate da altri processi produttivi, per questo i prodotti WIDE possono essere accreditati all'interno del sistema internazionale LEED.

As the body contains a minimum of 40% high-quality raw materials recycled from other production processes, WIDE collection products qualify for LEED international certification.

PESO
WEIGHT

ABK 8,5 mm = 20,0 Kg x mq
ABK 6 mm = 14,5 Kg x mq

indicatore di flessibilità flexibility index	deflessione massima sotto carico di 350 N maximum deflection under load of 350 N	lato/length 2400 mm	> 50 mm
		lato/length 2800 mm	> 70 mm
		lato/length 3200 mm	> 100 mm

NEW DIMENSIONS

Uno degli obiettivi del progetto WIDE è quello di fornire un materiale ceramico tecnologicamente avanzato facilmente utilizzabile in contesti anche molto diversi, per dimensione e per destinazione d'uso. WIDE è un vero e proprio programma di formati, tutti rettificati, pensati per coprire a 360° le esigenze legate alla progettazione, a partire dagli spazi residenziali, fino alle grandi opere in ambito pubblico e commerciale.

One of the aims of the WIDE project is to supply a hi-tech ceramic material that is easy to use in very different sizes and applications. WIDE comes in a large selection of sizes, all rectified, ideal for uses ranging from residential through to large-scale works in public and commercial spaces.

EVERYWHERE YOU LIKE

Tenendo conto delle principali qualità del materiale, tra cui la robustezza, la resistenza agli sbalzi termici, oltre allo spessore contenuto e alla facilità di lavorazione, le grandi lastre WIDE ampliano la destinazione d'uso del gres porcellanato. Sempre meno fughe e sempre più spazio alla creatività di progettisti e interior designers, che grazie ai prodotti WIDE possono apprezzare la versatilità di una ceramica senza più confini.

Taking account of the material's key qualities, including strength, thermal shock resistance, low thickness and ease of working, the WIDE large-size slabs extend the fields of use of porcelain. The WIDE collection has fewer joints while giving enormous creative freedom to architects and interior designers, who appreciate the versatility of this ceramic surface without limits.

PAVIMENTI INTERNI
INDOOR FLOORS

RIVESTIMENTI INTERNI
INDOOR WALLS

FACCIADE ESTERNE
INCOLLATE E VENTILATE
GLUED AND VENTILATED
EXTERIOR FAÇADES

PAVIMENTI AREE ESTERNE
OUTDOOR FLOORS

PIANI LAVORO CUCINE
KITCHEN COUNTERTOPS

TOP E FINITURE PER
AMBIENTI BAGNO
BATHROOM VANITY TOPS
AND SHELVES

ELEMENTI DI ARREDO E
DESIGN PER INTERNI
INTERIOR FURNISHING
AND DESIGN ELEMENTS

STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

WIDE

SUPERSIZE SLABS

POSA MOVIMENTAZIONE DELLE LASTRE

Durante le verifiche preliminari sul cantiere è opportuno accertare anche la possibilità di movimentare facilmente le lastre all'interno dei locali di posa. Tutti i formati che superano i 100 cm sia di lunghezza che di larghezza devono essere maneggiati da 2 posatori. Per una corretta gestione delle lastre, a partire dalla fase di apertura degli imballi, è necessario avvalersi di dispositivi idonei per la movimentazione. Per la movimentazione manuale e la successiva posa in opera delle lastre WIDE 160x320, al fine di garantire la sicurezza per gli operatori e l'integrità del materiale, è vivamente consigliato l'utilizzo di barre di movimentazione con ventose. 1 Per gli altri formati WIDE inferiori può essere sufficiente l'utilizzo delle sole ventose. 2 Gli appositi carrelli di movimentazione sono ideali sul cantiere come "magazzino" per una o più lastre, oltre che per effettuare in totale sicurezza l'operazione di spalmatura dell'adesivo sul retro della lastra. 3

LAYING HANDLING THE SLABS

When performing a preparatory inspection of the site, it is important to check whether the slabs can be handled easily in the installation area. All sizes in excess of 100 cm in either direction must be handled by 2 installers. Always use proper handling equipment to handle the slabs, from unpacking onwards. When handling and laying WIDE 160x320 cm slabs by hand, use handling bars with suction cups to safeguard both the material and the installers themselves. 1 For smaller WIDE sizes, it may be sufficient to use just suction cups. 2 Handling carts are ideally suited for holding slabs on site as well as for applying the adhesive to the back of the slab in total safety. 3




TAGLIO DELLE LASTRE

È opportuno effettuare le operazioni di taglio su una superficie piana, stabile e planare. È consigliato l'utilizzo di guide da taglio professionali con carrello incisore. 4 Una volta rimossa la lastra dall'imballo e posizionata sul piano di lavoro segnare alle due estremità la dimensione da asportare. Posizionare e bloccare la guida di taglio, tenendo conto della distanza del disco di taglio. 5 Incidere le estremità della lastra per circa 5 cm spingendo il carrello di incisione dall'interno verso l'esterno, procedere poi con l'incisione della lastra avendo cura di esercitare una pressione ed un avanzamento del carrello costanti per tutta la lunghezza del taglio. Traslare la lastra in modo da portare la linea di incisione al di fuori del piano di lavoro di circa 5/10 cm. Rimuovere la guida di incisione ed iniziare l'operazione di troncatura posizionando l'apposita pinza in corrispondenza della linea incisa; esercitare una pressione leggera e progressiva verso il basso. Quest'operazione risulterà molto semplice in quanto i prodotti Wide sono privi di tensionature e per questo facilmente lavorabili. 6 A questo punto si può procedere con la finitura, che dovrà essere effettuata utilizzando gli appositi tamponi diamantati o in alternativa mediante dischi resinosi abrasivi. 7/8

CUTTING THE SLABS

We recommend cutting the slabs on a flat, stable surface (table). Use professional cutting guides with a cutting slide. 4 Remove the slab from its packaging and place it on the table, then mark the cut at both ends. Locate and lock the cutting guide (make sure to account for the cutting disk offset). 5 Cut the ends of the slab by pushing the slide about 5 cm from the interior to the edge of the slab, then cut the slab in a single smooth, even stroke at constant pressure. Slide the slab so that the cut line is about 5 to 10 cm beyond the edge of the table. Remove the cutting guide and shear off the excess material with the clamp located at the cut line; exert gradual, light pressure downwards. This is made particularly easy by the fact that Wide products have no tensioning and are thus easy to work. 6 You can now finish the slab using diamond pads or abrasive resin disks. 7/8




TAGLI A L/SCASSI/ FORI RETTANGOLARI

Una volta tracciata sulla lastra la porzione da asportare è opportuno eseguire, in corrispondenza del punto di congiunzione delle linee, fori di diametro 6/8 mm con foretti diamantati a umido o a secco. 9 Congiungere poi i fori mediante una smerigliatrice angolare equipaggiata con disco diamantato (diametro max. 125 mm) 10

CUTS L CUTS / RECESSED CUTS / RECTANGULAR HOLES

Once you have marked the cut on the slab, drill through the corners of the cut with a dry or wet 6 or 8 mm diamond bit. 9 Now join up the holes with an angle grinder fitted with a diamond disk (maximum dia. 125 mm) 10



WIDE

SUPERSIZE SLABS

INCOLLAGGIO

Le lastre WIDE richiedono l'utilizzo della tecnica a doppia spalmatura, ovvero il collante dev'essere applicato sia sul fondo di posa che sul retro della lastra. 11 Si consiglia l'utilizzo di adesivo in polvere a base cementizia a letto pieno di classe C2F (E) S1 /S2 come Baulite S2 di Hardkoll. 12 Assicurarsi che la superficie da rivestire sia consistente, planare, priva di polvere e di unti/grassi, così come è bene rimuovere le polveri che possono trovarsi a contatto delle lastre. Stendere il collante sulla superficie da rivestire con spatola a denti inclinati con dente minimo di 8mm con movimenti lineari e mai circolari. Stendere il collante sul retro della lastra con spatola dentata mai inferiore a 5 mm (tenendo conto che la somma delle spatole utilizzate per sottofondo e lastra dev'essere compresa fra i 13 e i 14mm). Per garantire la perfetta posa dei prodotti WIDE occorre far defluire per vibrazione le bolle d'aria che si possono formare fra la lastra e l'adesivo fino a ottenere il "letto pieno" di collante. Per fare ciò è consigliabile avvalersi di un battitore manuale in gomma oppure utilizzare gli appositi dispositivi elettrici batti-piastrelle. 13/14 In relazione al grande formato è consigliato l'utilizzo di distanziali livellanti facendo attenzione che lo strato di adesivo fra lastra e massetto sia almeno di 4 mm, per evitare interruzioni nella massa adesiva. 15/16 La fuga minima consigliata, in relazione alla posizione dei giunti di dilatazione, è di 2 mm. Nel caso di pareti e pavimenti a contatto, da posare entrambi con lastre ceramiche, è indispensabile rispettare questa larghezza minima per garantire un perfetto risultato nel tempo. A rivestimento è possibile realizzare fughe inferiori in base alle opportune verifiche tecniche da effettuarsi sul cantiere. Le fughe dovranno essere riempite per almeno i 2/3 dello spessore con l'apposito sigillante, pertanto occorre prestare attenzione all'eventuale presenza di residui di adesivo all'interno.

GLUING

WIDE slabs must be back-buttered; in other words, the adhesive must be applied both to the substrate and the back of the slab. 11 We recommend using a cement-based full bonding powder adhesive, Class C2F (E) S1/S2, such as Hardkoll Baulite S2. 12 Make sure the surface is stable, flat, clear of grease and dust, and also wipe off any dust on the back of the slab. Apply the adhesive to the surface with an angled tooth trowel (at least 8 mm), in a linear motion (never in circles). Apply the adhesive to the back of the slab with a toothed trowel (at least 5 mm); note that the sum of the trowel sizes used for the slab and substrate must be 13 - 14 mm. To ensure perfect installation of WIDE products, use vibration to eliminate any bubbles between the slab and the adhesive to obtain a full bonding effect. Use either a rubber mallet or electric tile vibrator for this purpose. 13/14 When installing large sizes, we recommend using levelling spacers; the layer of adhesive between the slab and the substrate must be at least 4 mm thick to ensure continuity. 15/16 The expansion joint between slabs should be at least 2 mm wide. For contact walls and floors, both installed with ceramic slabs, this minimum dimension must be used to ensure a long-lasting result. A smaller joint width is possible when installing walls, following technical inspection on site. The joints must be filled to at least 2/3 of their depth with sealant; take care to remove all adhesive from the joint first.



Indicazioni tecniche sviluppate in collaborazione con Assoposa. Technical instructions developed in collaboration with Assoposa.



index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

LOGISTICA NUOVI SISTEMI DI IMBALLO

L'innovazione della gamma WIDE si esprime anche attraverso la parte logistica del progetto. ABK Group rivoluziona il sistema di imballaggio delle lastre ed è a oggi l'unica azienda che ha portato il sistema a cavalletto impilabile alla dimensione di cm 75x284x147,5 (lastre 120x280), 75x168x109 (lastre 80x160) e 75x26x200 (lastre 26x200). Questi i principali vantaggi offerti:

- essendo impilabile permette di ottimizzare gli spazi all'interno dei magazzini.*
- la profondità di 75 cm consente di sfruttare a pieno il volume di carico dei container (3 pallets ne occupano perfettamente la larghezza).
- Il posizionamento verticale del prodotto garantisce una maggiore protezione delle lastre durante le fasi di trasporto.
- facilita le operazioni sul cantiere in quanto le lastre si trovano già posizionate in verticale, il materiale è facilmente ispezionabile e removibile per l'installazione.
- le dimensioni complessive del cavalletto consentono maggiori spazi di manovra all'interno dei locali di posa rispetto alle casse tradizionali e agevolano il sollevamento del materiale mediante mezzi meccanici (gru-montacarichi).

è caratterizzato da un sistema di regettatura che consente di liberare anche 1 solo collo alla volta, senza compromettere la stabilità del materiale che rimane sul pallet, evitando così il rischio di rotture. Le lastre dovranno essere liberate rispettando la sequenza opposta rispetto a quella con cui sono state confezionate, quindi iniziando dall'ultimo collo regettato.

LOGISTICS NEW PACKAGING SYSTEMS

Innovation in the WIDE range is also reflected in the project's logistics. ABK Group has revolutionised the packaging of ceramic slabs and is the only company to have expanded the stacking rack pallet system to the 75x284x147,5 (slabs 120x280), 75x168x109 (slabs 80x160) e 75x26x200 (slabs 26x200) cm size. This has the following advantages:

- stacking optimises the use of space in warehouses.*
- the 75 cm depth enables full use of container load space (3 pallets fit perfectly side by side). The vertical positioning of the product better protects the slabs during shipping.
- it facilitates work on site, since the slabs are already positioned vertically, making the material easy to inspect and remove for installation.
- the overall size of the rack pallet provides greater space for manoeuvring in the installation area in comparison with conventional crates, and also makes it easier to lift the slabs mechanically (with a crane or lift).
- the rack pallet system employs strapping which allows the user to remove a single package at a time without affecting the stability of the other packages on the pallet, thus minimising the risk of breakage. The slabs must be released from the packaging by reversing the packaging sequence, i.e. starting with the last package to have been strapped on.

Cavalletto impilabile
Stackable Rack pallet

Formati Size:
120x280
80x160
26x200

Modalità di trasporto consigliata per ottenere la massima visibilità.

Recommended transport system for maximum visibility.

*Esempio di sovrapposizione del rack pallet con il formato 80x160.

*Example of stacked rack pallets with the 80x160 cm size.

Carico su Camion
Truck loading

Forche corte
Short Forks

Carico su Container
Container loading

Forche lunghe
Long Forks

Cassa
Crate
Impilabile Stackable

Ingombro Size 174x345x27,5
(160x320 RETT/LUX)
€ 220,00

Ingombro Size 144x291x34
(120x280 LUX)
€ 150,00

Ingombro Size 144x291x24
(120x280)
€ 90,00
quantità massima 5 lastre
maximum quantity 5 slabs

Cavalletto
Rack pallet
Impilabile Stackable

Ingombro Size 75x284x147,5
(120x280 RETT)
€ 200,00

Ingombro Size 75x168x109
(80x160 RETT)
€ 120,00

Ingombro Size 75x50x200
(26x200 RETT)
€ 60,00

Cavalletto per containers
Rack pallet for containers
Non impilabile Not stackable

Ingombro Size 75x330x201
(160x320 RETT/LUX)
€ 335,00

Ingombro Size 75x288x161
(120x280 RETT/LUX)
€ 295,00

Ingombro Size 75x130x149
(120x120 RETT./LUX)

Pallet con sponde
Pallet with sides
Impilabile Stackable

Ingombro Size 122x143x70
(120x120 LUX)
€ 40,00

Ingombro Size 99x162x70
(80x160 LUX)
€ 70,00

PALLET PER ORDINI AL VENDUTO
PICKING ORDER PALLET

Ingombro Size 80x130x60
(60x120 30x120 80x80)
VERTICALE/VERTICAL
€ 40,00

Ingombro Size 80x130x120
(120x120) VERTICALE/VERTICAL
€ 40,00

Ingombro Size 34x217x37
(26x200 RETT)

Su richiesta imballo standard con scatole orizzontali senza addebito.
Standard packaging with laying boxes possible without charges.

IMBALLI / PACKAGING 12 MM

Cassa
Crate
Ingombro Size 174x345x27,5
(163,5x323)
€ 220,00

Cavalletto container legno A - frame
Container Rack pallet wood A - frame
Ingombro Size 75x330x201
(163,5x323)
€ 335,00

Cavalletto container metallo A - frame
Container Rack pallet metal A - frame
Ingombro Size 75x330x201
(163,5x323)
€ 515,00

Legaccio
Bundle
Non impilabile Not stackable
Ingombro Size 54x330x223
€ 240,00 6 mm
€ 210,00 12 mm
€ 240,00 20 mm

index


STONE	POETRY STONE ATLANTIS NATIVE ALPES WIDE - ALPES RAW MONOLITH UNIKA RE-WORK FOSSIL
MARBLE	SENSI SIGNORIA SENSI GEMS SENSI UP SENSI
CONCRETE	BLEND GHOST LAB325 CROSSROAD CHALK DOWNTOWN DOCKS LEVEL
METAL	INTERNO 9 WIDE - INTERNO 9
WOOD	POETRY WOOD ECO CHIC NEST CROSSROAD WOOD DOLPHIN SOLERAS
RUSTIC	PETRAIA
DECOR & WALL	POETRY DECOR WIDE&STYLE MINI PLAY CROSSROAD BRICK DO UP CHROME
OUT.20 20MM	BLEND - POETRY STONE - LAB325 GENT - ATLANTIS - GHOST NATIVE - POETRY WOOD - ECO CHIC DOLPHIN - SOLERAS
OUT.30 30MM	LAB325 TRENTO
HARDKOLL	COLLANTI E SIGILLANTI
TECH	INFORMAZIONI TECNICHE

CARATTERISTICHE

Auto-Leveling garantisce la massima facilità di posa ai listoni di grande formato. La tecnologia si basa sull'impiego di impasti a base di materie prime per loro natura altamente stabili e resistenti, ma al tempo stesso ad elevata plasticità, che conferiscono a questa tipologia di prodotti qualità uniche. Il materiale ottenuto, caratterizzato da un minimo grado di convessità, aderisce perfettamente al massetto. Una volta posata, la piastrella si auto-livella, mantenendo una perfetta planarità. La tecnologia Auto-Leveling si applica alle lastre ceramiche nei formati 20x170, 40x170 cm (sp8,5mm) e 26x200 cm (sp7mm).

CHARACTERISTICS

Auto-Leveling guarantees the maximum ease of installation for large-format planks. The technology uses raw materials that combine stability and strength with high plasticity, giving unique qualities to this type of product. The resultant tiles have a small degree of convexity and bond perfectly to the screed. Once installed, the tiles self-level and maintain perfect flatness. Auto-Leveling technology is used for ceramic tiles in sizes 20x170 cm, 40x170 cm (thickness 8,5mm) and 26x200 cm (sp7mm).



Lastre prodotte con materie prime ad elevata plasticità, resistenti ma flessibili.

Ceramic slabs manufactured with highly plastic raw materials, strong and flexible at the same time.

Appoggiate su qualsiasi superficie, anche non perfettamente planare, le lastre si auto-livellano.

Laid on the screed they self-level, even if the surface is not perfectly flat.

Il prodotto auto-leveling agevola la posa tradizionale, si monta senza distanziali livellanti, seguendo qualsiasi schema di posa.

Auto-leveling tiles help the traditional fixing, every installation pattern can be achieved, without leveling spacers.

indicatore di flessibilità flexibility index	deflessione massima sotto carico di 350 N maximum deflection under load of 350 N	lato/length 1200 mm lato/length 1700 mm lato/length 2000 mm	> 20 mm > 30 mm > 50 mm
---	---	---	-------------------------------

AVVERTENZE DI POSA E PULIZIA DECORI

IMPORTANTE: ATTENERSI SEMPRE ALLE INDICAZIONI CONTENUTE NELLE CONFEZIONI.

FASCIA ARDESIA BRONZO / ARDESIA GRIGIO 4x30 cm

Componente pietra naturale: lamina di Ardesia naturale proveniente dall'India, ottenuta attraverso l'uso di tecniche molto particolari ed esclusive. Componente supporto: la pietra è supportata dalla magnesite in lastre che è un inerte, perfettamente stabile, ignifugo, inattaccabile da muffe e funghi e resistente a tutti gli acidi di uso domestico. Posa in opera e stuccatura: si possono usare le normali colle ceramiche da mosaico, utilizzando la tecnica della doppia spalmatura. Per la stuccatura usare esclusivamente stucchi epossidici, avendo cura di rimuovere l'eccedenza prima della completa essiccazione. La manutenzione e la pulizia vanno fatte utilizzando i normali prodotti per il marmo / pietre naturali reperibili sul mercato, evitando i prodotti abrasivi.

FASCIA ESSENZE MIX 5x30 cm / LIST. WOOD 5x40 cm

Componente legno: si tratta di tavole e travature in legno che vengono recuperate dalla demolizione di vecchi sottoetti, oppure da vecchie stalle, fienili, ricoveri attrezzi, ecc. E' materiale che proviene dalle zone prealpine del Trentino Alto Adige di età stimata non inferiore ad un centinaio di anni. Componente ceramica: ogni pezzo è stato lavorato manualmente sia come finitura del supporto che come smaltatura. Per queste ragioni ogni pezzo può variare di tono e/o di finitura.

Componente supporto: il legno è stato supportato con la magnesite in lastre. Un materiale inerte, perfettamente stabile, ignifugo, inattaccabile da muffe e funghi e resistente a tutti gli acidi di uso domestico. Posa in opera: si possono usare le normali colle ceramiche da mosaico, reperibili sul mercato. Si raccomanda la tecnica della doppia spalmatura come in uso per la posa dei mosaici.

Stuccatura: si consiglia di proteggere la componente legno con del nastro-carta in modo da preservare la struttura del legno scavalato dal tempo e di rimuovere il nastro solo a stuccatura perfettamente essicata. Usare esclusivamente stucchi epossidici. Manutenzione e pulizia: il legno è verniciato ad acqua e rifinito con cere naturali. Successivamente è trattato con una soluzione idrorepellente incolore. Per la pulizia e la manutenzione sono utilizzabili i normali prodotti per il legno reperibili sul mercato adatti alla finitura sopra descritta. Per la ceramica sono consigliati i normali prodotti in commercio, evitando quelli abrasivi.

MATITE ALLUMINIO 0,5x120 cm

Articolo in Alluminio puro certificato e decorato con resine acriliche applicate manualmente o con bagno galvanico. Lievi differenze di tono e/o finitura sono caratteristiche del prodotto realizzato a mano.

POSA: utilizzare colle poliuretatiche o epossidiche. Durante la posa è necessario limitare il più possibile il contatto tra la colla e la parte superficiale della matita. Eventualmente pulire prontamente con acqua e spugna morbida l'eccesso di colla che va sulla parte in vista. Prestare attenzione durante la fase di stuccatura e pulire subito con acqua e spugna morbida.

PULIZIA: si consiglia l'uso di un panno morbido con acqua e sapone neutro, alcool o detergenti neutri per la casa (non acidi o basici).

NOTA: non utilizzare in nessun caso (posa, stuccatura e pulizia) prodotti abrasivi, acidi o basici, acetone, solventi e diluenti. Non applicare sulla parte decorata Scotch, nastri adesivi o simili.

CONSIGLI DI POSA E PULIZIA

AVVERTENZE GENERALI

Indipendentemente dal tipo di prodotto e formato scelto, prima di procedere con la posa è opportuno fare una verifica sul cantiere per valutare le condizioni dei sottofondi. La posa richiede le migliori condizioni del sottofondo. Che dovrà sempre essere:

- asciutto e stagionato
- planare e privo di fessurazioni
- pulito, libero da polvere detriti o grumi di cemento
- compatto e resistente

La perfetta riuscita di un pavimento o di un rivestimento è il frutto della combinazione di molteplici fattori; per ottenere il migliore effetto estetico nella posa è opportuno ricordare che i prodotti ABK Group prevedono un numero variabile di pattern grafici, la cui successione all'interno delle scatole avviene in modo del tutto casuale.

POSA DEI PRODOTTI RETTIFICATI

Per raggiungere un effetto ottimale ABK suggerisce di mantenere almeno 1 o 2 mm di fuga per una posa mono-formato e 2 mm per combinare formati misti nelle pose modulari suggerite dai cataloghi.

POSA DEI PRODOTTI NON RETTIFICATI

L'alto grado di greificazione delle piastrelle ABK comporta modeste tolleranze di calibro, per tanto nella posa dei prodotti a bordo naturale è consigliabile lasciare una fuga di almeno 3 mm fra le piastrelle.


OPERAZIONI PRELIMINARI

Una volta scelto il materiale da posare, coerentemente con i requisiti tecnici, lo stile e la destinazione d'uso degli ambienti, è bene seguire alcune raccomandazioni prima di procedere con l'installazione:

- stendere a terra almeno 3mq di prodotto per controllare l'effetto d'insieme, avendo cura di verificarne accuratamente calibro, tonalità e scelta.
- Specie nel caso di prodotti con elevata variabilità grafica, è bene posare il materiale attingendo da più scatole, le variazioni grafiche e cromatiche del prodotto sono una caratteristica qualificante che l'abilità del posatore può valorizzare, al contrario un prodotto posato senza tenerne conto può risultare esteticamente poco gradevole.
- È opportuno evitare di segnare la parte superiore delle piastrelle con matite o pennarelli e dedicare particolare attenzione ai prodotti lucidi, patinati o lappati che dovranno essere coperti durante i lavori di cantiere.
- Attendere 48/72 ore prima di sottoporre il pavimento al normale transito.

La posa senza fuga, soprattutto nei grandi formati è fortemente sconsigliata dai maggiori produttori di collante per i seguenti motivi:
Difficoltà di assorbimento di eventuali movimenti strutturali in assenza di elementi comprimibili
Diverso comportamento dilatometrico fra piastrelle e massetto, in presenza di elevate escursioni termiche
Difficoltà di realizzazione di una duratura ed efficace stuccatura
Abk sconsiglia assolutamente pose senza fuga, per le quali si declina ogni responsabilità.

Durante le operazioni di posa, nel caso venga scelto uno schema sfalsato, evitare di far coincidere i vertici di una piastrella con la metà delle altre a fianco.
Soltanto i prodotti AUTO-LEVELING si prestano ad essere posati seguendo liberamente ogni schema di posa.



STUCCATURA

- 1) Qualora non si utilizzasse la boiacca composta da cemento e sabbia, si consiglia di utilizzare colori di stucco su tono (possibilmente non utilizzare su materiali di colore chiaro stucchi di colore scuro, tipo nero, blu, rosso) e di verificare la compatibilità dei riempitivi per fughe con il prodotto ceramico.
- 2) Riempire le fughe con gli stucchi solo quando il pavimento è calpestabile, togliendo preventivamente dalle fughe ogni tipo di residuo.
- 3) Eseguire la stuccatura a "regola d'arte", seguendo le indicazioni del progettista, del responsabile di cantiere e del capitolato di posa.
- 4) Stuccare piccole superfici per volta (4/5 mq) e asportare le quantità eccedenti con spugne o stracci umidi (di sola acqua pulita).
- 5) Stucchi cementizi non additivati: seguire attentamente le indicazioni dei fabbricanti, a fine giornata pulire i residui di posa con spugna appena bagnata.
- 6) Stucchi epossidici o additivati (con lattici, ecc.): seguire attentamente le indicazioni dei fabbricanti, perché il loro rapido indurimento può richiedere pulizie molto laboriose, specialmente se la superficie delle piastrelle è antiscivolo, ruvida o strutturata.

INSTALLATION AND CLEANING ADVICE

GENERAL WARNINGS

Regardless of the chosen product type or size, an on-site inspection should be carried out prior to installation to assess the conditions of the substrates. Perfect substrate conditions are essential for a successful installation. Substrates must be:

- dry and properly cured
- flat and free of cracks
- clean and free of dust, debris or lumps of cement
- compact and strong

The success of a floor or wall tile installation is the result of a combination of multiple factors; to achieve the best possible aesthetic effect in installation, remember that ABK Group products come in a variable number of graphic patterns packed in boxes in a completely random sequence.

INSTALLATION OF RECTIFIED-EDGED TILES

For optimal results, ABK recommends allowing a joint of at least 1 or 2 mm when laying some-sized tiles and 2 mm for different-sized tiles laid using the modular systems described in the catalogues.

INSTALLATION OF NON-RECTIFIED TILES


The high degree of vitrification of ABK tiles means dimensional tolerances are low. Therefore, when laying tiles with natural press-formed edges, at least a 3mm joint should be allowed between each tile.

PRELIMINARY OPERATIONS

It is advisable to follow some recommendations before proceeding with the installation of the selected tiling material, which should be carried out in compliance with the technical requirements, style and intended application:
-Place some tiles (at least 3 m²) over the flooring surface to check the final effect, making sure you have the right tile size, shade, and quality class.
-In the case of products whose graphics tend to differ considerably from one tile to the next, it is advisable to take the tiles from different boxes and mix them. The graphic and colour variations of the tiles are an important feature which can be enhanced by a skilled tile layer. Overlooking such features, on the contrary, may lead to poor aesthetic results.
-Avoid marking the front of the tiles with pencils or markers. Be particularly careful with glossy, matt or lapped tiles, which should be kept covered during building work.
-Wait 48/72 hours before walking over the newly laid tiles.

Jointless tile installation, particularly in the case of large-size tiles, is strongly advised against by most adhesive manufacturers for the following reasons:
Any structural adjustments may not be absorbed due to the lack of compressible material.
Wide temperature ranges may cause expansion effects between the tile and screed.
Effective, durable grout joints may be difficult to achieve.
ABK strongly advises against jointless tile installation and cannot be held liable for any damage deriving therefrom.

When laying tiles in a staggered pattern, make sure there are no tiles positioned with the corner coinciding with the centre of the adjacent tiles.
Only AUTO-LEVELING products are suitable for all installation patterns.



GROUTING

- 1) Should a grout made of cement and sand not be used, it is recommended to use shade-on-shade grouts (do not use dark grouts, such as black, blue or red, on bright materials) and to verify the compatibility of the grouts with the ceramic tile.
- 2) Fill the grout lines with the grout only when the floor has sufficiently set to be ready to tread on, removing any residue from the grout lines.
- 3) Carry out a state-of-the-art grouting following the layer and technician's instructions and the technical specifications.
- 4) Grout small areas of the surface at a time (4ms to 5ms) and remove excess grout with a sponge or a wet cloth (with clean water).
- 5) Non-added cement grouts: follow the manufacturer's instructions carefully and at the end of the working day clean the surface with a slightly damp sponge.
- 6) Epoxy grouts or added grouts (with latex, etc): follow the manufacturer's instructions to the letter as rapid hardening can lead to difficult cleaning operations, especially in case of anti-slip, rough or textured tiles.

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

LAVAGGIO DOPO LA POSA

Il lavaggio dopo la posa è una fase di fondamentale importanza per tutti gli interventi successivi e per la manutenzione.

La pulizia di fine cantiere fatta con prodotti a base acida tamponati, quali ad esempio Deterdek di Fila o Cement Remover di Faber etc. va eseguita una sola volta e presenta l'ulteriore vantaggio di conferire uniformità cromatica alla superficie.

Con il lavaggio acido dopo la posa si eliminano i residui di posa e il normale sporco di cantiere come: malta, colla, pittura, sporco da cantiere di varia natura. E' bene sapere che oltre il 90% delle contestazioni in cantiere è dovuto ad un cattivo, o addirittura inesistente, lavaggio con detergente acido dopo posa. Per evitare che un prodotto a base acida usato per la prima pulizia vada ad intaccare il riempimento a base cementizia delle fughe, è necessario, prima dell'operazione di pulizia, bagnare il pavimento affinché le fughe vengano impregnate e pertanto protette dall'azione corrosiva dell'acido stesso.

E' opportuno:

- Togliere con appositi detergenti a base alcalina sostanze grasse o simili
- Procedere al lavaggio dopo la posa
- Risciacquare abbondantemente il pavimento, raccogliendo l'acqua residua.
- La pulizia si esegue dopo 4-5 giorni dalla stuccatura (lo stucco deve indurire) e non oltre i 10 giorni, oltre questi tempi la pulizia può diventare molto più laboriosa; attenersi scrupolosamente ai consigli riportati dal produttore di detergenti.

Fare sempre test preventivi (su una piastrella non posata), in particolare per prodotti lappati o levigati.

PULIZIA E MANUTENZIONE MANUTENZIONE ORDINARIA

Si consiglia l'utilizzo di un comune detergente neutro diluito in acqua calda. Evitare l'utilizzo di prodotti acidi, alcalini, ceranti e/o impregnanti.

Nella pulizia ordinaria occorre limitare al massimo l'uso di mezzi abrasivi (ad esempio: paglietta di metallo, spugnette di ferro o acciai). Questa precauzione diventa un obbligo nel caso di piastrelle con superficie lucida, più esposte ad effetti visibili di scalfitture, graffi...

In caso di sporchi più intensi o di superfici particolarmente strutturate, usare un detergente a base alcalina risciacquando al termine del lavaggio.

Nella pratica quotidiana occorre considerare che certi tipi di sporco (polvere, sabbia) aumentano l'effetto abrasivo del traffico pedonale. Cercare quindi di prevenire la presenza di questa tipologia di sporco dall'esterno, predisponendo l'utilizzo di zerbino o stuoio all'ingresso.

RIMOZIONE DI PATINE LUCIDE

Nei normali detergenti in commercio sono a volte contenute cere o additivi lucidanti che, lavaggio dopo lavaggio, depositano sul pavimento patine lucide, causa di noiose alonature. Patine di questo tipo possono essere depositate anche da alcuni stucchi per le fughe. Semplici alimenti come Coca Cola, vino, acqua, etc., cadendo sul pavimento tolgono questa patina lucida e ripristinano l'aspetto originale più opaco delle piastrelle. In mezzo al pavimento più lucido, le zone senza cera appaiono come aloni opachi; in realtà sono le uniche parti pulite del pavimento.

In questi casi, dopo aver fatto un test preventivo, bisogna:

- Togliere la patina lucida da tutto il pavimento con un tipo di detergente a base acida.
- Utilizzare per le pulizie quotidiane, detergenti neutri che non contengono né cere né patine lucidanti.

MANUTENZIONE STRAORDINARIA

Nel caso di tracce di sporco resistente alla pulizia ordinaria si raccomanda l'utilizzo di un detergente adeguato in funzione del tipo di sporco e comunque, prima dell'uso, fare sempre test preventivi su una piastrella non posata. Nella tabella "PRODOTTI PER LA PULIZIA E LA MANUTENZIONE" sono indicati i detergenti efficaci in funzione del tipo di macchia.

PAVIMENTI E RIVESTIMENTI METALLIZZATI

Per la pulizia e manutenzione di piastrelle metallizzate si raccomanda di non usare assolutamente detergenti acidi o alcalini. Usare esclusivamente prodotti con PH neutro come ad esempio Fila Cleaner o Floor Cleaner di Faber. In ogni caso verificare sempre prima il prodotto su una porzione di materiale non posato ed evitare di lasciare il detergente sulle piastrelle per più di 10-15 min. Risciacquare sempre abbondantemente con acqua.

TRATTAMENTO PRODOTTI LAPPATI E LEVIGATI

Lappatura e levigatura sono lavorazioni che prevedono sempre l'asportazione di una parte superficiale dello smalto o del corpo stesso della piastrella. In tutti i pavimenti ceramici disponibili sul mercato, tale lavorazione, pur in presenza di materiali vetrosi o a bassissimo assorbimento, può comportare l'apertura di microporosità superficiali che a contatto con particolari tipi di sporco, possono risultare di difficile pulizia o presentare aloni difficilmente rimuovibili.

RACCOMANDAZIONI

Ricordiamo di non usare mai detergenti a base di acido fluoridrico (HPF) o dei suoi composti, compresi antiruggine o smacchiatori di tipo spray che spesso lo contengono. Il danno che si potrà provocare sarà irreparabile in quanto non esiste pavimento sul mercato resistente a tale acido.

AVVERTENZE

Le caratteristiche di pulizia dei materiali variano in modo significativo in funzione delle diverse modalità di installazione, condizioni d'uso, tipologie di superfici e ambiente. In linea generale all'aumentare delle caratteristiche di antiscivoloità delle piastrelle, aumentano le difficoltà di pulizia. L'operatore professionale incaricato dell'intervento di manutenzione e pulizia, dovrà sempre procedere ad una preliminare verifica empirica, possibilmente su una porzione di materiale non posato, per ogni singolo tipo di intervento.

In caso di condizioni d'uso particolarmente gravose, di errata installazione o di pulizie effettuate in modo inadeguato Abk declina ogni responsabilità in merito all'efficacia delle operazioni di pulizia e manutenzione. Resta inteso che Abk non potrà essere ritenuta responsabile per eventuali danni o difetti dovuti ad errata installazione, negligenza pulizia e manutenzione o inadeguata scelta della tipologia dei materiali installati e degli adesivi utilizzati con riguardo alla destinazione.

Le indicazioni contenute in questo paragrafo sono puramente indicative. Per notizie più approfondite rimandiamo a documentazione specializzata disponibile su cataloghi e siti web delle principali ditte produttrici di prodotti specifici per la pulizia dei pavimenti.

CLEANING AFTER INSTALLATION

The cleaning after installation is of fundamental importance for all the subsequent steps and for a correct maintenance.

Post-installation cleaning using acid detergents with a padding action such as Fila Deterdek or Faber Cement Remover must be carried out only once and only if it this would result in the added bonus of giving the surface a more uniform aspect.

Acidcleaning will remove all residue associated with the installation and, works in general, such as mortar, adhesive, paint and dirt. It is important to underline that 90% of complaints are due to a bad, or even inexistent cleaning after installation. In order to make sure that an acid detergent used for the cleaning does not compromise the filling of grout lines, it is necessary, before proceeding with cleaning, to wet the floors so that the grout lines are impregnated and protected from the corrosive action of the acid.

It is recommended to follow these steps:

First, remove any grease or similar substance from the floor using alkaline detergents

Proceed with the cleaning of the surface

Rinse the floors with an abundance of water

The cleaning must be carried out 4-5 days after grouting (the grout must season) and within a maximum of 10 days after grouting, as, beyond this period of time the cleaning can be difficult, carefully follow the manufacturer's instructions for the use of detergents.

It is always recommended to carry out a test on a sample tile (not installed), in particular in case of honed or polished products.

CLEANING AND MAINTENANCE DAILY MAINTENANCE

It is recommended to clean the floor using a neutral detergent diluted in hot water. Avoid the use of acid, alkaline, waxing and/or impregnating products.

During ordinary cleaning procedures, it is recommended to limit the use of abrasive means such as scouring pads, iron and/or steel sponges. Taking this precaution is a must on glossy tiles, as they are more liable to scratching.

In case of intense dirt or textured surfaces, use an alkaline detergent, rinsing the floor with an abundance of water.

It is important to underline that certain types of dirt like dust or sand, increase the abrasive effect of foot traffic on the surface. The use of a door mat at the entrance can help prevent this.

REMOVAL OF FILMS ON THE FLOOR

The standard detergents available on the market sometimes contain waxes or polishing additives that, cleaning after cleaning, create a film on the floor and cause rims. This type of film can also develop when using certain types of grouts. Every-day stains on the floor, such as cola, wine, water, etc. remove this film and reveal the original, more opaque aspect of the tiled surface. On a glossy floor, these areas with no wax appear as rims but, in actual fact, they are the only clean areas of the floor itself. In such cases, after having carried out a test, it is necessary to:

Remove the film from the floor using an acid detergent.

Use neutral detergents, which do not contain wax or polishing additives for everyday cleaning.

EXTRAORDINARY MAINTENANCE

In case of stains that are resistant to standard cleaning operations, it is recommended to use a specific detergent depending on the type of dirt and, every single time before using such detergent, to carry out a test on a non-installed sample tile. The chart "REMOVE STAINS" indicates the recommended detergents that are effective for certain specific stains.

METALLISED FLOOR AND WALL COVERINGS

For the cleaning and maintenance of metallised tiles, it is recommended not to use acid or alkaline detergents. Use products with neutral PH such as Fila Cleaner or Faber Floor Cleaner. Every single time, test the product on a sample tile that has not been installed and do not leave the detergent on the tiles for more than 10-15 minutes. Always rinse the surface with an abundance of water.

TREATMENT OF HONED AND POLISHED TILES

Honing and polishing are manufacturing processes that always remove a superficial part of the glaze or of the body of the tile itself. All honed and/or polished ceramic tiles available on the market have a micro-porous structure that, even when using low absorption vitreous materials, are vulnerable to attack from certain types of dirt that can attack the micro-porous structure and make cleaning operations very difficult.

RECOMMENDATIONS

Never use hydrofluoric acid-based detergents or its derivatives, such as rust-preventing products or spray stainremovers that often contain hydrofluoric acid. The use of hydrofluoric acid will irreparably damage the surface, as no ceramic tile floor available on the market is resistant to this acid.

WARNING

The cleaning features of materials considerably vary depending on the installation pattern, the conditions of use and the type of surface. As a general rule, as the anti-slip value of ceramic tile increases, the cleaning operations become more difficult. The professional technician in charge of the cleaning and maintenance must always carry out a preliminary test on a sample tile that has not been installed before proceeding with any cleaning operation.

In case of special conditions of use, incorrect installation or inadequate cleaning, Ceramiche ABK will not be responsible for the effectiveness of cleaning and maintenance procedures. It is agreed that ABK will not be responsible for any damage or defects that are due to incorrect installation, cleaning and maintenance or due a wrong choice of materials and adhesives.

The above-stated instructions are merely indicative. For in-depth information, please consult the specific documents that are available on the catalogues and web-site of the manufacturers of detergents for ceramic floors.

PRODOTTI PER LA PULIZIA E LA MANUTENZIONE CLEANING AND MAINTENANCE PRODUCTS

TIPO DI MACCHIA TYPE OF STAIN		DETERGENTE CONSIGLIATO DETERGENT	
MACCHIE INORGANICHE INORGANIC STAINS	CALCARE LIME	ACIDA ACID	DETERDEK PRO (FILA) - CEMENT REMOVER (FABER)
	CEMENTO - SAINITRO CEMENT - SALT PETRE		DETERDEK PRO (FILA) - CEMENT REMOVER (FABER)
	DEPOSITI CALCAREI DEPOSITS OF LIME		VIAKAL
	RUGGINE RUST		DETERDEK PRO (FILA) - CEMENT REMOVER (FABER)
	SEGNI METALLICI METALLIC MARKS		DETERDEK PRO (FILA)
MACCHIE ORGANICHE ORGANIC STAINS	BIRRA BEER	ALCALINA ALKALINE	PS/87 PRO (FILA) - WAX REMOVER (FABER)
	CAFFÈ COFFEE		PS/87 PRO (FILA) - SR/95 (FILA) - WAX REMOVER (FABER)
	COLA COCA COLA		PS/87 PRO (FILA) - SR/95 (FILA) - WAX REMOVER (FABER)
	MACCHIE VEGETALI VEGETABLE FAT		WAX REMOVER (FABER)
	OLIO E GRASSO OIL AND GREASE		PS/87 PRO (FILA) - WAX REMOVER (FABER)
	PNEUMATICI TIRES		PS/87 PRO (FILA) - POLISHING CREAM (FABER)
	TINTURA PER CAPELLI HAIR DYE		PS/87 PRO (FILA) - SR/95 (FILA) - COLOURED STAIN REMOVER(FABER)
	VINO WINE		PS/87 PRO (FILA) - SR/95 (FILA) - OXIDANT (FABER)
	VERNICE PAINT		PS/87 PRO (FILA) - NOPAINTSTAR (FILA)
	BITUME BITUMEN		FILASOLV (FILA) - WAX REMOVER (FABER)
MACCHIE SINTETICHE SYNTHETIC STAINS	CERA DI CANDELA CANDLE WAX	SOLVENTE DISSOLVENT	FILASOLV (FILA) - WAX REMOVER (FABER)
	INCHIOSTRO INK		PS/87 PRO (FILA) - SR/95 (FILA) - COLOURED STAIN REMOVER(FABER)
	PENNARELLO FELT-TIP PEN		PS/87 PRO (FILA) - SR/95 (FILA) - COLOURED STAIN REMOVER(FABER)
	RESIDUI DI SCOTCH REST OF STICKY TAPE		FILASOLV (FILA) - PS/87 PRO (FILA) - SOLVENT STRIPPER (FABER)
	SPORCO DELLE FUGHE TILE JOINT STAINS		FUGANET (FILA)
ALONATURE RESIDUE RESIDUAL MARKS	ALONATURE VENTOSE STAINS FROM SUCTION CUPS	DETERGENTE DETERGENT	PS/87 PRO (FILA)
	CERA PROTETTIVA PROTECTIVE WAX		PS/87 PRO (FILA)

Attenzione: i prodotti a base acida possono corrodere marmo, granito, pietre naturali e metalli, pertanto evitarne l'uso nel caso di decori o inserti realizzati con questi materiali.

Important: Acid products may corrode marble, granite, natural stone and metal. Avoid using in the presence of decoration or inserts in these materials.

PER L'USO ATTENERSI SCRUPOLOSAMENTE ALLE INDICAZIONI RIPORTATE SULL'ETICHETTA.

FOR THE CORRECT USE PLEASE FOLLOW THE INSTRUCTION MENTIONED ON THE LABEL.

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

CARATTERISTICHE TECNICHE TECHNICAL CHARACTERISTICS

LE NORME ISO QUESTE NORME, ELABORATE DALL'ISO TC 189, SOSTITUISCONO IN ITALIA, E NEI PAESI CHE LE HANNO RICONOSCIUTE, QUELLE PRECEDENTEMENTE ESISTENTI (EN).

THE ISO STANDARDS THESE STANDARDS, DRAWN UP BY THE ISO TC189, REPLACE THE PREVIOUS (EN) STANDARDS IN ITALY AND IN THE OTHER COUNTRIES THEY ARE RECOGNIZED.

ALLEGATO ANNEX	GRUPPO GROUP	ASSORBIMENTO D'ACQUA (E) WATER ABSORPTION (E)
G	Bla	E ≤ 0,5%
H	Bib	0,5% < E ≤ 3%
I	BIIa	3% < E ≤ 6%
J	BIIb	6% < E ≤ 10%
L	BIII	E > 10%

GRES PORCELLANATO PORCELAIN TILES

CLASSIFICAZIONE SECONDO NORME UNI EN 14411 (ISO 13006) ALLEGATO G-Gruppo Bla CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group Bla

PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VALORE ABK ABK VALUE
LUNGHEZZA E LARGHEZZA DIMENSIONE MEDIA DI OGNI PIASTRELLA LENGTH AND WIDTH OF THE AVERAGE-SIZES TILE	UNI EN ISO 10545/2	± 0,5%	CONFORME ACCORDING
SPESORE THICKNESS	UNI EN ISO 10545/2	± 5%	CONFORME ACCORDING
RETTILINEARITÀ SPIGOLI WARPAGES OF EDGES	UNI EN ISO 10545/2	± 0,5%	CONFORME ACCORDING
ORTOGONALITÀ WEDGING	UNI EN ISO 10545/2	± 0,6%	CONFORME ACCORDING
PLANARITÀ FLATNESS	UNI EN ISO 10545/2	± 0,5%	CONFORME ACCORDING
ASSORBIMENTO D'ACQUA WATER ABSORPTION	UNI EN ISO 10545/3	E ≤ 0,5%	CONFORME ACCORDING
RESISTENZA ALLA FLESSIONE BENDING STRENGTH	UNI EN ISO 10545/4	≥ 35 N/mm²	CONFORME ACCORDING
FORZA DI ROTTURA BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 1300 N	CONFORME ACCORDING
RESISTENZA ALL'ABRASIONE PROFONDA DELLE PIASTRELLE NON SMALTATE RESISTANCE TO DEEP ABRASION OF UNGLAZED TILES	UNI EN ISO 10545/6	< 175 mm3	CONFORME ACCORDING
RESISTENZA ALL'ABRASIONE SUPERFICIALE PER PIASTRELLE SMALTATE ABRASION RESISTANCE FOR GLAZED TILES	UNI EN ISO 10545/7	DICHIARATO DALL'AZIENDA PRODUTTRICE DECLARED BY THE MANUFACTURING COMPANY	IN FUNZIONE DELLA DESTINAZIONE D'USO ACCORDING TO THE DESTINATION OF FINAL USE
RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE	UNI EN ISO 10545/9	RICHIESTA REQUIRED	RESISTE RESISTS
RESISTENZA AL GELO FROST RESISTANCE	UNI EN ISO 10545/12	RICHIESTA REQUIRED	INGELIVO FROST PROOF
RESISTENZA ALL'ATTACCO CHIMICO CHEMICAL RESISTANCE	UNI EN ISO 10545/13	MIN UB	CONFORME ACCORDING
		MIN GB	CONFORME ACCORDING
RESISTENZA ALLE MACCHIE RESISTANCE TO STAINING	UNI EN ISO 10545/14	UGL: VALORE DA DICHIARARE UGL: VALUE TO DECLARE	-
		GL: CLASSE 3 MIN	CONFORME ACCORDING
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	VEDI COLLEZIONE SEE COLLECTION
	B.C.R.A. G.B.		VEDI COLLEZIONE SEE COLLECTION
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	VEDI COLLEZIONE SEE COLLECTION
			VEDI COLLEZIONE SEE COLLECTION
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	VEDI COLLEZIONE SEE COLLECTION
	DIN 51097	-	VEDI COLLEZIONE SEE COLLECTION
	ANSI A 137-1:2012 [D.C.O.F.]	≥ 0,42	VEDI COLLEZIONE SEE COLLECTION
	AS/NZS 4586:2013	SRV : 35 - 44	VEDI COLLEZIONE SEE COLLECTION
	BS 7976 - 2:2002	> 36	VEDI COLLEZIONE SEE COLLECTION

VARIAZIONE CROMATICA SHADE VARIATION	VEDI COLLEZIONE SEE COLLECTION	 aspetto uniforme uniform appearance V1	 lieve variazione slight variation V2	 moderata variazione moderate variation V3	 forte variazione substantial variation V4
---	-----------------------------------	--	--	---	---

OUT.20 GRES PORCELLANATO A MASSA COLORATA / FULL BODY COLORED PORCELAIN

OUT.30 GRES PORCELLANATO / PORCELAIN TILES

CLASSIFICAZIONE SECONDO NORME UNI EN 14411 (ISO 13006) ALLEGATO G-Gruppo Bla GL CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group Bla GL

PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	VALORE ABK OUT. 20 OUT.20 ABK VALUE	VALORE ABK OUT. 30 OUT.30 ABK VALUE
LUNGHEZZA E LARGHEZZA DIMENSIONE MEDIA DI OGNI PIASTRELLA LENGTH AND WIDTH OF THE AVERAGE-SIZES TILE	UNI EN ISO 10545/2	± 0,5%	CONFORME ACCORDING	CONFORME ACCORDING
SPESORE THICKNESS	UNI EN ISO 10545/2	± 5%	CONFORME ACCORDING	CONFORME ACCORDING
RETTILINEARITÀ SPIGOLI WARPAGES OF EDGES	UNI EN ISO 10545/2	± 0,5%	CONFORME ACCORDING	CONFORME ACCORDING
ORTOGONALITÀ WEDGING	UNI EN ISO 10545/2	± 0,6%	CONFORME ACCORDING	CONFORME ACCORDING
PLANARITÀ FLATNESS	UNI EN ISO 10545/2	± 0,5%	CONFORME ACCORDING	CONFORME ACCORDING
ASSORBIMENTO D'ACQUA WATER ABSORPTION	UNI EN ISO 10545/3	E ≤ 0,5%	CONFORME ACCORDING	CONFORME ACCORDING
RESISTENZA ALLA FLESSIONE BENDING STRENGTH	UNI EN ISO 10545/4	≥ 35 N/mm²	≥ 50 N/mm²	≥ 55 N/mm²
FORZA DI ROTTURA BREAKING STRENGTH	UNI EN ISO 10545/4	≥ 1300 N	≥ 20000 N	≥ 25000 N
RESISTENZA ALL'ABRASIONE SUPERFICIALE PER PIASTRELLE SMALTATE ABRASION RESISTANCE FOR GLAZED TILES	UNI EN ISO 10545/7	IN FUNZIONE DELLA DESTINAZIONE D'USO ACCORDING TO THE DESTINATION OF FINAL USE	CONFORME ACCORDING	CONFORME ACCORDING
RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE	UNI EN ISO 10545/9	RICHIESTA REQUIRED	RESISTE RESISTS	RESISTE RESISTS
RESISTENZA AL GELO FROST RESISTANCE	UNI EN ISO 10545/12	RICHIESTA REQUIRED	INGELIVO FROST PROOF	INGELIVO FROST PROOF
RESISTENZA ALL'ATTACCO CHIMICO CHEMICAL RESISTANCE	UNI EN ISO 10545/13	MIN GB	CONFORME ACCORDING	CONFORME ACCORDING
RESISTENZA ALLE MACCHIE RESISTANCE TO STAINING	UNI EN ISO 10545/14	GL ≥ MINIMO CLASSE 3	CONFORME ACCORDING	CONFORME ACCORDING
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY 0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP	>0,40 >0,40	>0,40 >0,40
	B.C.R.A. G.B.			
	ASTM C 1028 [S.C.O.F.]	SLIP RESISTANT (> 0,60)	>0,60 DRY >0,60 WET	>0,60 DRY >0,60 WET
	DIN 51130	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA	R11	R11
	DIN 51097	-	A+B+C	A+B+C
	ANSI A 137-1:2012 [D.C.O.F.]	> 0,42	>0,42	>0,42

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES ^{WIDE} - ALPES ^{RAW}
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI ^{GEMS}
SENSI ^{UP}
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 ^{WIDE} - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

CARATTERISTICHE TECNICHE TECHNICAL CHARACTERISTICS

PASTA BIANCA DA RIVESTIMENTO
WHITE BODY WALL TILES

PROPRIETÀ FISICO - CHIMICHE PHYSICAL - CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS	PASTA BIANCA DA RIVESTIMENTO WHITE BODY WALL TILES
LUNGHEZZA E LARGHEZZA DIMENSIONE MEDIA DI OGNI PIASTRELLA LENGTH AND WIDTH OF THE AVERAGE-SIZES TILE	UNI EN ISO 10545/2	l ≤ 12 cm: ± 0,5%	CONFORME ACCORDING
		l > 12 cm: ± 0,3%	
SPESSORE THICKNESS	UNI EN ISO 10545/2	± 10%	CONFORME ACCORDING
RETTILINEARITÀ SPIGOLI WARPAGES OF EDGES	UNI EN ISO 10545/2	± 0,3%	CONFORME ACCORDING
ORTOGONALITÀ WEDGING	UNI EN ISO 10545/2	± 0,5%	CONFORME ACCORDING
PLANARITÀ FLATNESS	UNI EN ISO 10545/2	+ 0,5% - 0,3%	CONFORME ACCORDING
ASSORBIMENTO D'ACQUA WATER ABSORPTION	UNI EN ISO 10545/3	> 10%	CONFORME ACCORDING
RESISTENZA ALLA FLESSIONE BENDING STRENGTH	UNI EN ISO 10545/4	per spessore ≥ 7,5 mm >15 N/mm²	CONFORME ACCORDING
		per spessore < 7,5 mm >12 N/mm²	
FORZA DI ROTTURA BREAKING STRENGTH	UNI EN ISO 10545/4	-	-
RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE	UNI EN ISO 10545/9	RICHIESTA REQUIRED	RESISTE RESISTS
RESISTENZA AL GELO FROST RESISTANCE	UNI EN ISO 10545/12	RICHIESTA REQUIRED	-
RESISTENZA ALLE MACCHIE RESISTANCE TO STAINING	UNI EN ISO 10545/14	CLASSE 3 MINIMO CLASS 3 MINIMUM	CLASSE 4 MIN CLASS 4 MIN
DILATAZIONE DELL'UMIDITÀ MOISTURE EXPANSION	UNI EN ISO 10545-10	-	-

CLASSIFICAZIONE SECONDO NORME UNI EN 14411 (ISO 13006) ALLEGATO L-Gruppo BIII
CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX L-Group BIII

ECOSOSTENIBILITÀ E CERTIFICAZIONI / ECO-SUSTAINABILITY AND CERTIFICATIONS

ECO-BODY

L'impegno concreto di Abk in termini di sostenibilità continua anche grazie agli esclusivi impasti ECO-BODY, contenenti un 40% minimo di materie prime di qualità recuperate da lavorazioni esterne ed interne, utilizzati per diverse collezioni contenute in questo catalogo. Il valore di questa percentuale è garantito da Bureau Veritas, che certifica l'impasto ECO-BODY. Tale caratteristica consente ai nostri prodotti di contribuire al calcolo dei crediti utili ai fini della certificazione LEED degli edifici. E' possibile scaricare l'elenco completo dei prodotti ECO-BODY nell'area download del sito ABK.

ABK's concrete commitment to sustainability continues thanks to the exclusive ECO-BODY mixes, containing a minimum of 40% of high quality raw materials, recovered from external and internal processing, used for several collections in this catalogue. The value of this percentage is guaranteed by Bureau Veritas, which certifies the ECO-BODY mixture. This feature allows our products to be included in the calculation of credits for the LEED building certification. You can download the complete list of ECOBODY products in the download area on the ABK website.

Programma GPP / GPP Program

ABK aderisce al programma GPP (buone prassi fitosanitarie) per la spedizione di piastrelle in ceramica verso gli USA.

ABK adheres to GPP program (Good phytosanitary practices) in the shipment of ceramic tiles to the USA.

Marcatura CE / CE Mark

Per i suoi prodotti, ABK ha provveduto ad assolvere agli obblighi derivanti dalla Marcatura CE.

For his products ABK has provided to fulfill the obligations deriving from the CE marking.

Marcatura CCC / CCC Mark


ABK ha ottenuto la certificazione CCC per l'esportazione di piastrelle verso il mercato Cinese.

ABK obtained the CCC certification for the export of tiles to Chinese market.

Marchio SQM / SQM Mark

ABK ha ottenuto la certificazione di qualità SQM. Per approfondimenti consultare il sito ABK.


ABK obtained the SQM quality certification. For further information consult the ABK website.



放射性水平A类



GUIDA ALLA CONSULTAZIONE CONSULTATION GUIDE



VARIAZIONE CROMATICA

Colour shade variation | Variation de nuances
Farbabweichung | Variación cromática
ИЗМЕНЕНИЕ ЦВЕТА



V1 ASPETTO UNIFORME

V1 uniform appearance | V1 aspect uniforme
V1 einheitliche Optik | V1 aspecto uniforme
V1 однородный вид



V2 LIEVE VARIAZIONE

V2 minimal variation | V2 légère variation
V2 leichte farbabweichung | V2 variación ligera
V2 легкое изменение



V3 MODERATA VARIAZIONE

V3 moderate variation | V3 variation modérée
V3 mässige farbabweichung | V3 variación moderada
V3 умеренное изменение



V4 FORTE VARIAZIONE

V4 substantial variation | V4 effet dénuancé très accentué
V4 starke farbabweichung | V4 variación evidente
V4 сильное изменение

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

CONDIZIONI GENERALI DI VENDITA

- 1) **APPROVAZIONE** Gli ordini pervenutici sono per noi impegnativi solo dopo la nostra conferma scritta.
- 2) **CONSEGNA** La consegna del materiale s'intende avvenuta a carico effettuato presso i nostri magazzini. Tutti i rischi di trasporto, compresi ammanchi, rotture, deterioramenti e manomissioni sono a carico del Committente anche se il prezzo pattuito è franco di porto, FOB o C&F. Gli accordi con spedizionieri s'intendono sempre conclusi in nome e per conto del Committente che fin d'ora ratifica ed accetta l'operato.
- 3) **TERMINI DI CONSEGNA** I termini di consegna hanno carattere indicativo, eventuali ritardi nelle consegne, interruzioni, sospensioni totali o parziali delle forniture non daranno diritto ad indennizzi o risarcimento danni.
- 4) **CONTESTAZIONI** La garanzia della merce è limitata al solo, ed esclusivamente, materiale di prima scelta, con una tolleranza del 5% circa. Le differenze di tonalità non potranno essere denunciate come vizio del materiale. Eventuali reclami in merito alla qualità, tipo del materiale, dovranno pervenirci entro 8 giorni dalla data di consegna. Il compratore s'impegna a tenere a disposizione le partite contestate così da consentire il controllo dei difetti denunciati, in ogni caso la posa in opera ci esonera da qualsiasi responsabilità. Eventuali vizi o difetti di qualità della merce, ove siano denunciati nei termini di legge ed accertati o riconosciuti, danno diritto solamente alla sostituzione dei materiali difettosi, a condizione della preventiva restituzione delle merci contestate, e, su autorizzazione scritta dell'operazione di reso, restando tassativamente esclusi la risoluzione del contratto e qualsiasi risarcimento danni.
- 5) **DIMENSIONI E TONALITA'** I nostri materiali sono da classificarsi fra i prodotti cotti ad alta temperatura e come tali possono presentare differenze tra le dimensioni dichiarate e quelle effettivamente consegnate. Così si dica per le differenze di tono all'interno della medesima partita. Quanto sopra perciò non potrà essere oggetto di reclamo da parte del committente.
- 6) **IMBALLO E QUANTITA'** Il buono stato degli imballi e della loro confezione nonché della quantità consegnata resta accertato con l'accettazione della merce da parte del vettore. Questi, firmando la Bolla di Accompagnamento, si rende responsabile del buono stato del materiale e del quantitativo. Il compratore nel caso si verifichino rotture ed ammanchi dovrà chiedere eventuali danni o risarcimenti al vettore.
- 7) **RESI** Per nessuna ragione l'acquirente potrà restituire il materiale senza nostra espresso preventiva autorizzazione scritta e tutte le spese sono a carico del Committente.
- 8) **ANNULLI** Non verranno accettati annullamenti di ordini se il materiale è già stato prodotto o se è già stata avviata la lavorazione e molto più se è già stata effettuata la spedizione. L'annullamento dell'ordine comporterà in ogni caso l'obbligo da parte del Committente di pagare l'intera fornitura. Nel caso che sia fattibile l'accettazione dell'annullamento il Cliente sarà tassativamente tenuto a rifondere tutte le spese sostenute dal produttore fino a quel momento.
- 9) **PREZZI** I prezzi riportati sui nostri listini non sono per noi impegnativi. Ci riserviamo il diritto di modificarli prima dell'accettazione dell'ordine.
- 10) **PAGAMENTI** I pagamenti devono essere effettuati solo presso la nostra sede. Il ritardo di 10 giorni di ogni pagamento dovuto, o la mancata copertura nel termine stesso di un titolo di credito, girato o ceduto o emesso dal committente, costituisce grado di insolvenza. In tal caso sarà nostra facoltà sospendere le forniture ed annullare ogni rapporto in corso; immediatamente esigere l'integrale pagamento di ogni rapporto in corso; esigere l'integrale pagamento di ogni nostro credito ed agire giudizialmente al riguardo, in via esecutiva o cautelare nonché per il risarcimento danni; in ogni caso, trascorsi 10 giorni da ogni pagamento dovuto, siamo autorizzati a emettere tratta a vista con spese senza preavviso. Inoltre decorreranno sul debito scaduto gli interessi moratori annui calcolati nella misura del tasso "prime rate" corrente maggiorato di 5 punti percentuali.
- 11) **UNITÀ MINIMA DI VENDITA** Non si effettuano vendite inferiori alla scatola.
- 12) **RISERVATO DOMINIO** Il materiale anche se spedito e regolarmente fatturato resta di nostra proprietà fino al pagamento totale della fornitura medesima anche in caso di passaggio o vendita terzi.
- 13) **FORO COMPETENTE** Per qualsiasi controversia sarà esclusivamente competente il foro di Modena.

GENERAL SALES TERMS AND CONDITIONS

- 1) **APPROVAL** All orders that we receive are considered to be binding only after our written confirmation has been issued.
- 2) **DELIVERY** The materials are intended as delivered upon loading at our warehouses. All transport risks, including missing pieces, breakage, deterioration and tampering are the sole responsibility of the Client, even if the price agreed upon is carriage free, FOB, or C&F. Agreements with forwarding agents are intended as concluded in the name of and on behalf of the Client, who hereby confirms and accepts their terms and conditions.
- 3) **TERMS OF DELIVERY** The terms of delivery are indicative, eventual delays in the delivery, interruptions, or total or partial suspensions of the supply do not allow any right to indemnification or compensation for damages.
- 4) **DISPUTES** The guarantee of the goods is limited only and exclusively to first rate materials, with a tolerance of approximately 5%. The difference in shades of colour cannot be declared as a material defect. Eventual complaints regarding the quality or the type of material must be submitted within 8 days from the date of delivery. The purchaser agrees to make available the disputed lots in order that the declared defects may be controlled. In any case, the installation exonerates the manufacturer from any liability. Eventual manufacturing defects or quality defects in the goods, where declared according to law and ascertained or recognized, give right only to the replacement of the defective materials, provided that the goods have been returned previously and the written authorization of the return operation has been issued, the resolution of the contract as well as any compensation for damages is peremptorily waived and excluded.
- 5) **DIMENSIONS AND TONALITY** Our materials are classified as products fired at high temperatures and as such may present discrepancies between the dimensions declared and those actually delivered. The same applies for differences in colours within the same production lot. Therefore, the client may not present a dispute regarding abovementioned product characteristic.
- 6) **PACKAGING AND QUANTITY** The good condition of the packaging and cartons as well as the quantity delivered are verified upon acceptance of the goods by the forwarding agent. The forwarding agent declares himself responsible for the condition and quality of the goods upon signing the packing list. In case of missing pieces of breakage, the purchaser must ask for eventual damages or compensation from the forwarding agent.
- 7) **RETURNS** For no reason will purchaser be able to return the material without our express prior written authorization and all the costs of the return will be assumed by the Client.
- 8) **CANCELLATIONS** Order cancellations will not accepted if the material has already been produced or if the production has already begun, and more so if the materials have already been shipped. In any case, the Client is obliged to pay the entire sum of the supply if the order is cancelled. If the acceptance of the cancellation is feasible, the Client will be peremptorily obliged to reimburse all the expenses sustained by the producer up to that moment.
- 9) **PRICES** The prices on our price list are not binding. We reserve the right to modify prices before accepting an order.
- 10) **PAYMENT** Payments must be made only in our main office. Delays of more than 10 days for each payment due or insufficient funds during the same term of a check, whether endorsed of transferred, or issued by the customer, constitutes bad debt. In this case, we reserve the right to suspend supply and annual all ongoing relations, immediately require total payment of all ongoing relations; require total payment of each credit and to make legal recourse, whether executive or precautionary, as well as request compensation for damages. In any case, after 10 days any payment due, we are authorized to issue an on-sight draft with expenses without notice. Furthermore, annual penalty interest will accumulate on the expired debt to be calculated according to the current "Prime rate" plus five (%) percentage points.
- 11) **MINIMUM PACKAGING REQUIREMENTS** Sales of less than one box will not be allowed.
- 12) **SELLER'S LIEN** The material, even is shipped and regularly invoiced, remains our property until payment in full of the invoice itself, even in case of passage or sale to third parties.
- 13) **PLACE OF JURISDICTION** For any eventual dispute, the only place of jurisdiction will be the Modena Tribunal.

SERVIZI DI LOGISTICA

ANNULLAMENTO ORDINI: per l'annullamento autorizzato di ordini di materiali già consegnati al nostro deposito e per resi autorizzati, verrà addebitato il 15% del valore imponibile, con fisso minimo di 50 €, per contributo spese di trasporto e rielezione.

ORDINI DI PICCOLE QUANTITA': per ordini di fondi, gradini o battiscopa inferiori ai 5 colli complessivi verrà richiesto un contributo di spese di packaging e movimentazione pari a 20 €.

SPALLETTIZZATO: per ordini di metratura inferiore al pallet completo, verrà applicata una maggiorazione pari a 1,80 €/m2 fino al formato 120x120 incluso e 3,00 €/m2 per i formati 120x280, 160x320 e tutta la serie Out.20.

CONSEGNE URGENTI: per preparazione di ordini entro le 24 ore, con un limite massimo di 2 articoli totali, verrà addebitata una maggiorazione di 30 € netta fissa.

IMBALLAGGI

ADDEBITO:
Gli imballaggi speciali saranno addebitati al costo visibile nella tabella riepilogativa.

RESO: gli imballi dei formati 160x320 e 120x280 potranno essere resi e riaccreditati a condizione che vengano restituiti in buono stato. Nulla potrà essere riconosciuto per imballi non più riutilizzabili o di formati di dimensioni inferiori.

LOGISTICS SERVICES

ORDER CANCELLATION: for the authorized cancellation of orders for materials already delivered to our warehouse, and for authorized returns, 15% of the taxable value will be charged, with a fixed minimum of € 50, for transport and reselection costs.

SMALL QUANTITY ORDERS: for orders of solid colour basic tiles, treads or skirting boards amounting to less than 5 total packages, a contribution to cover packaging and handling costs of € 20 will be due.

ORDERS FOR LESS THAN 1 PALLET: for orders smaller than the full pallet, a surcharge of € 1.80/m2 up to the 120x120 size included and € 3.00/m2 for the 120x280, 160x320 and the entire Out.20 series will be applied.

RUSHED DELIVERIES: for rushed orders (within 24 hours), with a maximum limit of 2 total items, a fixed net surcharge of € 30 will be charged.

PACKAGING

CHARGE:
Special packaging will be charged at the cost shown in the summary table.

RETURN: The packaging of the 160x320 and 120x280 sizes can be returned and re-credited providing that it is returned in good condition. No amount will be credited for packaging that is no longer reusable or smaller in size.

CONDITIONS GÉNÉRALES DE VENTE

- 1) **ACCEPTATION** Les commandes parvenues ne seront valables de manière définitive qu'après confirmation écrite de notre part.
- 2) **LIVRAISON** La livraison du matériel est à considérer effectuée au moment du chargement dans nos entrepôts. Tous les risques de transport, tels que les manques, les casses, détériorations ou endommagements sont à la charge de l'Acheteur, même lorsque le prix convenu est franco , FOB ou C&F. Les accords conclus avec les transporteurs sont à considérer toujours au nom et pour compte de l'Acheteur, qui confirme et accepte le conditions au préalable.
- 3) **DÉLAIS DE LIVRAISON** Les délais de livraison ont un caractère indicatif; les éventuels retards de livraisons, interruptions, suspensions totales ou partielles des fournitures ne donneront droit à aucun dédommagement ou remboursement et intérêts.
- 4) **RECLAMATIONS** La garantie de la merchandise se limite seulement et exclusivement au matériel de premier choix, avec une marge de tolérance de 5% environ. Les différences de nuances ne pourront être dénoncées comme vice du matériel. Les éventuelles réclamations relatives à la qualité, au type de matériel, devront nous parvenir dans les 8 jours à partir du jour de livraison. L'Acheteur s'engage à mettre à disposition les parties contestées de manière à permettre le contrôle des défauts déclarés, sachant que la pose nous libère quoiqu'il en soit de toute responsabilité. Les éventuels vices ou défauts de qualité de la marchandise, si déclarés en vertu des termes de loi et confirmés ou reconnus, ne donnent droit qu'à la substitution des matériaux défectueux, à condition que les marchandises contestées ne soient rendues préalablement et, sur autorisation écrite de l'opération de restitution, en renonçant et en excluant ainsi de manière formelle la résolution du contrat tout comme les éventuels dommages et intérêts.
- 5) **DIMENSIONS ET NUANCES** Nos matériels se classent parmi les produits cuits à haute températures et peuvent présenter en tant que tels des différences entre les dimensions déclarées et celles effectivement livrées. C'est ainsi que sont considérées les différences de nuances à l'intérieur d'un même lot. C'est pourquoi, en vertu des conditions présentées précédemment, ceci ne pourra faire l'objet d'aucune réclamation de la part de l'Acheteur.
- 6) **EMBALLAGE ET QUANTITES** Le bon état des emballages, ainsi que de la quantité livrée est confirmé après acceptation de la marchandise de la part du transporteur. Ce dernier, en signant le Bon de Livraison, se tient responsable du bon état du matériel et de la quantité. En cas de casses ou manques, l'acheteur devra demander des éventuels dommages et intérêts ou dédommagements au transporteur.
- 7) **RESTITUTIONS** En aucun cas l'Acheteur ne pourra rendre la matériel sans préalablement recevoir une autorisation écrite de notre part et tous les frais sont à la charge de l'Acheteur.
- 8) **ANNULATIONS** Aucune annulation de commandes ne sera acceptée si le matériel a déjà été produit ou si la phase de production a déjà été commencé, ni même si la livraison a déjà été effectuée. L'annulation de la commande comportera dans tous les cas l'obligation de la part de l'Acheteur de payer la totalité de la marchandise. Au cas ou l'acceptation de l'annulation est faisable, le Client sera formellement tenu à recouvrir tous les frais engendrés par le producteur jusqu'alors.
- 9) **PRIX** Les prix reportés sur nos catalogues ne sont pas définitifs. Nous nous réservons le droit de les modifier avant l'acceptation de la commande.
- 10) **PAIEMENTS** Les paiements ne doivent être effectués qu'auprès de notre siège. Le retard de plus de 10 jours de tout paiement dû ou la non couverture dans le même délai d'un titre de crédit, transféré ou cédé, ou bien émis par l'Acheteur, constitue un niveau d'insolvabilité. Dans ce cas, il est en notre pouvoir de suspendre les livraisons et annuler tout rapport en cours; d'exiger le paiement intégral et immédiat de nos crédits; d'exiger le paiement intégral de tout en notre faveur et d'agir judiciairement à cet égard, de manière exécutive ou préventive ainsi que pour les dommages et intérêts. Dans tous les cas, aussitôt qu'un paiement du dépasse le délai des 10 jours, nous sommes autorisés à émettre une traite à vue avec frais sans préavis. En outre, les intérêts moratoires annuels calculés en fonction du taux "premiers versements" courant majoré à 5 points pourcents, prendront effet sur le débit dépassé.
- 11) **MINIMUM UNITE DE VENTE** Aucune vente inférieure à la boîte ne peut être effectuée.
- 12) **DOMAINE RÉSERVÉ** Le matériel, même si livré et régulièrement facturé reste notre propriété jusqu'au paiement total de ladite marchandise, même en cas de passage ou vente à un tiers.
- 13) **TRIBUNAL COMPÉTENT** Le Tribunal de Modena sera compétent de manière exclusive en cas de litige.

ALLGEMEINE VERKAUFSBEDINGUNGEN

- 1) **BESTÄTIGUNG** Eingegangene Bestellungen sind für uns nur verbindlich, wenn sie schriftlich durch uns bestätigt wurden.
- 2) **LIEFERUNG** Die Lieferung des Materials ist für uns mit dessen Beladung bei unserem Lager abgeschlossen. Alle durch den Transport bedingten Risiken, einschließlich Fehlmengen, Bruch, Beschädigung und sonstige Beeinträchtigungen gehen zu Lasten des Auftraggebers, auch wenn der vereinbarte Preis frachtfrei, FOB oder C&F ist. Die Vereinbarungen mit den Speditionsunternehmen werden im Namen und auf Rechnung des Auftraggebers getroffen, der die Entlastung bestätigt und erteilt.
- 3) **LIEFERFRISTEN** Die Lieferfristen sind ungefähre Angaben; im Falle einer Verzögerung, Unterbrechung bzw. teilweiser oder kompletter Aussetzung der Lieferungen besteht kein Recht auf Entschädigung oder Schadenersatz.
- 4) **BEANSTANDUNGEN** Die Garantie auf die Ware bezieht sich ausschließlich auf Material erster Wahl, bei einer Toleranz von ca. 5%. Unterschiede bei Farbönen können nicht als Materialfehler geltend gemacht werden. Eventuelle Beanstandungen in Bezug auf die Qualität und Materialart müssen innerhalb von 8 Tagen ab dem Lieferdatum bei uns eingehen. Der Käufer verpflichtet sich, die beanstandeten Warenpartien für die Überprüfung der angezeigten Mängel zur Verfügung zu halten. Die Verlegung des Materials befreit uns in jedem Fall von jeglicher Haftung. Eventuelle Fehler oder Qualitätsmängel der Ware, sofern diese innerhalb der gesetzlich vorgeschriebenen Fristen gemeldet, überprüft und anerkannt wurden, beinhalten lediglich das Recht auf einen Umtausch der fehlerhaften Materialien, unter der Bedingung, dass die beanstandete Ware vorher, nach schriftlicher Genehmigung der Warenrückgabe, zurückgeschickt wurde und unter Verzicht und Ausschluss des Anspruchs auf eine Vertragsauflösung oder jegliche Art von Schadenersatz.
- 5) **ABMESSUNGEN UND FARBTÖNE** Unsere Materialien sind als Produkte klassifiziert, die bei hohen Temperaturen gebrant werden, weshalb es sein kann, dass die tatsächlichen Abmessungen von den genannten Abmessungen abweichen. Das gleiche gilt für Farbunterschiede innerhalb desselben Warenpostens. Diese Umstände geben dem Auftraggeber kein Recht zu Beanstandungen.
- 6) **VERPACKUNG UND MENGE** Mit Annahme der Ware durch das Beförderungsunternehmen gelten der gute Zustand der Verpackungen sowie die übergabene Warenmenge als bestätigt. Das Transportunternehmen übernimmt mit Unterzeichnung des Versandscheins die Verantwortung für den guten Zustand und die Menge des Materials. Der Käufer muss sich im Fall von Brüchen oder Fehlware für eventuelle Schäden oder Entschädigungen an das Beförderungsunternehmen wenden.
- 7) **WARENRÜCKGABE** Der Käufer kann die Ware in keinem Fall ohne unsere ausdrückliche schriftliche Genehmigung zurückgeben; alle entstehenden Kosten werden vom Auftraggeber übernommen.
- 8) **STÖRNIERUNGEN** Auftragsstornierungen werden nicht akzeptiert, wenn das Material bereits hergestellt wurde, die Produktion angelaufen ist oder die Ware gar bereits verschickt wurde. Bei der Stornierung einer Bestellung ist der Auftraggeber in jedem Fall verpflichtet, die gesamte Lieferung zu bezahlen. Falls die Stornierung akzeptiert wird, ist der Kunde verpflichtet, alle Kosten zu übernehmen, die dem Hersteller bis zu diesem Zeitpunkt entstanden sind.
- 9) **PREISE** - Die in unserer Preisliste angegebenen Preise sind für uns nicht verbindlich. Wir behalten uns das Recht vor, diese vor de Bestellungsannahme zu ändern.
- 10) **ZAHLUNG** - Die Zahlungen können nur direkt an uns erfolgen. Eine Verspätung von mehr als 10 Tagen jeder geschuldeten Zahlung bzw. die fehlende Deckung eines gierten, abgetretenen oder vom Auftraggeber ausgestellten Kreditpapiers innerhalb desselben Zeitraums wird als Zahlungsunfähigkeit gewertet. In diesem Fall haben wir das Recht, die Lieferungen auszusetzen und jedes bestehende Geschäftsverhältnis abzubrechen; unverzüglich die vollständige Zahlung aller unserer Forderungen im Rahmen eines Vollstreckungs- oder Sicherstellungsverfahrens rechtlich zu beanspruchen, ebenso wie eine Entschädigung; in jedem Fall sind wir 10 Tage nach Ablauf der Zahlungsfrist berechtigt, ohne Vorankündigung eine Sichttratte zuzüglich der entsprechenden Kosten auszustellen. Außerdem werden auf den geschuldeten Betrag die jährlichen Verzugszinsen in Höhe des laufenden, um fünf Prozentpunkte erhöhten Privatskontsatzes berechnet.
- 11) **VERPACKUNGSGRÖSSE** Es werden keine Mengen unterhalb der Größe eines Kartons verkauft.
- 12) **EIGENTUMSVORBEHALT** Das Material bleibt auch bei regulärem Transport und normaler Rechnungsstellung bis zur vollständigen Bezahlung der Lieferung in unserem Eigentum, auch im Falle der Weitergabe oder des Verkaufs an Dritte.
- 13) **GERICHTSSTAND** Gerichtsstand in Streitfällen ist ausschließlich das Gericht Modena.

SERVICES DE LOGISTIQUE

ANNULATION DES COMMANDES: pour l'annulation autorisée de commandes de matériaux déjà livrés à notre entrepôt, et pour les retours autorisés, 15 % de la valeur impossible seront facturés, avec une contribution minimale fixe de 50 € pour les frais de transport et de réselection.

COMMANDES DE PETITES QUANTITÉS: pour les commandes de fonds, marches ou plinthes inférieures à 5 colis au total, une contribution aux frais d'emballage et de manutention de 20 € sera exigée.

PRODUIT DÉPALETTISÉ: un supplément de 1,80 €/m² jusqu'au format 120x120 inclus et de 3,00 €/m² pour les formats 120x280, 160x320 et pour toute la série Out.20 sera appliqué aux commandes inférieures à la palette complète.

LIVRAISONS URGENTES: pour la préparation des commandes dans les 24 heures, avec une limite maximale de 2 articles au total, un supplément fixe net de 30 € sera facturé.

EMBALLAGES

FACTURATION:
les emballages spéciaux seront facturés au tarif indiqué dans le tableau récapitulatif.

RETOUR: les emballages des formats 160x320 et 120x280 pourront être retournés et crédités à nouveau à condition qu'ils soient en bon état. Aucun remboursement ne sera accordé pour les emballages de plus petite taille ou pour ceux qui ne sont plus réutilisables.

LOGISTIK-DIENSTLEISTUNGEN

STÖRNIERUNG VON BESTELLUNGEN: per l'annullamento autorizzato di ordini di materiali già consegnati al nostro deposito e per resi autorizzati, verrà addebitato il 15% del valore imponibile, con fisso minimo di 50 €, per contributo spese di trasporto e rielezione.

BESTELLUNG KLEINER MENGEN: per ordini di fondi, gradini o battiscopa inferiori ai 5 colli complessivi verrà richiesto un contributo di spese di packaging e movimentazione pari a 20 €.

ENTPALLETIERT: per ordini di metratura inferiore al pallet completo, verrà applicata una maggiorazione pari a 1,80 €/m2 fino al formato 120x120 incluso e 3,00 €/m2 per i formati 120x280, 160x320 e tutta la serie Out.20.

EILLIEFERUNGEN: per preparazione di ordini entro le 24 ore, con un limite massimo di 2 articoli totali, verrà addebitata una maggiorazione di 30 € netta fissa.

VERPACKUNGEN

VERPACKUNGSGEBÜHR:
Die Kosten für Sonderverpackungen werden gemäß der zusammenfassenden Tabelle berechnet.

RÜCKGABE: Eine Rückgabe und Gutschrift von Verpackungen der Formate 160x320 und 120x280 ist möglich, sofern sie in einem guten Zustand sind. Für Verpackungen, die nicht wiederverwendbar oder auf kleinere Formate rückführbar sind, wird nichts anerkannt.

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20 20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30 30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

ОБЩИЕ УСЛОВИЯ ПРОДАЖИ

- **ПОДТВЕРЖДЕНИЕ** - Поступившие к нам заказы действительны только после нашего письменного подтверждения.
- **ПОСТАВКА** - Поставка материала считается выполненной в момент окончания погрузки на наших складах. Заказчик несет все риски, связанные с транспортировкой, включая недостачу, поломку, порчу и нарушение целостности упаковки, также если на продукцию установлена цена франко-порт, FOB или C&F. Соглашения с экспедиторами всегда заключаются от имени и за счет Заказчика, который с момента заключения соглашения утверждает и принимает проделанную работу.
- **СРОКИ ПОСТАВКИ** - Сроки поставки имеют ориентировочный характер, возможная задержка поставки, ее приостановка, частичное или полное прекращение не дают права на возмещение убытков или компенсацию за ущерб.
- **ПРЕДЪЯВЛЕНИЕ ПРЕТЕНЗИЙ** - Гарантия на товар распространяется только и исключительно на первосортный материал с допускарным отклонением приблизительно на 5%. Различия в оттенках не будут считаться дефектом материала. Возможные претензии в отношении качества, типа материала должны быть предъявлены в течение 8 дней с даты поставки. Покупатель обязуется предоставить признанные им дефектными партии товара для проверки обоснованности претензии; в любом случае, после укладки материала мы не несем никакой ответственности. Возможные выявленные или подтвержденные недостатки или дефекты качества товара, при условии, что покупатель заявил о них в течение установленных законом сроков, дают покупателю право только на замену дефектного материала, которая осуществляется после возврата дефектного товара и на основании акта о возврате товара, составленного в письменной форме, при этом категорически исключается отказ от договора или его расторжение, а также какое-либо возмещение убытков.
- **РАЗМЕРЫ И ОТТЕНКИ** - Наши материалы относятся к продуктам, которые подвергаются обжигу при высокой температуре, поэтому заявленные и реальные размеры поставленных изделий могут отличаться. Это касается и различий в оттенках изделия из одной и той же партии. В связи с этим размеры и оттенки не могут быть предметом рекламации со стороны заказчика.
- **УПАКОВКА И КОЛИЧЕСТВО** - Перевозчик должен проконтролировать груз по количеству и целостности упаковки при приемке товара. Перевозчик, подписывая Сопроводительную Накладную, несет ответственность за сохранность материала и за его количество. В случае обнаружения повреждений и недостачи возможные претензии о возмещении ущерба за понесенные убытки покупатель должен предъявлять перевозчику.
- **ВОЗВРАТ ТОВАРА** - Покупатель не может ни на каком основании осуществлять возврат товара без нашего предварительного письменного согласия. Все расходы будут отнесены на счет Заказчика.
- **АННУЛИРОВАНИЕ ЗАКАЗА** - Отмена заказа не будет приниматься, если материал был уже изготовлен, или если уже было начато его производство, а тем более, если уже была произведена отправка. В любом случае, при отмене заказа Заказчик будет обязан произвести оплату всей поставки. Если отмена заказа будет возможна, Клиент должен будет возместить все расходы, понесенные производителем до момента отмены.
- **ЦЕНЫ** - Цены, указанные в наших прайс-листах, имеют ориентировочный характер. Мы оставляем за собой право изменить цены перед принятием заказа
- **ПЛАТЕЖИ** - Оплата товара должна производиться только прямым платежом. Задержка более чем на 10 дней каждого причитающегося платежа или отсутствие покрытия в срок векселя, который был передан, уступлен или выставлен заказчиком, является состоянием неплатежеспособности. В таком случае мы оставляем за собой право приостановить поставку, отменить все текущие отношения, а также немедленно потребовать полной выплаты каждой задолженности и обращаться по этому поводу в суд, в исполнительном или предупредительном порядке, а также с требованием возмещения ущерба; в любом случае, по истечении 10 дней с даты причитающегося платежа, мы имеем право без предупреждения выписать переводный вексель на предъявителя с оплатой издержек. Кроме того, на просроченную задолженность начисляются проценты по неустойке по текущей процентной ставке 5 % годовых.
- **РАСПАКОВКА КОРОБОК** - Продажа товара осуществляется только целыми заводскими коробками.
- **ПРАВО УДЕРЖАНИЯ ТОВАРА** - товар остается нашей собственностью до момента полной оплаты поставки даже в случае, если была произведена отправка, и был выставлен счет-фактура также в случае передачи или продажи товара третьим лицам.
- **КОМПЕТЕНТНЫЙ СУД** - Рассмотрение любых споров будет находиться в исключительной компетенции Суда г. Модены.

УСЛУГИ ЛОГИСТИКИ

ОТМЕНА ЗАКАЗОВ: за разрешенную отмену заказов на материалы, уже поставленные на наш склад, а также за разрешенный возврат, будет взиматься сумма в размере 15% от налогооблагаемой базы с минимальным фиксированным размером в 50 € в счет возмещения транспортных расходов и пересортировки.

ЗАКАЗЫ НА МАЛЫЕ КОЛИЧЕСТВА: за заказы на фоновую плитку, ступени или плинтусы в общем количестве менее 5 упаковок будет взиматься плата за упаковку и перемещение на сумму 20 €

НЕПОЛНЫЙ ПОДДОН: за заказы, метраж которых меньше одного полного поддона, будет взиматься наценка в размере 1,80 €/м2 за форматы до 120x120 включительно и 3,00 €/м2 за форматы 120x280, 160x320 и всю серию Out.20.

СРОЧНЫЕ ПОСТАВКИ: за подготовку заказов в течение 24 часов, максимум на 2 артикула, будет взиматься чистая фиксированная наценка в размере 30 €.

УПАКОВКУ

ПЛАТА ЗА УПАКОВКУ:
За специальную упаковку будет взиматься плата, указанная в сводной таблице.

ВОЗВРАТ: Упаковка для форматов 160x320 и 120x280 может быть возвращена и взаимозачтена, если она возвращается в хорошем состоянии.
Не возмещается плата за упаковку, находящуюся в непригодном состоянии или же для форматов меньших размеров.

IMBALLI PACKAGING
GRES PORCELLANATO PORCELAIN TILES

F.to nominale Nominal size	Finitura Finish	▼ ▲	F.to reale (mm) Work size (mm)	Imballo Packing	Pz/Scat. Pcs/Box	Mq/Scat. Sqm/Box	Kg/Scat. Kg/Box	Scat./lmb. Box/Pack.	Pz Totali Pcs Total	Mq totali Sqm total	Kg lmb. Kg Packing	Kg Totali Kg Total	Prezzo lmb. Packing price	Dimens. Imballo Packing sizes
160x320 64"x128"	rett	6	1596,5x3195	Cassa Crate	-	-	-	-	15	76,80	139	1.253	€ 220,00	 P. 174 L. 345 H. 27,5
				Cavalletto container Container Rack pallet	-	-	-	-	36	184,32	180	2.853	€ 335,00	 P. 75 L. 330 H. 201
120x280 48"x112"	rett	6	1194x2800	Cassa Crate	-	-	-	-	20	67,20	95	1.070	€ 150,00	 P. 144 L. 291 H. 34
				Cavalletto Rack pallet	-	-	-	-	36	121,00	120	1.874	€ 200,00	 P. 75 L. 284 H. 147,5
				Cavalletto container Container Rack pallet	-	-	-	-	36	121,00	140	1.894	€ 295,00	 P. 75 L. 288 H. 161
80x160 32"x64"	rett.	8,5	797,25x1596,5	Cavalletto Rack pallet	2	2,56	51,20	22	44	56,32	70	1.196	€ 120,00	 P. 75 L. 168 H. 109
				Pallet con sponde Pallet with sides	2	2,56	51,20	22	44	56,32	40	1.166	€ 70,00	 P. 99 L. 162 H. 70
26x200 10"x80"	rett	7	264,4x2000	Cavalletto Rack pallet	5	2,60	45,50	16	80	41,60	50	778	€ 60,00	 P. 75 L. 50 H. 207
26,5x180 10,6"x72"	rett	8,5	264,7x1198	Pallet con sponde Pallet with sides	3	1,43	28,60	42	126	60,10	50	1.251	€ 60,00	P. 184 L. 91 H. 54
30x180 12"x72"	rett	20	300x1800	pallet	1	0,54	26,00	48	48	25,92	20	1.268	-	
40x170 16"x68"	rett.	8,5	400x1700	pallet	2	1,36	27,00	32	64	43,52	20	884	-	
20x170 8"x68"	rett.	8,5	199x1700	pallet	4	1,36	27,00	36	144	48,96	20	992	-	
120x120 48"x48"	rett.	8,5	1194x1194	Pallet con sponde Pallet with sides	2	2,88	57,60	18	36	51,84	40	1.077	€ 40,00	 P. 122 L. 143 H. 70
60x120 24"x48"	rett.	8,5	596x1194	pallet	2	1,44	28,80	30	60	43,20	20	884	-	
60x120 mix sizes (interno 9)	rett.	8,5	596x1194	pallet	2	1,44	28,80	26	52	37,44	20	769	-	
60x120 mix floor 24"x48" (unika)	rett.	8,5	-	pallet	2	1,44	28,80	24	48	34,56	20	711	-	
60x120 24"x48"	rett.	20	596x1197	pallet	1	0,72	32,40	30	30	21,60	20	992	-	
60x120 (poetry stone) 24"x48"	rett.	20	595,3x1195,5	pallet	1	0,72	32,40	30	30	21,60	20	992	-	
40x120 16"x48"	rett.	6	397,62x1194	pallet	4	1,92	28,00	24	96	46,08	20	692	-	
30x120 12"x48"	rett.	8,5	297x1194	pallet	4	1,44	28,80	36	144	51,84	20	1.057	-	
30x120 12"x48"	rett.	20	295x1200	pallet	2	0,72	32,40	32	64	23,04	20	1.057	-	
30x120 (poetry wood) 12"x48"	rett.	20	296x1195,5	pallet	2	0,72	32,40	36	72	25,92	20	1.186	-	
30x120 12"x48"	rett.	30	300x1200	pallet	1	0,36	25,02	44	44	15,84	20	1.120	-	
20x120 8"x48"	rett.	8,5	199x1194	pallet	6	1,44	28,80	36	216	51,84	20	1.057	-	
90x90 36"x36"	rett.	8,5	895x895	pallet	2	1,62	32,40	22	44	35,64	20	733	-	
90x90 36"x36"	rett.	20	896x896	pallet	1	0,81	36,50	30	30	24,30	20	1.115	-	
90x90 36"x36"	rett.	30	900x900	pallet	1	0,81	56,30	20	20	16,20	20	1.146	-	
80x80 (interno9.alpes) 32"x32"	rett.	8,5	797,25x797,25	pallet	2	1,28	25,60	44	88	56,32	20	1.146	-	

index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR &
WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

IMBALLI PACKAGING

GRES PORCELLANATO PORCELAIN TILES

F.to nominale Nominal size	Finitura Finish	F.to reale (mm) Work size (mm)	Imballo Packing	Pz/Scat. Pcs/Box	Mq/Scat. Sqm/Box	Kg/Scat. Kg/Box	Scat./Imb. Box/Pack.	Pz Totali Pcs Total	Mq totali Sqm total	Kg Imb. Kg Packing	Kg Totali Kg Total	Prezzo Imb. Packing price	Dimens. Imballo Packing sizes
80x80 (Downtown/Docks) rett. 32"x32"	9,5	800x800	pallet	2	1,28	25,60	50	100	64,00	20	1.300	-	
60x90 24"x36"	rett.	20	600x900	pallet	2	1,08	52,00	24	48	25,92	20	1.268	-
60x80 mix wall (unika)	rett.	8,5	-	pallet	2	0,96	19,20	54	108	51,84	20	1.057	-
40x80 16"x32"	rett.	8,5	400x800	pallet	3	0,96	19,20	30	90	28,80	20	596	-
20x80 8"x32"	rett.	8,5	199x800	pallet	8	1,28	25,60	42	336	53,76	20	1.095	-
20x80 french 8"x32" pattern	rett.	8,5	199x800	pallet	6	0,82	16,40	36	216	29,52	20	610	-
13,5x80 5,3"x32"	rett.	8,5	132x800	pallet	10	1,08	21,60	40	400	43,20	20	884	-
60x60 24"x24"	nat.	8,5	-	pallet	3	1,08	21,60	40	120	43,20	20	884	-
60x60 24"x24"	rett.	8,5	596x596	pallet	3	1,08	21,60	40	120	43,20	20	884	-
60,4x60,4 (level) 24"x24"	nat.	8,5	-	pallet	4	1,46	29,20	32	128	46,72	20	954	-
60x60 (level) 24"x24"	rett.	8,5	595x595	pallet	4	1,44	28,80	32	128	46,08	20	942	-
30x60,4 (level) 12"x24"	nat.	8,5	-	pallet	7	1,27	25,40	40	280	50,80	20	1.036	-
30x60 12"x24"	nat.	8,5	-	pallet	6	1,08	21,60	40	240	43,20	20	884	-
30x60 12"x24"	rett.	8,5	297x596	pallet	6	1,08	21,60	40	240	43,20	20	884	-
30x60 (level) 12"x24"	rett.	8,5	296x595	pallet	7	1,26	25,20	40	280	50,40	20	1.028	-
30x60 mix sizes 12"x24"	rett.	8,5	297x596	pallet	6	1,08	21,60	40	240	43,20	20	884	-
50x50 20"x20"	nat.	8,5	-	pallet	6	1,50	30,00	24	144	36,00	20	740	-
33,3x33,3 (petraia) 13"x13"	nat.	8,5	-	pallet	11	1,22	24,40	48	528	58,56	20	1.191	-
16,65x33,3 6,5"x13"	nat.	8,5	-	pallet	11	0,61	12,20	88	968	53,68	20	1.094	-
20x40 8"x16"	nat.	8,5	-	pallet	15	1,20	24,00	64	960	76,80	20	1.556	-
11,5x23 4,6"x9,2"	nat.	8,5	-	pallet	16	0,43	8,60	76	1216	32,68	20	674	-

ABKSTONE™

F.to nominale Nominal size	▼ ▲	F.to reale (mm) Work size (mm)	Imballo Packing	Lastre/Imballo	Mq totali Sqm total	Kg/lastra Kg/slab	Kg Imb. Kg Packing	Kg Totali Kg Total	Prezzo Imb. Packing price
163,5x323 nat. / lux	20	1635x3230	Cassa Crate	5	25,60	246	139	1.369	€ 220,00
163,5x323 nat. / lux	20	1635x3230	Cavalletto container legno A - frame Container Rack pallet wood A - frame	12 *10	61,44 51,20	246	180	3.132 2.640	€ 335,00
163,5x323 nat. / lux	20	1635x3230	Cavalletto container metallo A - frame Container Rack pallet metal A - frame	12 *10	61,44 51,20	246	180	3.132 2.640	€ 515,00
163,5x323 nat. / lux	20	1635x3230	Legaccio Bundle	12	61,44	246	60	3.012	€ 240,00
163,5x323 nat.	12	1635x3230	Cassa Crate	10	51,20	149	139	1.629	€ 220,00
163,5x323 lux	12	1635x3230	Cassa Crate	9	46,08	149	139	1.480	€ 220,00
163,5x323 nat. / lux	12	1635x3230	Cavalletto container legno A - frame Container Rack pallet wood A - frame	22 *18	112,64 92,16	149	180	3.458 2.862	€ 335,00
163,5x323 nat. / lux	12	1635x3230	Cavalletto container metallo A - frame Container Rack pallet metal A - frame	22 *18	112,64 92,16	149	180	3.458 2.862	€ 515,00
163,5x323 nat. / lux	12	1635x3230	Legaccio Bundle	18	92,16	149	60	2.742	€ 210,00
163,5x323 nat. / lux	6	1635x3230	Cassa Crate	15	76,80	75	139	1.264	€ 220,00
163,5x323 nat. / lux	6	1635x3230	Cavalletto container legno A - frame Container Rack pallet wood A - frame	36	184,32	75	180	2.880	€ 335,00
163,5x323 nat. / lux	6	1635x3230	Cavalletto container metallo A - frame Container Rack pallet metal A - frame	36	184,32	75	180	2.880	€ 515,00
163,5x323 nat. / lux	6	1635x3230	Legaccio Bundle	27	138,24	75	60	2.085	€ 240,00

* I cavalletti per carico su container prevedono 18 lastre in 12 mm anzichè 22 e 10 lastre in 20 mm anzichè 12.
* A Frame for container loading contains 18 slabs in 12 mm thickness and not 22, 10 slabs in 20 mm thickness and not 12.

ABK garantisce una superficie utile pari a 1635x3230 mm, la fatturazione invece è calcolata sulla base del formato 1600x3200 mm.
Su richiesta, le lastre in 6 e 12 mm di ABK possono essere rinforzate strutturalmente con una stuoia in fibra di vetro applicata sul retro con apposito collante.
L'applicazione della stuoia prevede una maggiorazione di € 9,00 al mq sul prezzo netto della lastra.

ABK guarantees a useful surface area of 1635x3230 mm whereas billing is calculated on the basis of a 1600x3200 mm size.
On request, the 6 and 12 mm slabs from ABK can be reinforced with fiberglass matting applied to the rear surface using a special adhesive.
The fiberglass matting application involves a 9,00 € per sqm increase on the slab's net price.

Su richiesta, le lastre ABKSTONE possono essere rettificate nella dimensione di 1596,5x3195 mm con una maggiorazione di 6,00 € /mq.
On request, ABKSTONE slabs can be reticified size 1596,5x3195 mm with a 6,00 € per sqm supplement.

DECOR & WALL

F.to nominale Nominal size	Finitura Finish	▼ ▲	F.to reale (mm) Work size (mm)	Imballo Packing	Pz/Scat. Pcs/Box	Mq/Scat. Sqm/Box	Kg/Scat. Kg/Box	Scat./Imb. Box/Packing	Pz Totali Pcs Total	Mq totali Sqm total	Kg Imb. Kg Packing	Kg Totali Kg Total	Prezzo Imb. Packing price
60x120 24"x48"	rett.	7	596x1194	pallet	2	1,44	20,00	35	70	50,40	20	720	-
60x120 (do up 24"x48" STREET)	rett.	7	596x1194	pallet	2	1,44	24,00	30	60	43,20	20	740	-
60x120 (wide&style mini tinte unite) 24"x48"	rett.	7	596x1194	pallet	2	1,44	20,00	40	80	57,60	20	820	
60x120 (wide&style mini dec. gres porcellanato) 24"x48"	rett.	7	596x1194	pallet	2	1,44	24,00	32	64	46,08	20	788	
30x120 12"x48"	rett.	7	297x1194	pallet	4	1,44	20,00	42	168	60,48	20	868	-
40x120 16"x48"	rett.	6	400x1194	pallet	4	1,92	23,00	24	96	46,08	20	572	-
20x20 (play/poetry decor) 8"x8"	nat.	8,5	-	pallet	26	1,04	19,00	36	936	37,44	20	704	-
7,5x30 (crossroad 2,8"x11,2" brick)	nat.	8	-	pallet	22	0,50	7,50	96	2112	48,00	20	740	-

L'unità minima di vendita per tutti gli articoli (fondi, decori e pezzi speciali) è la scatola completa. I dati relativi agli imballi sono aggiornati al momento della stampa del catalogo e pertanto possono subire variazioni nel corso del tempo. Pezzi speciali e decori per effetto delle lavorazioni, possono presentare variazioni di tonalità.

The minimum sales quantity for all items (plain tiles, decorations and special trims) is one full box. Data referring to packaging have been update at time of printing; the actual data may be slightly different. Due to working process special trims and decors, may show variation in tonality.

Le caratteristiche di superficie e le tonalità dei prodotti ceramici illustrati in questo catalogo sono da ritenersi puramente indicative.
Optical features and color shades of ceramic materials illustrated in this catalogue are to be regarded as mere indications.



index

STONE

POETRY STONE
ATLANTIS
NATIVE
ALPES WIDE - ALPES RAW
MONOLITH
UNIKA
RE-WORK
FOSSIL

MARBLE

SENSI SIGNORIA
SENSI GEMS
SENSI UP
SENSI

CONCRETE

BLEND
GHOST
LAB325
CROSSROAD CHALK
DOWNTOWN
DOCKS
LEVEL

METAL

INTERNO 9 WIDE - INTERNO 9

WOOD

POETRY WOOD
ECO CHIC
NEST
CROSSROAD WOOD
DOLPHIN
SOLERAS

RUSTIC

PETRAIA

DECOR & WALL

POETRY DECOR
WIDE&STYLE MINI
PLAY
CROSSROAD BRICK
DO UP
CHROME

OUT.20
20MM

BLEND - POETRY STONE - LAB325
GENT - ATLANTIS - GHOST
NATIVE - POETRY WOOD - ECO CHIC
DOLPHIN - SOLERAS

OUT.30
30MM

LAB325
TRENTO

HARDKOLL

COLLANTI E SIGILLANTI

TECH

INFORMAZIONI TECNICHE

Marketing ABK Group
Direfarecreate.it

Brand of ABK Group Industrie Ceramiche s.p.a. - via S.Lorenzo N.24/a - 41034 Finale Emilia - Modena Italy
tel. 0535 761311 - fax 0535 761320/92800/761351

www.abk.it
#abkemozioni

ABK