

# ULTIMATE Collection Of **ELITE** DESIGNS



600X  
1200MM.

600X  
600MM. PGVT  
&GVT

400X  
400MM.

PARKING  
16MM, 12MM, 7.5MM.

# About Us.

a leading manufacturer of Ceramic Wall & Floor, & Vitrified Floor Tiles in India, having successful track record of over **Three Decades** to its credit, Employing the latest International Technology & Fully Automated, Single Fired State-of-Art Plant & Machinery from **HLT, KEDA Press, B&T, Welko, Simec & Technofarrari** & Material Handling Systems from TGV (Auto Guided Vehicles) of Italy offering World Class Ceramic, Vitrified Tiles of Unmatched Quality.

“Quality” is not just a Statement but also the way of life. With our expansion plans we Have added technological excellence to our credit by establishing various Tiles Plants with increased Capacities. We manufacture our tiles under ISO 14001:2005 quality control systems to make each tile Meet the international Standards.

Needless to say, to deliver what we commit, we use the best combination of high quality, high grade raw material imported from the best sources world over.

The company's culture has become pervading that it has become ingrained in every aspect of ethos and has resolutely and aggressively paved the way in to the future.

A full-fledged team of dedicated professional- qualified, versatile and committed supports its Exacting standards of excellence.

With ongoing training, R&D and human resource development, the company continuously strives To Bring International Quality Consistently surpassing itself and always reaching a higher peak.

**We Believe in Integrity** in business means honestly caring about giving customers the Best of product Quality, Value for Money and Services. **Focus, Synergy and Commitment has been The Inspiration and The Driving Force in Relentless march.**



600X  
1200MM.

PGVT  
&GVT

# Index.

MATT  
WOOD





# Matt.

—

REFRESH & ELEVATE  
YOUR LIFESTYLE

600X  
1200MM

 Matt

## RIVERSTONE\_BLANCO



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product




Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Matt

## RIVERSTONE\_CLAY



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Matt

## RIVERSTONE\_CREMA



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Matt

## RIVERSTONE\_GREY



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable






600X  
1200MM



## RIVERSTONE\_NERO



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## RIVERSTONE\_PECAN



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable






**MONOLITH\_SAND**

600X  
1200MM

 Matt

## MONOLITH\_SAND



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## MONOLITH\_BLANCO



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Matt

## MONOLITH\_BRONZE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## MONOLITH\_CREMA



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application




Highly  
Durable



600X  
1200MM



## MONOLITH\_NERO



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product




Random  
Effect



Wall & floor  
Application



Highly  
Durable





600X  
1200MM



## MONOLITH\_SILVER



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## MONOLITH\_SLATE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable







**MARBELLA\_BLANCO**

600X  
1200MM



## MARBELLA\_BLANCO



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application




Highly  
Durable



600X  
1200MM



## MARBELLA\_BROWN



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application




Highly  
Durable



600X  
1200MM



## MARBELLA\_CREMA



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application






Highly  
Durable



600X  
1200MM



## MARBELLA\_GREY



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## MARBELLA\_SAND



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable








600X  
1200MM

 Matt

## CEMENTO\_BLANCO



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product




Random  
Effect



Wall & floor  
Application




Highly  
Durable



600X  
1200MM

 Matt

## CEMENTO\_CREMA



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product




Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Matt

## CEMENTO\_GREY



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product




Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Matt

## CEMENTO\_NERO



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## CEMENTO\_PECAN



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Matt

## CEMENTO\_BEIGE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable







600X  
1200MM



## CELONA\_NERO



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application




Highly  
Durable



600X  
1200MM

 Matt

## CELONA\_BLANCO



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Matt

## CELONA\_BROWN



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Matt

## CELONA\_CREMA



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application




Highly  
Durable



600X  
1200MM



## CELONA\_GREY



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Matt

## CELONA\_PECAN



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Matt

## CAPRI\_WHITE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product




Random  
Effect



Wall & floor  
Application



Highly  
Durable



A composition of wooden planks and white spheres on a dark background. Three wooden planks of different species and finishes are stacked vertically. To the left, a large white sphere and a smaller one are positioned. To the right, a large white sphere is partially obscured by the planks, and further right, a series of four smaller white spheres of decreasing size are arranged in a line.

# Wood.

—

NATURALIZE & BEAUTIFY  
YOUR ARENA



600X  
1200MM



## CHERRY WOOD\_WALNUT



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## CHERRY WOOD\_PINE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## CHERRY WOOD\_NATURAL



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## CHERRY WOOD\_TEAK



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product




Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## CHERRY WOOD\_WENGE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## CHERRY WOOD\_GREY



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable





ETRO WOOD\_WALNUT

600X  
1200MM

 Wood

## ETRO WOOD\_WALNUT



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable





600X  
1200MM

 Wood

## ETRO WOOD\_TEAK



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## LYPTUS WOOD\_PINE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## LYPTUS WOOD\_TEAK



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable





EKHO WOOD\_GREY

600X  
1200MM

 Wood

## EKHO WOOD\_GREY



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## EKHO WOOD\_WALNUT



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## EKHO WOOD\_TEAK



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## PALM WOOD\_TEAK



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable





600X  
1200MM

 Wood

## PALM WOOD\_CEDAR



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable





SANDAL WOOD\_WALNUT

600X  
1200MM



## SANDAL WOOD\_WALNUT



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## SANDAL WOOD\_TEAK



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## SANDAL WOOD\_PINE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## SANDAL WOOD\_GREY



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## AXLE WOOD\_WENGE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## AXLE WOOD\_TEAK



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable






600X  
1200MM

 Matt

## CEMENTO\_COTTO



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product




Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## CLARA WOOD\_PINE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable





TIMBER WOOD\_TEAK

600X  
1200MM



## TIMBER WOOD\_TEAK



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## TIMBER WOOD\_WALNUT



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## TIMBER WOOD\_PINE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM

 Wood

## CLARA WOOD\_WALNUT



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable



600X  
1200MM



## CLARA WOOD\_WENGE



Minimum  
3mm space



Versatile  
Installation



Eco friendly  
Product



Random  
Effect



Wall & floor  
Application



Highly  
Durable





# Technical Specifications.

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF GVT / PGVT	TEST METHOD
<b>REGULATORY PROPERTIES</b>				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color dierence	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
<b>STRUCTURAL PROPERTIES</b>				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>				
	Min. 35 N/mm	Min. 40 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
<b>THERMO HYDROMETRIC PROPERTIES</b>				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion(COE)	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.5x10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
<b>SAFETY PROPERTIES</b>				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given o by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

# Packing Details.

SR. NO.	PRODUCT	NOMINAL SIZE	TILES PER BOX	COVERAGE AREA	WEIGHT
1	VITRIFIED TILES	600 x 1200 mm	2	1.44 Sq. Mtr.	29 Kg Approx..

**Note:** •Colour Shown are as accurate as the limitations of the printing process will allow. •Prospective customers are advised to inspect a sample of the tile before ordering. •Every effort has been made to ensure the accuracy of the information given. •However, the company reserve the right to change the specifications without prior notice. •Sometime variations in shade or size being inherent to ceramic industry may occur. •Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

---

# Applications.



Gymnasium



Super Market



Home



Airport



Hospital



Bank




Dance Mall



Religion Place



School



Industry



Multiplex



Hotel

**DISCLAIMER :** We reserves the right to delete & amend either totally of partially, and of the colours, shapes, size, references and other technical specification contain in catalogue at any time. the colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample final selection. The details of colours, size, references should be vitrified for Typographical errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLIANT SHALL BE SHALL ENTERTAINED ON TILES ALREADY LAID/FIXED.