



 **viaroma**
ceramiche

PIATTAFORMA
ITALIA

L'AZIENDA

COMPANY

Via Roma ceramiche è un'azienda italiana che produce e commercializza gres porcellanato rettificato e rivestimenti di ceramica in pasta bianca con grande varietà di formati, spessori e superfici adatte alle più svariate destinazioni d'uso.

Una realtà giovane che ha deciso di puntare sulle materie prime, sull'innovazione, sulla ricerca e il design che avviene rigorosamente in Italia presso i migliori laboratori del comprensorio ceramico di Sassuolo.

Grazie al consolidamento di una rete commerciale capillare, Via Roma ceramiche è fortemente presente, oltre che in Italia, in Europa, Sud America, Africa, Caraibi e Paesi dell'Oltremare.

Alla sede di Salerno, dove sono presenti gli uffici commerciali e amministrativi, si affianca la sede di Rubiera (RE) con uffici, showroom di rappresentanza e deposito logistico.

Oltre alle sedi italiane, è stato aperto un ufficio a Morby, comprensorio della produzione di ceramica in India, con un Team di professionisti altamente qualificati che si occupa del controllo qualità nei vari stabilimenti produttivi, sin dalle prime fasi della produzione. L'ufficio indiano si occupa anche dello sviluppo del brand Via Roma nel mercato indiano.

Via Roma ceramiche is an Italian company that manufactures and sells porcelain stoneware tiles and ceramic wall tiles (white body) with a wide variety of sizes, thicknesses and surfaces suitable for the most varied uses.

A young reality that has decided to focus on raw materials, innovation, research and design that takes place strictly in Italy in the best laboratories in the Sassuolo ceramic area. Thanks to the consolidation of a capillary commercial network, Via Roma ceramiche is strongly present, as well as in Italy, in Europe, South America, Africa, the Caribbean and overseas countries.

At the headquarters in Salerno, where the commercial and administrative offices are present, there is also Rubiera (RE) headquarters with representative offices, showroom and logistics warehouse.

In addition to the Italian offices, an office has been opened in Morby, a ceramic production area in India, with an highly qualified team of professionals that deals with quality control in the various production facilities, starting from the beginning of production. The Indian office also deals with the development of the Via Roma brand in the Indian market.



What makes us
different



RICERCA E SVILUPPO

Research and development

La ricerca e lo sviluppo della nostra gamma prodotti viene realizzata nei migliori laboratori grafici del Distretto Ceramico di Sassuolo.

The research and the development of our products is realized in the best graphic Laboratories in Sassuolo Ceramic District.



CONTROLLO QUALITÀ

Quality control

99% di prodotto conforme

Tutte le produzioni vengono controllate e certificate dal nostro ufficio qualità direttamente in India, prima della partenza del container, secondo gli standard EN 14411 - ISO 13006:2018 - G.

99% compliant product

All the productions are controlled and certified by our quality office directly in India, before the container leaves from the loading port, according to the EN 14411 - ISO 13006: 2018 - G standards.



CERTIFICAZIONI

Certifications

Tutta la nostra gamma prodotti è certificata dal **Centro Ceramico di Bologna** secondo gli standard **EN 14411 - ISO 13006:2018 - G**.

*All our product range is checked and certified by **Centro Ceramico di Bologna** according to **EN 14411 - ISO 13006:2018 - G** standards.*



**ÉLITE
RENOIR**

cm 120x120 | 48"x48"



viaroma
ceramiche

ÉLITE RENOIR

HIGH GLOSS

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI SIZES

±9mm
60×60
24"×24"

±9mm
80×80
32"×32"

±9mm
60×120
24"×48"

±9mm
120×120
48"×48"



DIGITAL
TECHNOLOGY

DESIGN
VARIATION

PAVIMENTO
FLOOR TILE

RIVESTIMENTO
WALL TILE

V3
SHADE
VARIATION

R9
SLIPPING
RESISTANCE

DESIGN VARIATION





viaroma
ceramiche

CALACATTA GOLD

POLISHED

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

±9mm
120×120
48"×48"



DIGITAL
TECHNOLOGY



DESIGN
VARIATION



PAVIMENTO
FLOOR TILE



RIVESTIMENTO
WALL TILE



V3
SHADE
VARIATION



R9
SLIPPING
RESISTANCE

DESIGN VARIATION






viaroma
ceramiche

STATUARIO ORO

POLISHED

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES



DIGITAL
TECHNOLOGY

DESIGN
VARIATION


PAVIMENTO
FLOOR TILE

RIVESTIMENTO
WALL TILE

V3
SHADE
VARIATION

R9
SLIPPING
RESISTANCE

DESIGN VARIATION






viaroma
ceramiche

CALACATTA DIAMOND

POLISHED

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES




DIGITAL
TECHNOLOGY


DESIGN
VARIATION



PAVIMENTO
FLOOR TILE


RIVESTIMENTO
WALL TILE


V3
SHADE
VARIATION


R9
SLIPPING
RESISTANCE

DESIGN VARIATION






viaroma
ceramiche

ONICE WHITE

POLISHED

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES



DIGITAL
TECHNOLOGY

DESIGN
VARIATION

PAVIMENTO
FLOOR TILE

RIVESTIMENTO
WALL TILE

V3
SHADE
VARIATION

R9
SLIPPING
RESISTANCE

DESIGN VARIATION





viaroma
ceramiche

ONIX MOON

POLISHED

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

±9 mm
120×120
48"×48"



DIGITAL
TECHNOLOGY



DESIGN
VARIATION



PAVIMENTO
FLOOR TILE



RIVESTIMENTO
WALL TILE



V3
SHADE
VARIATION



R9
SLIPPING
RESISTANCE

DESIGN VARIATION






viaroma
ceramiche

ONICE GOLD

POLISHED

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES



 DIGITAL TECHNOLOGY
 DESIGN VARIATION
 PAVIMENTO FLOOR TILE
 RIVESTIMENTO WALL TILE
 V3 SHADE VARIATION
 R9 SLIPPING RESISTANCE

DESIGN VARIATION





CREMA DI ROCCIA


POLISHED

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES



±9mm
80×80
32"×32"



±9mm
120×120
48"×48"



DIGITAL
TECHNOLOGY



DESIGN
VARIATION



PAVIMENTO
FLOOR TILE



RIVESTIMENTO
WALL TILE



V3
SHADE
VARIATION



R9
SLIPPING
RESISTANCE

DESIGN VARIATION





viaroma
ceramiche

PULPIS GREY

POLISHED

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

±9mm
60×60
24"×24"

±9mm
80×80
32"×32"

±9mm
60×120
24"×48"

±9mm
120×120
48"×48"

DIGITAL
TECHNOLOGY

DESIGN
VARIATION

PAVIMENTO
FLOOR TILE

RIVESTIMENTO
WALL TILE

V3
SHADE
VARIATION

R9
SLIPPING
RESISTANCE

DESIGN VARIATION





viaroma
ceramiche

IN MARQUINIA

HIGH GLOSS

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES

±9mm
60×120
24"x48"

 **DIGITAL**
TECHNOLOGY

 **DESIGN**
VARIATION

 **PAVIMENTO**
FLOOR TILE


 **RIVESTIMENTO**
WALL TILE

 **V3**
SHADE
VARIATION

 **R9**
SLIPPING
RESISTANCE

DESIGN VARIATION






viaroma
ceramiche

MARQUINIA NERO

POLISHED

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES



±9 mm
120×120
48"×48"



DIGITAL
TECHNOLOGY



DESIGN
VARIATION



PAVIMENTO
FLOOR TILE



RIVESTIMENTO
WALL TILE




V3
SHADE
VARIATION



R9
SLIPPING
RESISTANCE

DESIGN VARIATION



**IN RESIN
TAUPE**



**IN RESIN
GREY**




IN RESIN GREY

MATT

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES



- DIGITAL TECHNOLOGY
- DESIGN VARIATION
- PAVIMENTO FLOOR TILE
- RIVESTIMENTO WALL TILE
- V3 SHADE VARIATION
- R9 SLIPPING RESISTANCE

DESIGN VARIATION



IN RESIN SAND

MATT

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES



- DIGITAL TECHNOLOGY
- DESIGN VARIATION
- PAVIMENTO FLOOR TILE
- RIVESTIMENTO WALL TILE
- V3 SHADE VARIATION
- R9 SLIPPING RESISTANCE

DESIGN VARIATION





IN RESIN TAUPE

MATT

Gres fine porcellanato rettificato
Rectified porcelain stoneware

FORMATI
SIZES



- DIGITAL TECHNOLOGY
- DESIGN VARIATION
- PAVIMENTO FLOOR TILE
- RIVESTIMENTO WALL TILE
- V3 SHADE VARIATION
- R9 SLIPPING RESISTANCE

DESIGN VARIATION



DATI TECNICI

TECHNICAL DATA

CARATTERISTICHE TECNICHE

TECHNICAL CHARACTERISTICS

GRES PORCELLANATO / PORCELAIN TILES

ISO 13006:2018 ANNEX G – Bla GL

Tutti i prodotti **Via Roma Ceramiche** appartenenti a questa categoria sono conformi ai requisiti di norma e **certificati dal Centro Ceramico di Bologna**.
*All **Via Roma Ceramiche** products in this category comply with statutory requirements and certified by **Centro Ceramico di Bologna**.*

	CARATTERISTICA TECNICA TECHNICAL FEATURE	METODO DI PROVA TEST METHOD	REQUISITO ISO 13006:2018 - G REQUIRED ISO 13006:2018 - G	LEVIGATI POLISHED SURFACE VALORE MEDIO MEAN VALUE
	Qualità della superficie Surface quality	UNI EN ISO 10545-2:2018)	% di piastrelle senza difetti ≥ 95 % of tiles without defects ≥ 95	Conforme Complies
	Lunghezza e larghezza Length and width	UNI EN ISO 10545-2:2018	≤ ± 0.3 % (± 1.0 mm)	Conforme Complies
	Spessore Thickness	UNI EN ISO 10545-2:2:18	≤ ± 5 % (± 0.5 mm)	Conforme Complies
	Rettilinearità degli spigoli Straightness of sides	UNI EN ISO 10545-2:2018	≤ ± 0.3 % (± 0.8 mm)	Conforme Complies
	Ortogonalità Rectangularity	UNI EN ISO 10545-2:2018	≤ ± 0.3 % (± 1.5 mm)	Conforme Complies
	Curvatura del centro Centre curvature	UNI EN ISO 10545-2:2018	≤ ± 0.4 % (± 1.8 mm)	Conforme Complies
	Curvatura dello spigolo Edge curvature	UNI EN ISO 10545-2:2018	≤ ± 0.4 % (± 1.8 mm)	Conforme Complies
	Svergolamento Warpage	UNI EN ISO 10545-2:2018	≤ ± 0.4 % (± 1.8 mm)	Conforme Complies
	Assorbimento dell'acqua Water absorption	UNI EN ISO 10545-3:2018	≤ 0,5%	0,21 %
	Resistenza alla flessione media Average bending strength	UNI EN ISO 10545-4:2019	≥ 35 N/mm²	37,7 N/mm²
	Sforzo di rottura Breaking strength	UNI EN ISO 10545-4:2019	≥ 1.300 N (spessore ≥ 7.5 mm) ≥ 700 N (spessore < 7.5 mm)	1632 N
	Resistenza all'urto Impact resistance	UNI EN ISO 10545-5:2000	Metodo di prova disponibile Test method available	0,80
	Resistenza all'abrasione Resistance to abrasion	UNI EN ISO 10545-7:2000	Classe di abrasione e numero di giri Abrasion class and cycles passed	Classe 5 (> 12.000)
	Dilatazione termica lineare Linear thermal expansion	UNI EN ISO 10545-8:2014	<6.10-6 °C-1	6,8/6,8 10–6/°C
	Resistenza agli sbalzi termici Thermal shocks resistance	UNI EN ISO 10545-9:2014	Richiesta resistenza a 10 cicli Resistance required at 10 cycles	Resistente Resistant
	Espansione all'umidità Moisture expansion	UNI EN ISO 10545-10:2000	Metodo di prova disponibile Test method available	0.0 mm/m
	Resistenza al cavillo - Piastrelle smaltate Crazing resistance - Glazed tiles	UNI EN ISO 10545-11:2000	Richiesto Request	Resistente Resistant
	Resistenza al gelo Frost resistance	UNI EN ISO 10545-12:2000	Richiesto Request	Resistente Resistant
	Resistenza agli agenti chimici - Resistenza ai prodotti chimici per uso domestico e sali per piscina. Chemical resistance - Resistance to household chemicals and swimming pool salts	UNI EN ISO 10545-13:2017	Minimo B Minimum B	A
	Resistenza chimica - Resistenza ad acidi e basi a bassa ed alta concentrazione Chemical resistance - Resistance to low and high concentrations of acids and alkalis	UNI EN ISO 10545-13:2017	Nessuna alterazione visibile No evident variation	A
	Resistenza alle macchie Resistance to staining	UNI EN ISO 10545-14:2015	Minimo classe 3 Minimum class 3	Classe 5/5/5 Class 5/5/5
	Resistenza allo scivolamento Slip resistance classification	DIN 51130 - 06/2004	da 6° ≤ 10° R9 > 10° ≤ 19° R10 > 19° ≤ 27° R11	R9

MERCHANDISING



ESPOSITORE 9 INCAVI
per piastrelle 120×120 cm

DISPLAY 9 TILES
for tiles 120×120 cm



ESPOSITORE 8 INCAVI
per piastrelle
60×60
80×80
60×120

DISPLAY 8 TILES
for tiles
60×60
80×80
60×120



IMBALLI

PACKING DETAILS

FORMATI SIZES	SPESSORE THICKNESS	TIPO PALLET PALLET TYPE	SCATOLA BOX			PALLET PALLET		
			PZ. PCS	M² SQM	KG WT	SCATOLE BOX	M² SQM	KG WT
 60×60 cm 24"x24"	9 mm	EUROPALLET	4	1,44	29,50	36	51,84	1.062
 60×120cm 24"x48"	9 mm	EUROPALLET	2	1,44	28,30	30	43,20	849
 80×80 cm 32"x32"	9 mm	EUROPALLET	3	1,92	38	36	69,12	1.368
 120×120 cm 48"x48"	9 mm	VERTICALE VERTICAL	2	2,88	60	28	80,64	1680
		ORIZZONTALE HORIZONTAL	2	2,88	60	15	43,20	900

Solo PULPIS GREY 80×80 / Only PULPIS GREY 80×80

 80×80 cm 32"x32"	9 mm	EUROPALLET	3	1,92	42	32	61,44	1.344
--	------	------------	---	------	----	----	-------	-------

I prodotti sono imballati in scatole generiche "Gres porcellanato"

The products are packed
in generic boxes
"Porcelain stoneware"



DEPOSITO LOGISTICO

LOGISTIC WAREHOUSE

RUBIERA – Zanni Marco & C. s.r.l.
Via Zenone 17 – 42048 Rubiera (RE)

Tel. +39 0522 627202

Orari d'apertura: 08.00 – 12.00 / 14.00 – 18.00
Esclusi sabato, domenica e festività infrasettimanali

CONDIZIONI GENERALI DI VENDITA

GENERAL CONDITIONS OF SALES

Art. 1 - Ordinanze

Le commissioni, eventuali varianti, esazioni, trattative abbuoni, transazioni, ecc., fatte da Agenti od intermediari non sono valide senza ns. conferma scritta.

Art. 2 - Prezzi

I prezzi si intendono al netto, per contanti per consegna franco stabilimento, salva diversa pattuizione. Se fra la data di ordinazione e quella di consegna si verificassero aumenti nei costi delle materie prime, dalla mano d'opera ai combustibili, nelle spese di produzione di trasporto, ecc., il venditore potrà aumentare il prezzo convenuto. Tuttavia qualora detto prezzo superi il 20% quello convenuto al momento della ordinazione, il compratore potrà recedere dal contratto notificandoci per raccomandata tale sua volontà entro il termine perentorio di 10 giorni dal ricevimento dell'avviso di aumento prezzo.

Art. 3 - Consegne

I termini di consegna sono sempre e puramente indicativi e la proroga di essi non può dare diritto al compratore a richiesta di indennizzo od altro, ogni eccezione rimossa. Solo nel caso il ritardo superi i 60 giorni il compratore potrà comunicare con lettera raccomandata la sua intenzione di considerare risolto il contratto; resta escluso ogni risarcimento di danni a suo favore.

Art. 4 - Spedizioni

Il materiale viaggia a rischio e pericolo del compratore e si intende venduto nello stabilimento deposito declinando il venditore ogni responsabilità anche nel caso venga fornito franco destino. Sarà dovere del compratore verificare il materiale prima del ritiro, facendo le dovute riserve a chi di ragione nel caso venissero riscontrate rotture o differenze nel quantitativo del materiale, delle quali il venditore non può essere chiamato a rispondere.

Art. 5 - Pagamenti

Il luogo di pagamento resta fissato e fermo esclusivamente presso le ns. sedi. Anche nel caso nel contratto sia previsto il pagamento in un luogo diverso o con emissioni di tratte o con rilascio di cambiali, le relative clausole si intendono rivolte soltanto a facilitare il pagamento da parte del compratore ma non comportano lo spostamento del luogo stesso che resta fissato presso le ns. sedi legali. Le spese di bollo ed incasso effetti e tratte sono a carico del compratore. Facoltà di emettere tratte - Trascorsi 10 giorni da quello fissato per il pagamento saremo senz'altro autorizzati ad emettere a copertura del prezzo tratta a vista con spese senza preavviso.

Art. 6 - Riservato dominio

Le merci sono vendute con patto di riservato dominio ai sensi degli art. 1523 e segg. del Cod. Civ. Di conseguenza sino al totale pagamento dell'intero prezzo, compresi eventuali interessi ed accessori tutti, le merci rimangono di ns. proprietà.

Art. 7 - Interessi di mora

Dal giorno fissato per il pagamento decorreranno a ns. favore gli interessi commerciali correnti.

Art. 8 - Clausola risolutiva

In caso di mancato pagamento, anche di una sola parte del materiale già fornito e anche nel caso il compratore ritardi di 8 giorni ad effettuare il pagamento di qualsiasi forma previsto, il venditore avrà la facoltà di considerare risolto il contratto con conseguente esonero dell'obbligo di effettuare le forniture non ancora eseguite, così pure in caso di insolvenza, anche solo apparente, dell'acquirente.

Art. 9 - Solve et repete

Per nessun motivo, ivi compresi pretesi vizi o difetti del materiale, il compratore potrà sospendere o ritardare il pagamento del materiale ritirato, salva naturalmente la facoltà di ripetere quanto possa dimostrare di avere indebitamente pagato.

Art. 10 - Reclami e garanzie

Non si prendono in considerazione reclami e contestazioni, se non fatti direttamente a noi, a mezzo lettera raccomandata entro e non oltre 8 gg. dall'arrivo della merce a destino e comunque dopo la posa in opera del materiale. Il compratore che abbia avanzato reclamo in tempo utile dovrà tenere ferma a disposizione del venditore per ogni controllo tutta la partita di materiale e ove siano accertati vizi e difetti di qualità, egli avrà diritto alla sola sostituzione dei materiali difettosi con esclusione di qualsiasi risarcimento danni. La responsabilità della venditrice in nessun caso si estende all'uso cui il compratore intende destinare il ns. prodotto. Nemmeno nel caso che da parte ns. siano forniti suggerimenti o consigli circa l'installazione dello stesso. Dietro ns. previa autorizzazione, possiamo esclusivamente accettare la restituzione del materiale. Ci riserviamo inoltre il diritto di sospendere in qualunque momento la vendita di taluni prodotti o di apportare agli stessi determinate modificazioni, qualora particolari esigenze di natura tecnica o commerciale ci inducano ad un mutamento degli attuali ns. programmi produttivi o distributivi.

Art. 11 - Decadenza della garanzia

Al ricevimento della merce il compratore dovrà sottoporla ad accurato controllo, aprendo le scatole, in caso riscontri vizi in qualsiasi modo apparenti o per i quali opera la ns. garanzia, il compratore dovrà avanzare reclamo che sarà valido soltanto se sarà formulato con lettera raccomandata indirizzata direttamente a noi entro il termine perentorio di 8 giorni dal ricevimento del materiale. Decorso tale termine il compratore decadrà da ogni garanzia per qualsiasi vizio che possa essere considerato apparente a parere di un esperto. Nel caso abbia avanzato utilmente reclamo il compratore dovrà tenere a ns. disposizione l'intera partita di materiale, ove invece ne disponga, anche in parte, decadrà da ogni garanzia.

Art. 12 - Foro

Per qualsiasi controversia, comunque relativa alla fornitura, tanto da parte del venditore come da parte del compratore, viene attribuita, con applicazione della legge italiana, competenza esclusiva al foro di Salerno il tutto, salvo diversa designazione da parte del venditore.

Art. 1 - Orders

Commissions, any possible variations, exactions, negotiations remittances, transactions etc served as Agents, or intermediaries are not valid without our writing confirmation.

Art. 2 - Prices

The prices are to be intended to the clean one, for cash for delivery ex works, except that in case of different agreements. If among the date of order and that of delivery they occurred increases in the costs of raw materials, from the labour costs of the fuels, in the expenses of production of transportations etc. the seller can increase the agreed upon price. Nevertheless if said price is overcome 20% that agreement during the order, the buyer can recede from the contract notifying us for such registered letter his/her wish within the peremptory term of 10 days from the reception of the notice of increase price.

Art. 3 - Deliveries

The terms of delivery are always and purely indicative and the extension of them cannot give right to the buyer to application of indemnification or other, without any kind of exceptions. Only in the case the delay overcomes the 60 days the buyer can communicate with recommended letter its intention to consider resolved the contract; it stays excluded every reimbursement of damages to his/her favour.

Art. 4 - Consignments

The material travels to risk and danger of the buyer and it intends sold in the warehouse deposit also declining the seller every responsibility in the case is furnished ex works. It would be duty of the buyer to verify the material before the withdrawal, making due reserves to whom of reason in the case breapups or differences were found in the quantity of the material, of which the seller cannot have called to answer.

Art. 5 - Payments

The place of payment stays fixed and exclusively stopped near our centers. Also in the case in the contract is anticipated the payment in a different place or with issues of drawn or with release of bills, the relative clauses intends only revolts to facilitate the payment from the buyer but don't behave the move of the place same that stays fixed near the our legal centers. The expenses of stamp and collection effects and drawn are to load of the buyer. Faculty to send forth drawn - Departed 10 days from that fixed for the payment we will certainly be authorized to send forth to coverage of the price it treats to sight with expenses without warning.

Art. 6 - Reservation of title

Goods are sold with agreement of RISERVATION OF TITLE to the senses of the art. 1523 and following of the Codice Civile. Accordingly actually to the total payment of the wole price, inclusive any possible interest and accessories all, the goods remain in our ownership.

Art. 7 - Interests for delaied payment

From the day fixed for the payment the will elapse to our favour the current commercial interest rates.

Art. 8 - Decisive clause

In case of missed payment, also of only a part of the material already furnished and also in the case the buyer delaies up to 8 days to effect the payment in any kind agreed upon, the seller will have the faculty to consider resolved the contract with consequent exemption of the obligation to effect the supplies not yet performed, so also in case of insolvency, also only apparent, of the buyer.

Art. 9 - Solve et repete

For any reason, inclusive claimed faults or defects of the material, the buyer can suspend or delay the payment of the withdrawn material, except of course the faculty to repeat how much can show to unduely have paid.

Art. 10 - Claims and guarantees

They are not considered claims and confrontations, if not directly addressed to us, by letter within and not over 8 days from the arrival of the commodities to destiny and however after the laying in work of the material. The buyer that has advanced claim in useful time will owe to hold firm to disposition of the seller for every control the wole lot of material and when it should be verified faults and defects of quality, he will have the only right to the substitution of the defective materials with exclusion of any reimbursement damns. The responsibility of the seller in no cases could be extended to the use which the buyer intends to destine the product, even in the case that from our side suggestions are furnished or recommendations about the laying of the same. After our previous authorization, we can exclusively accept the restitution of the material. We reserve besides the right to suspend in whatever moment the sale of any products or to bring to the same determined modifications, if particular demands of technical or commercial kind induce us to a change of our current productive or distributive programs.

Art. 11 - Expiry of the guarantee

After acknowledgment of the commodities the buyer will have to submit it to accurate control, opening the boxes, in case he finds faults in any apparent way or for which works our guarantee the buyer will have to advance claim that will be valid only if it will be formulated with recommended letter directly addressed to us within the peremptory term of eight days after acknowledgment of the commodities. Elapsed such term the buyer will decay from any guarantee for any faults that can be considered apparent to expert evaluation. In case the buyer had usefully advanced claims it will have hold to our disposal the whole lot of material, instead in absence of it, also partly, it will decay from any guarantee.

Art. 12 - Competent jurisdiction

For any controversy, however related to the supply, so much from the seller as from the buyer, with application of the Italian law, exclusive competence would be to the court of Salerno, except different designation from the seller.

viaroma
ceramiche

Scopri tutte le collezioni su:
Discover all the collections on:

www.viaromaceramiche.it



Scansiona in QR-Code
Scan the QR-Code

Le informazioni contenute nel presente catalogo sono il più possibile esatte, ma non sono da ritenersi legalmente vincolanti. Per esigenze di produzione l'Azienda si riserva il diritto di apportare eventuali modifiche che si rendessero necessarie. Peso, colori e misure sono soggetti alle inevitabili variazioni tipiche del processo di cottura della ceramica. Per ragioni tecniche di stampa i toni riprodotti possono presentare delle alterazioni di colore rispetto ai campioni originali. **VIA ROMA CERAMICHE SI RISERVA LA FACOLTÀ DI MODIFICARE LE INFORMAZIONI TECNICHE RIPORTATE IN QUESTO CATALOGO.**

*The information contained in this catalogue is as accurate as possible, but cannot be considered as legally binding. The Company reserves the right to make any modifications that become necessary due to production requirements. Weight, colours and dimensions are subject to the inevitable variation typical of the ceramic firing process. The colours are possible to the actual colours, within the limits allowed by the printing process. For technical printing reasons, the colours shown may slightly differ from the actual tiles. **VIA ROMA CERAMICHE RESERVES THE RIGHT TO MODIFY THE TECHNICAL INFORMATION QUOTED IN THIS CATALOGUE.***

Campionatura gratuita di modico valore
ai sensi del DPR 633/72 e successive modifiche art. 2.

© gennaio 2021



VIA ROMA Ceramiche Srl

Sede Legale | Registered Office

Via R. Wenner 65 - 84131 Salerno - Italy
tel. +39 089 99 53 674

Uffici, Showroom, Deposito Logistico

Office, Showroom, Logistics Warehouse
Via Zenone 11 - 42048 Rubiera (RE) - Italy

Quality Control, India Office

At. Pipli, Jetpar Road - Morbi - 363641 - India

marketing@viaromaceramiche.it

www.viaromaceramiche.it