

16mm THICKNESS



hard
ROCK

40x40 cm HEAVY DUTY FLOOR & PARKING TILES

SIMBOLOGY

VB Vitrified body

M Matt

FT Floor tiles

AS Anti-slip

SV Shading variation

ABCD Different skill-screen effects

SR Scratch resistance


WA Water absorption

RS Resistance to stains

PF Punch Finish

PL Plain Finish

ONE OF THE OUTSTANDING PRODUCTS FROM OUR COMPANY. AN EXCLUSIVE LARGE-FORMAT FLOOR TILES WHICH HAS BEEN THOUGHT UP FOR THOSE SURFACES THAT LOOK FOR AN OPTICAL CONTINUITY AND GREATER SPACIOUSNES. WE PROVIDES ANY PROJECT WITH SOLUTIONS THROUGH ITS FOR FINISHED.



ALASKA

ALASKA BROWN





ALASKA

ALASKA CREMA

ALASKA

ALASKA SILVER





ALASKA

ALASKA GRAY

ALASKA

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM / PALLET
400x400	16.00	0.64	4	22.00	64	40.96

ALASKA GRAY - ALASKA SILVER - ALASKA BROWN - ALASKA CREMA - 18 FACE

ALASKA

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



ALASKA GRAY

40x40 cm
16mm Thickness

PLAIN SURFACE



ALASKA SILVER

40x40 cm
16mm Thickness

PLAIN SURFACE



ALASKA CREMA

40x40 cm
16mm Thickness

PLAIN SURFACE



ALASKA BROWN

40x40 cm
16mm Thickness

PLAIN SURFACE



Formats 40x40cm
16mm thickness
available
in anti slip.

DUST

DUST CHOCO





DUST

DUST PEACH



DUST

DUST GRAY



DUST


—
DUST SILVER

DUST

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM / PALLET
400x400	16.00	0.64	4	22.00	64	40.96

DUST CHOCO - DUST PEACH - DUST GRAY - DUST SILVER - 10 FACE

DUST

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



DUST GRAY

40x40 cm

PLAIN SURFACE

16mm Thickness



DUST SILVER

40x40 cm

PLAIN SURFACE

16mm Thickness



DUST PEACH

40x40 cm

PLAIN SURFACE

16mm Thickness



DUST CHOCO

40x40 cm

PLAIN SURFACE

16mm Thickness



Formats 40x40cm
16mm thickness
available
in anti slip.

FUTURA

FUTURA GREEN





FUTURA

FUTURA ROPE




FUTURA

FUTURA SAND

FUTURA

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM / PALLET
400x400	16.00	0.64	4	22.00	64	40.96

FUTURA SAND - FUTURA ROPE - FUTURA GREEN - 20 FACE

FUTURA

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS




FUTURA GREEN

40x40 cm

PLAIN SURFACE

16mm Thickness



FUTURA ROPE

40x40 cm

PLAIN SURFACE

16mm Thickness



Formats 40x40cm
16mm thickness
available
in anti slip.



FUTURA SAND

40x40 cm

PLAIN SURFACE

16mm Thickness




GLANT

GLANT COFFEE

GLANT

GLANT RUST




GLANT

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM / PALLET
400x400	16.00	0.64	4	22.00	64	40.96

GLANT COFFEE - GLANT RUST - 24 FACE

GLANT

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



GLANT COFFEE

40x40 cm
16mm Thickness


PLAIN SURFACE



GLANT RUST

40x40 cm
16mm Thickness

PLAIN SURFACE



Formats 40x40cm
16mm thickness
available
in anti slip.

CAROLE

CAROLE ASH



CAROLE

CAROLE BRONZ



CAROLE

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM / PALLET
400x400	16.00	0.64	4	22.00	64	40.96

CAROLE GRIS - CAROLE SILVER - CAROLE BRONZ - CAROLE ASH - 4 FACE

CAROLE

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



CAROLE GRIS

40x40 cm

PLAIN SURFACE

16mm Thickness



CAROLE SILVER

40x40 cm

PLAIN SURFACE

16mm Thickness



CAROLE ASH

40x40 cm

PLAIN SURFACE

16mm Thickness



CAROLE BRONZ

40x40 cm

PLAIN SURFACE

16mm Thickness



Formats 40x40cm
16mm thickness
available
in anti slip.

HERITAGE

HERITAGE GRAY



HERITAGE

HERITAGE JADE






HERITAGE

HERITAGE ROPE


HERITAGE

HERITAGE CLAY



HERITAGE

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM / PALLET
400x400	16.00	0.64	4	22.00	64	40.96

HERITAGE GRAY - HERITAGE JADE - HERITAGE ROPE - HERITAGE CLAY - 8 FACE

HERITAGE

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



HERITAGE GRAY

40x40 cm

PLAIN SURFACE

16mm Thickness



HERITAGE JADE

40x40 cm

PLAIN SURFACE

16mm Thickness



HERITAGE ROPE

40x40 cm

PLAIN SURFACE

16mm Thickness



HERITAGE CLAY

40x40 cm

PLAIN SURFACE

16mm Thickness



Formats 40x40cm
16mm thickness
available
in anti slip.



NORDEN

NORDEN ANTH

NORDEN

NORDEN WHITE



NORDEN

NORDEN MUD





NORDEN


—
NORDEN BONE

NORDEN

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM / PALLET
400x400	16.00	0.64	4	22.00	64	40.96

NORDEN ANTH - NORDEN WHITE - NORDEN MUD - NORDEN BONE - 15 FACE


NORDEN

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS




NORDEN ANTH

40x40 cm PLAIN SURFACE
16mm Thickness




NORDEN WHITE

40x40 cm PLAIN SURFACE
16mm Thickness



NORDEN BONE

40x40 cm PLAIN SURFACE
16mm Thickness



NORDEN MUD

40x40 cm PLAIN SURFACE
16mm Thickness



Formats 40x40cm
16mm thickness
available
in anti slip.




OSAKA

OSAKA GRAY

OSAKA

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



OSAKA GRAY

40x40 cm
16mm Thickness

PLAIN SURFACE

PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM /PALLET
400x400	16.00	0.64	4	22.00	64	40.96



OSAKA GRAY - 5 FACE



TOSCANA

TOSCANA SILVER

TOSCANA

TOSCANA GRIS




TOSCANA

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM /PALLET
400x400	16.00	0.64	4	22.00	64	40.96

TOSCANA GRIS - TOSCANA SILVER - 15 FACE

TOSCANA

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



TOSCANA GRIS

40x40 cm
16mm Thickness


PLAIN SURFACE



TOSCANA SILVER

40x40 cm
16mm Thickness

PLAIN SURFACE



Formats 40x40cm
16mm thickness
available
in anti slip.



TRICHY

TRICHY BEIGE


TRICHY

TRICHY CREMA



TRICHY

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM / PALLET
400x400	16.00	0.64	4	22.00	64	40.96

TRICHY BEIGE - TRICHY CREMA - 10 FACE

TRICHY

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



TRICHY BEIGE

40x40 cm
16mm Thickness

PLAIN SURFACE



TRICHY CREMA

40x40 cm
16mm Thickness

PLAIN SURFACE



Formats 40x40cm
16mm thickness
available
in anti slip.



NEST

NEST GRIS



NEST


NEST WHITE

NEST

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM /PALLET
400x400	16,00	0,64	4	22,00	64	40,96

NEST WHITE - NEST GRIS - 20 FACE

NEST


HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



NEST GRIS

40x40 cm
16mm Thickness

PLAIN SURFACE



NEST WHITE

40x40 cm
16mm Thickness

PLAIN SURFACE



Formats 40x40cm
16mm thickness
available
in anti slip.




TIFFANY

TIFFANY BRONZ



TIFFANY

TIFFANY CREMA



TIFFANY

TIFFANY GRAY






TIFFANY

TIFFANY SILVER

TIFFANY

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM /PALLET
400x400	16.00	0.64	4	22.00	64	40.96

TIFFANY BRONZ - TIFFANY CREMA - TIFFANY GRAY - TIFFANY SILVER - 10 FACE

TIFFANY

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



TIFFANY BRONZ

40x40 cm
16mm Thickness
PLAIN SURFACE



TIFFANY CREMA

40x40 cm
16mm Thickness
PLAIN SURFACE




TIFFANY SILVER

40x40 cm
16mm Thickness
PLAIN SURFACE



TIFFANY GRAY

40x40 cm
16mm Thickness
PLAIN SURFACE



Formats 40x40cm
16mm thickness
available
in anti slip.



TITAN

TITAN RED

TITAN

TITAN CREMA





TITAN

TITAN FOG




TITAN

TITAN SILVER



TITAN

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM / PALLET
400x400	16.00	0.64	4	22.00	64	40.96

TITAN RED - TITAN CREMA - TITAN FOG - TITAN SILVER - 8 FACE

TITAN

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



TITAN FOG

40x40 cm

PLAIN SURFACE

16mm Thickness



TITAN SILVER

40x40 cm

PLAIN SURFACE

16mm Thickness



TITAN CREMA

40x40 cm

PLAIN SURFACE

16mm Thickness



TITAN RED

40x40 cm

PLAIN SURFACE

16mm Thickness



Formats 40x40cm
16mm thickness
available
in anti slip.

TRENDY

TRENDY CREMA



TRENDY

TRENDY GOLD





TRENDY

TRENDY WHITE



TRENDY


TRENDY SILVER

TRENDY

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



PACKING LIST

SIZE	THICKNESS (mm)	SQM / BOX	PIECES / BOX	KG / BOX (aprox)	BOXES / PALLET	SQM / PALLET
400x400	16.00	0.64	4	22.00	64	40.96

TRENDY CREMA - TRENDY GOLD - TRENDY GRIS - TRENDY SILVER - TRENDY WHITE - 10 FACE

TRENDY

HEAVY DUTY FLOOR & PARKING TILES 40x40cm 16mm THICKNESS



Formats 40x40cm
16mm thickness
available
in anti slip.



TRENDY GOLD

40x40 cm
16mm Thickness

PLAIN SURFACE



TRENDY CREMA

40x40 cm
16mm Thickness


PLAIN SURFACE



TRENDY GRIS

40x40 cm
16mm Thickness


PLAIN SURFACE



TRENDY WHITE

40x40 cm
16mm Thickness

PLAIN SURFACE



TRENDY SILVER

40x40 cm
16mm Thickness

PLAIN SURFACE



APPLICATION AREAS

Sr. No.	PROPERTY	International Std. ISO 13006/EN 176 Group Bla	Our Value	Method of Testing
1.	Deviation in Length	±0.6%	±0.1%	ISO 10545-2
2.	Deviation in Thickness	±5.0%	±4.0%	ISO 10545-2
3.	Straightness of Sides	±5.0%	±0.1%	ISO 10545-2
4.	Rectangularity	±0.6%	±0.1%	ISO 10545-2
5.	Surface Flatness	±0.5%	±0.15%	ISO 10545-2
6.	Surface Quality (%)	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tile	98% free from visible defects	ISO 10545-2
7.	Scratch Hardness of Surface (Moh's Scale)	Min 6	Min 7	ISO 10545-2
8.	Modulus of Reuture	> 35 N/mm ³	> 45 N/mm ²	ISO 10545-4
9.	Breaking Strength	> 1300 N	> 8000 N	ISO 10545-4
10.	Water absorption	< 0.5%	< 0.2%	ISO 10545-3
11.	Stain Resistance	Stain Resistant	Stain Resistant	ISO 10545-14
12.	Chemical Resistance	No Damage	No Damage	ISO 10545-13
13.	Thermal Expansion	< 9x10 ⁻⁶	< 6x10 ⁻⁶	ISO 10545-8
14.	Mositure Expansion	Nil	Nil	ISO 10545-10
15.	Thermal Shock Resistance	No Damage	No Damage	ISO 10545-9
16.	Resistance of Surface abrasion	Manufacturer to state abrasion class	PEI Class	ISO 10545-7
17.	Skid Resistant	--	R10	DIN 51130

PACKING DETAILS

Size	Normal Thickness	No. of Tiles/Box	Coverage Area	Wt. of Box
400x400mm	16 mm (approx.)	4 Pcs.	6.89 (sq. ft.) / 0.64 (sq. mt.)	22 Kgs. (approx.)

* Colours in the catalogue are as accurate as printing process allow. Please check actual tiles sample before making final selection.
 * Size mentioned in the catalogue are the nominal sizes only.
 * For better laying please follow the instructions mentioned on the packing box.
 * No claim will be entertained once the tiles are fixed.